

BAB 7

KESIMPULAN DAN SARAN

7.1 Kesimpulan

1. Ekstrak *Curcuminoid* dengan nanopartikel silika tidak mempunyai efek antibakteri terhadap bakteri *Escherichia coli*.
2. Ekstrak *Curcuminoid* dengan nanopartikel silika tidak mempunyai *MIC* dan *MBC* pada konsentrasi 62,5 µg/ml hingga 1000 µg/ml pada bakteri *Escherichia coli*.

7.2 Saran

1. Konsentrasi ekstrak *Curcuminoid* dengan nanopartikel silika dapat ditingkatkan untuk mendapatkan nilai *MIC* dan *MBC*.
2. Melakukan pengukuran pH untuk melihat pengaruh pH terhadap ekstrak *Curcuminoid* dengan nanopartikel silika.
3. Memastikan ruangan penelitian yang lebih kedap cahaya untuk menjamin paparan cahaya yang minimal

DAFTAR PUSTAKA

1. Flores-Mireles AL, Walker JN, Caparon M, Hultgren SJ. Urinary tract infections: epidemiology, mechanisms of infection and treatment options. *Nat Rev Microbiol* [Internet]. 2015 Apr 8;13:269. Available from: <http://dx.doi.org/10.1038/nrmicro3432>
2. Carroll KC, Brooks GF, Butel JS, Morse SA, Mietzner TA. Jawetz, Melnick, & Adelberg Mikrobiologi Kedokteran. 25th ed. Adityaputri A, editor. Jakarta: EGC; 2010. 854 p.
3. Radji M. Buku Ajar Mikrobiologi Panduan Mahasiswa Farmasi dan Kedokteran. Jakarta: EGC; 2010. 320 p.
4. Daoud Z. Escherichia coli isolated from urinary tract infections of Lebanese patients between 2005 and 2012: epidemiology and profiles of. 2015;2(April):1–11.
5. Matuschek E. Antimicrobial Resistance of Escherichia coli Causing Uncomplicated Urinary Tract Infections: A European Update for 2014 and Comparison with 2000 and 2008. 2015;417–23.
6. Vranic SM, Uzunovic A. Antimicrobial Resistance of Escherichia coli Strains Isolated From Urine at Ourpatient Population : A Single Laboratory Experience. 2016;(February):121–4.
7. Davies J, Guy R, Johnson AP, Sheridan EA, Hope RJ. Descriptive epidemiology of Escherichia coli bacteraemia in England , April 2012 to March 2014. 2016;(March 2014):1–9.
8. Nasri H, Sahinfard N, Rafieian M, Rafieian S, Shirzad M. Turmeric : A spice with multifunctional medicinal properties. 2014;3(1):5–8.
9. Chattopadhyay I, Biswas K, Bandyopadhyay U, Banerjee RK. Turmeric and curcumin: Bio logical actions and medicinal applications. 2004;87(1).

10. Liu J, Chen S, Lv L, Song L, Guo S, Huang S. Recent progress in studying curcumin and its nano-preparations for cancer therapy. *Curr Pharm Des.* 2013;19(11):1974–93.
11. Moghadamtousi SZ, Kadir HA, Hassandarvish P, Tajik H, Abubakar S, Zandi K. A Review on Antibacterial , Antiviral , and Antifungal Activity of Curcumin. 2014;2014.
12. Basniwal RK, Buttar HS, Jain VK, Jain N. Curcumin Nanoparticles : Preparation , Characterization , and Antimicrobial Study. 2011;2056–61.
13. Martien R, Adhyatmika, Irianto IDK, Farida V, Sari DP. Technology Developments Nanoparticles as Drug. 2012;8(1):133–44.
14. Carvalho DDM, Takeuchi KP, Geraldine RM, Moura CJ De, Céilia M, Torres L. Production , solubility and antioxidant activity of curcumin nanosuspension. 2015;35(1):115–9.
15. Adahoun A, Al-akhraas MH. Enhanced anti-cancer and antimicrobial activities of curcumin nanoparticles. 2016;1401(January).
16. Yance DR. *Adaptogens in Medical Herbalism: Elite Herbs and Natural Compounds for Mastering Stress, Aging, and Chronic Disease.* Rochester: Inner Traditions Bear and Company; 2013. 672 p.
17. Li S, Wang P. Chemical composition and product quality control of turmeric (*Curcuma longa* L .). *Pharm Crop.* 2011;2:28–54.
18. Mills S, Bone K. *Principles and Practice of Phytotherapy.* 2nd ed. London: Churchill Livingstone; 2013. 1056 p.
19. Evans WC. *Trease and Evans Pharmacognosy.* 16th ed. London: Elsevier Health Sciences; 2009. 616 p.
20. Labban L. Medicinal and pharmacological properties of Turmeric (*Curcuma longa*): A review. 2014;5(1):17–23.

21. Khajehdehi P. Turmeric: Reemerging of a neglected Asian Traditional Remedy. 2012;1(1):17–22.
22. Gul P, Bakht J. Antimicrobial activity of turmeric extract and its potential use in food industry. 2015;52(April):2272–9.
23. Kaur S, Modi NH, Panda D, Roy N. European Journal of Medicinal Chemistry Probing the binding site of curcumin in *Escherichia coli* and *Bacillus subtilis* FtsZ e A structural insight to unveil antibacterial activity of curcumin. *Eur J Med Chem* [Internet]. 2010;45(9):4209–14. Available from: <http://dx.doi.org/10.1016/j.ejmech.2010.06.015>
24. Tyagi P, Singh M, Kumari H, Kumari A, Mukhopadhyay K. Bactericidal activity of curcumin I is associated with damaging of bacterial membrane. *PLoS One*. 2015;10(3):1–15.
25. Brenner DJ, Krieg NR, Staley JT. *Bergey's Manual of Systematic Bacteriology*. 2nd ed. Garrity GM, editor. New York: Springer-Verlag New York Inc.; 2005. 1106 p.
26. Hemraj V, Diksha S, Avneet G. A review on commonly used biochemical test for bacteria. 2013;1(1):1–7.
27. Aryal S. <https://microbiologyinfo.com/mueller-hinton-agar-mha-composition-principle-uses-and-preparation/>. 2015.
28. Brunton L. Goodman and Gilman's *The Pharmacological Basis of Therapeutics* 12th Ed. 12th ed. Chabner BA, Knollmann BC, editors. New York: McGraw Hill; 2011. 1808 p.
29. Arana DM, Rubio M, Alós J. *pneumoniae* isolates from urinary tract infections: A 12-year analysis. *Enferm Infecc Microbiol Clin* [Internet]. 2016;(xx). Available from: <http://dx.doi.org/10.1016/j.eimc.2016.02.018>
30. Mukhriani. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *J Kesehat*. 2011;7(2).
31. Yulianto FT, Khasanah LU, Anandito RBK. Pengaruh

Ukuran Bahan dan Metode Destilasi (Destilasi Air dan Destilasi Uap Air Terhadap Kualitas Minyak Atsiri Kulit Kayu Manis) (*Cinnamomum burmannii*). 2012;1(1).

32. Kulkarni SJ, Maske KN, Budre MP, Mahajan RP. Extraction and purification of curcuminoids from Turmeric (*curcuma longa* L .). 2012;81–4.
33. Buzea C, Pacheco II, Robbie K. Nanomaterials and nanoparticles: sources and toxicity. *Biointerphases*. 2007 Dec;2(4):MR17-71.
34. Peer D, Karp JM, Hong S, Farokhzad OC, Margalit R, Langer R. Nanocarriers as an emerging platform for cancer therapy. *Nat Biotechnol*. 2007;2:751–60.
35. Franci G, Falanga A, Galdiero S, Palomba L, Rai M, Morelli G, et al. Silver Nanoparticles as Potential Antibacterial Agents. 2015;8856–74.
36. Tang F, Li L, Chen D. Mesoporous Silica Nanoparticles : Synthesis , Biocompatibility and Drug Delivery. 2012;1504–34.
37. Hartono SB, Hadisoewignyo L, Yang Y, Meka AK, Yu C. Amine functionalized cubic mesoporous silica nanoparticles as an oral delivery system for curcumin bioavailability enhancement. *Nanotechnology* [Internet]. 2016;27(50):1–7. Available from: <http://dx.doi.org/10.1088/0957-4484/27/50/505605>
38. Wanyika H, Gatebe E, Kioni P, Tang Z, Gao Y. Mesoporous Silica Nanoparticles Carrier for Urea: Potential Applications in Agrochemical Delivery Systems. 2012;12(3):2221–8.
39. Suzuki K, Ikari K, Imai H. Synthesis of Silica Nanoparticles Having a Well-Ordered Mesostructure Using a Double Surfactant System. 2004;(Figure 2):462–3.
40. M FG. E-test for Detection of Antimicrobial susceptibility of Vancomycin (Glycopeptides) in Methicillin Resistant *Staphylococcus aureus*. 2013;7(3):29–31.

41. De R, Kundu P, Swarnakar S, Ramamurthy T, Chowdhury A, Nair GB, et al. Antimicrobial Activity of Curcumin against *Helicobacter pylori* Isolates from India and during Infections in Mice □. 2009;53(4):1592–7.
42. Silhavy TJ, Kahne D, Walker S. The bacterial cell envelope. *Cold Spring Harb Perspect Biol.* 2010;2(5):1–16.
43. Koebnik R, Locher KP, Van Gelder P. Structure and function of bacterial outer membrane proteins: Barrels in a nutshell. *Mol Microbiol.* 2000;37(2):239–53.
44. Baron S. *Medical Microbiology*. 4th ed. Baron S, editor. Galveston: University of Texas Medical Branch; 1996.
45. Niamsa N, Sittiwet C. Antimicrobial Activity of Curcuma Longa Aqueous Extract. *J Pharmacol Toxicol.* 2009;
46. Lee W-H, Loo C-Y, Bebawy M, Luk F, Mason R, Rohanizadeh R. Curcumin and its Derivatives: Their Application in Neuropharmacology and Neuroscience in the 21st Century. *Curr Neuropharmacol* [Internet]. 2013;11(4):338–78. Available from: <http://www.eurekaselect.com/openurl/content.php?genre=article&issn=1570-159X&volume=11&issue=4&spage=338>
47. Kharat M, Du Z, Zhang G, McClements DJ. Physical and Chemical Stability of Curcumin in Aqueous Solutions and Emulsions: Impact of pH, Temperature, and Molecular Environment. *J Agric Food Chem.* 2017;65(8):1525–32.
48. Hartono SB, Hadisoewignyo L, Yang Y, Meka AK, Antaresti, Yu C. Amine functionalized cubic mesoporous silica nanoparticles as an oral delivery system for curcumin bioavailability enhancement. *Nanotechnology* [Internet]. 2016;27(50):1–7. Available from: <http://dx.doi.org/10.1088/0957-4484/27/50/505605>