

**LAMPIRAN A**  
**KESESUAIAN ANTARA ANTIBIOTIK YANG DIGUNAKAN**  
**DENGAN STANDAR DIAGNOSA TERAPI PNEUMONIA**  
**RUMKITAL DR. RAMELAN SURABAYA**

No.	Jenis antibiotik	Kesesuaian
1.	Ceftriaxone 2x1 gram (iv) Levofloksasin 1x500 mg (iv)	Sesuai
2.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>2</sup>
3.	Levofloksasin 1x500 mg (iv)	Sesuai
4.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
5.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>3</sup>
6.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x2 gram (iv)	Sesuai
7.	Ceftriaxone 2x1 gram (iv) Levofloksasin 1x500 mg (iv)	Sesuai
8.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
9.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>2</sup>
10.	Ceftriaxone 2x1 gram (iv) Levofloksasin 1x500 mg (iv)	Sesuai
11.	Ceftriaxone 2x1 gram (iv) Levofloksasin 1x500 mg (iv)	Sesuai
12.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
13.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
14.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
15.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai

16.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
17.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
18.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
19.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
20.	Siprofloksasin 2x400 mg (iv)	Sesuai
21.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
22.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
23.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
24.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
25.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
26.	Ceftriaxone 2x1 gram (iv) Levofloksasin 1x500 mg (iv)	Sesuai
27.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>1</sup>
28.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x2 gram (iv)	Sesuai
29.	Levofloksasin 1x500 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
30.	Siprofloksasin 2x400 mg (iv) Ceftriaxone 2x1 gram (iv)	Sesuai
31.	Ceftriaxone 2x1 gram (iv)	tidak sesuai <sup>2</sup>
32.	Ceftriaxone 2x1 gram (iv) Siprofloksasin 2x400 mg (iv)	Sesuai
33.	Ceftriaxone 2x1 gram (iv) Meropenem 3x500 mg (iv)	tidak sesuai <sup>2</sup>

---

**LAMPIRAN B**  
**KESESUAIAN DOSIS DAN FREKUENSI PEMBERIAN PADA**  
**PASIEN PNEUMONIA PADA TIAP PASIEN**

No.	Jenis antibiotika	Dosis sesuai literatur *	Kesesuaian
1.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
2.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
3.	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
4.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
5.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
6.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Ceftriaxone 2x2 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
7.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
8.	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
9.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
10.	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
11.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
12.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
13.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
14.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
15.	Ceftriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai

16.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
17.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
18.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
19.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
20.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
21.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
22.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
23.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
24.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
25.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
26.	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
27.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
28.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x2 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
29.	Levofloksasin 1x500 mg (iv)	1x500-750 mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
30.	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
31.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
32.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Siprofloksasin 2x400 mg (iv)	2x200-400mg sehari (iv)	sesuai
33.	Cefriaxone 2x1 gram (iv)	1-2x1-2 gram sehari (iv)	sesuai
	Meropenem 3x500 mg (iv)	3x500mg-1 gram sehari(iv)	sesuai

\*McEvoy, 2008

**LAMPIRAN C**  
**KESESUAIAN RUTE PEMBERIAN MENURUT SDT RUMKITAL**  
**DR. RAMELAN 2007**

No.	Jenis antibiotika dan rute pemberian	Rute pemberian menurut SDT Rumkital Dr. Ramelan 2007	Kesesuaian
1.	Ceftriaxone 2x1 gram (iv)	iv	sesuai
	Levofloksasin 1x500 mg (iv)	iv	sesuai
2.	Ceftriaxone 2x1 gram (iv)	iv	sesuai
3.	Levofloksasin 1x500 mg (iv)	iv	sesuai
4.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Ceftriaxone 2x1 gram (iv)	iv	sesuai
5.	Ceftriaxone 2x1 gram (iv)	iv	sesuai
6.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Ceftriaxone 2x2 gram (iv)	iv	sesuai
7.	Ceftriaxone 2x1 gram (iv)	iv	sesuai
	Levofloksasin 1x500 mg (iv)	iv	sesuai
8.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Ceftriaxone 2x1 gram (iv)	iv	sesuai
9.	Ceftriaxone 2x1 gram (iv)	iv	sesuai
10.	Ceftriaxone 2x1 gram (iv)	iv	sesuai

	Levofloksasin 1x500 mg (iv)	iv	sesuai
11.	Cefriaxone 2x1 gram (iv)	iv	sesuai
	Levofloksasin 1x500 mg (iv)	iv	sesuai
12.	Cefriaxone 2x1 gram (iv)	iv	sesuai
13.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
14.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
15.	Cefriaxone 2x1 gram (iv)	iv	sesuai
	Siprofloksasin 2x400 mg (iv)	iv	sesuai
16.	Cefriaxone 2x1 gram (iv)	iv	sesuai
17.	Cefriaxone 2x1 gram (iv)	iv	sesuai
18.	Cefriaxone 2x1 gram (iv)	iv	sesuai
19.	Cefriaxone 2x1 gram (iv)	iv	sesuai
20.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
21.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
22.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai

23.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
24.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
25.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
26.	Levofloksasin 1x500 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
27.	Cefriaxone 2x1 gram (iv)	iv	sesuai
28.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x2 gram (iv)	iv	sesuai
29.	Levofloksasin 1x500 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
30.	Siprofloksasin 2x400 mg (iv)	iv	sesuai
	Cefriaxone 2x1 gram (iv)	iv	sesuai
31.	Cefriaxone 2x1 gram (iv)	iv	sesuai
32.	Cefriaxone 2x1 gram (iv)	iv	sesuai
	Siprofloksasin 2x400 mg (iv)	iv	sesuai
33.	Cefriaxone 2x1 gram (iv)	iv	sesuai
	Meropenem 3x500 mg (iv)	iv	sesuai

---

LAMPIRAN D

KESESUAIAN MENURUT FORMULARIUM PADA TIAP PASIEN

No.	Jenis antibiotik	Jenis antibiotik yang disediakan	Kesesuaian
1.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Cravit (infus)	B <sub>2</sub>	sesuai
2.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
3.	Cravit (infus)	B <sub>2</sub>	sesuai
4.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Jayacin (infus)	C <sub>7</sub>	sesuai
5.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
6.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Civell (infus)	C*	tidak sesuai
7.	Cravit (infus)	B <sub>2</sub>	sesuai
	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
8.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Civell (infus)	C*	tidak sesuai
9.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
10.	Cravit (infus)	B <sub>2</sub>	sesuai
	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
11.	Cravit (infus)	B <sub>2</sub>	sesuai
	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
12.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
13.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Ciprofloksasin (infus)	C <sub>1</sub>	sesuai
14.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Ciprofloksasin (infus)	C <sub>1</sub>	sesuai
15.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
	Ciprofloksasin (infus)	C <sub>1</sub>	sesuai
16.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
17.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
18.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
19.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
20.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
21.	Jayacin (infus)	C <sub>7</sub>	sesuai
	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
22.	Ciprofloksasin (infus)	C <sub>1</sub>	sesuai
	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
23.	Ciprofloksasin (infus)	C <sub>1</sub>	sesuai



	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
24.	Ceftriaxon (inj) Jayacin (infus)	A <sub>1</sub> C <sub>7</sub>	sesuai sesuai
25.	Ceftriaxon (inj) Jayacin (infus)	A <sub>1</sub> C <sub>7</sub>	sesuai sesuai
26.	Ceftriaxon (inj) Cravit (infus)	A <sub>1</sub> B <sub>2</sub>	sesuai sesuai
27.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
28.	Ceftriaxon (inj) Ciprofloksasin (infus)	A <sub>1</sub> C <sub>1</sub>	sesuai sesuai
29.	Cravit (infus) Ceftriaxon (inj)	B <sub>2</sub> A <sub>1</sub>	sesuai sesuai
30.	Ciprofloksasin (infus) Ceftriaxon (inj)	C <sub>1</sub> A <sub>1</sub>	sesuai sesuai
31.	Ceftriaxon (inj)	A <sub>1</sub>	sesuai
32.	Ceftriaxon (inj) Jayacin (infus)	A <sub>1</sub> C <sub>7</sub>	sesuai sesuai
33.	Meropenem (infus) Ceftriaxon (inj)	D <sub>1</sub> A <sub>1</sub>	sesuai sesuai

Keterangan :

A<sub>1</sub> : Ceftriaxon (Inj)

A<sub>2</sub> : Terfacef (Inj)

A<sub>3</sub> : Broadced (Inj)

A<sub>4</sub> : Tricefin (Inj)

A<sub>5</sub> : Cephalox (Inj)

A<sub>6</sub> : Foricef (Inj)

A<sub>7</sub> : Cefsix (inj)

A<sub>8</sub> : Starxon(Inj)

A<sub>9</sub> : Socef (Inj)

B<sub>1</sub> : Levofloxacin (Cap)

B<sub>2</sub> : Cravit (Kaplet/Inj)

B<sub>3</sub> : Levocin (Tab)

B<sub>4</sub> : Volequin (Tab/Infus)

B<sub>5</sub> : Prolecine (Tab)

B<sub>6</sub> : Volox (Cap)

B<sub>7</sub> : Mosardal (Tab/Inj)

C<sub>1</sub>: Ciprofloxacine (Cap)

C<sub>2</sub>: Ciprofloxacine (Inf)

C<sub>3</sub> : Baquinor (Cap/Inf/Ed)  
C<sub>4</sub> : Floksid (Kaplet)  
C<sub>5</sub> : Interflox (Cap/Tab/Tm)  
C<sub>6</sub> : Cetafloxo (Cap/Inj)  
C<sub>7</sub> : Jayacin (Inf)  
C\* : Civell

D<sub>1</sub> : Meropenem (Inj)  
D<sub>2</sub> : Merosan (Inj)  
D<sub>3</sub> : Merofen (Inj)  
D<sub>4</sub> : Tripenem (Inj)  
D<sub>5</sub> : Merem (Inj)  
D<sub>6</sub> : Merobat (Inj)  
A\*, B\*, C\*, D\* tidak tertera pada formularium

