

BAB 5

SIMPULAN DAN SARAN

5.1 Simpulan

1. Semakin tinggi konsentrasi (10%, 20%, dan 30%) ekstrak etanol daun pepaya (*Carica papaya* L.) mempengaruhi daya hambat pertumbuhan terhadap *Propionibacterium acnes*.
2. Formula terbaik dari sediaan gel ekstrak etanol daun pepaya (*Carica papaya* L.) berdasarkan hasil uji mutu fisik serta efektivitas adalah formula 3 (konsentrasi 30%).

5.2 Saran

Pada penelitian selanjutnya disarankan untuk mengubah bentuk ekstrak kental menjadi ekstrak kering

DAFTAR PUSTAKA

- Abdurahman, Muhidin. dan Somantri. 2011, *Dasar-dasar metode statistika untuk penelitian*, Pustaka setia, Bandung.
- Abrar, B., Anis, S., Tanu, B. and Singh, S. 2012, Formulation and in vitro evaluation of NSAID'S gel, *International Journal of Current Pharmaceutical Research*, **4 (3)**: 56-58.
- Afrilyanti, H.R, 2015, 'Pengaruh Gel Anti Jerawat Dari Ekstrak Daun Pepaya Dan Daun Binahong Terhadap Konsumen Untuk Mengeringkan Jerawat', *Skripsi*, Fakultas Teknik, Universitas Negeri Semarang, Semarang.
- Agoes, A. 2010, *Tanaman Obat Indonesia*, Salemba Medika, Palembang.
- Ahmed, M. 2016, Topical Gel Formulation: a review, *Journal of Pharmaceutical Quality Assurance*, **2 (1)**: 1-10.
- Allen, L.V. 2002, *The Art, Science, and Technology of Pharmaceutical Compounding*, American Pharmaceutical Association, Washington D.C.
- Ansel, H.C. 2005, *Pengantar Bentuk Sediaan Farmasi*, Diterjemahkan oleh Ibrahim, Universitas Indonesia Press, Jakarta.
- Aravind, G., Bhowmik, D., Duraivel, S. and Harish, G. 2013, Traditional and Medicinal Uses of *Carica Papaya*, *Journal of Medicinal Plants Studies*, **1 (1)**: 7-15.
- Ariningsih, M.S. 2010, 'Optimasi Formula Gel Antiacne Ekstrak Etanol: Air Daun Pepaya (*Carica papaya* L.): Tinjauan terhadap Gliserol dan Propilenglikol sebagai Humektan Menggunakan Metode Simplex Lattice Design', *Skripsi*, Sarjana farmasi, Universitas Sanata Dharma, Yogyakarta.
- Ashok, P. K. and Upadhyaya, K. 2012, Tannins are Astrigent, *Journal of Pharmacognosy and Phytochemistry*, **1 (3)**: 45-50.
- Ashutosh, Kar. 2009, *Farmakognosi dan Farmakobioteknologi*, Penerbit EGC, Jakarta.
- Ayuningtyas, L. 2009, 'Optimasi Gliserol dan Propilenglikol sebagai Humektan dalam Gel Antiacne Ekstrak Daun Pepaya (*Carica folium*) dengan Metode Factorial Design', *Skripsi*, Sarjana Farmasi Universitas Sanata Dharma, Yogyakarta.

- Buhse, L. 2003, *Presented at the Advisory Committee for Pharmaceutical Science*. Diakses pada 30 Agustus 2018, www.fda.gov/ohrms/dockets/ac/03/slides/3926S1_11_Buhse.ppt.
- Burdick. 2008, Carpaine: An Alkaloid of *Carica Papaya*-its Chemistry and Pharmacology, *Economic Botany*, **25** (4): 363-365.
- Beylot, C. and Auffret, N. 2013, *Propionibacterium acnes*: an Update on its Role in the Pathogenesis of Acnes. *Journal European Academy of Dermatology and Venerology*, **28**: 271-278.
- Caparino, O.A., Tang, J., Nindo, C.I., Sablani, S.S., Powers, J.R. and Fellman, J.K. 2012, Effect of Drying Methods on the Physical Properties and Microstructures of Mango (Philippine 'Carabo' var.) Powder, *Journal of Food Engineering*, **3**: 135-148.
- Chauhan, C.S., Naruka, P.S., Jadon, P.S. and Nagaria, K. 2010, Formulation Development and Characterization of Aceclofenac Gel Using Poloxamer 407, *Journal of Chemical and Pharmaceutical Research*, **2** (4): 357-363.
- Chiari, B.G., Almeida, M.G., Correa, M.A. and Isaac, V.L. 2012, *Cosmetics' Quality Control*, Licensee InTech, Sao Paulo.
- Cooper and Gunn's. 2008, *Dispensing for Pharmaceutical Students*, 12th ed, Mack Publishing and Co, Easton Pennsylvania, London.
- Davis, W.W. and Stout, T.R. 1971, Displate Method of Microbiological Antibiotic Assay, *Journal American Society for Microbiology*, **22** (4): 666-670.
- De Lathauwer, G., De Rycke, D., Duynslager, A., Tanghe, S. dan Oudt, C. 2004, *Thickening Of Foaming Cosmetic Formulations*, Proceeding of the 6th World Surfactant Congress CESIO, Berlin Germany.
- Depkes RI. 1989, *Materia Medika Indonesia Jilid V*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Ditjen POM RI. 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Jakarta: Departemen Kesehatan Republik Indonesia.
- DiPiro, J. T. 2015, *Pharmacotherapy handbook 9th ed*, McGraw-Hill Education, New York.
- Draelos, Z.D. and Lauren, A.T. 2006, *Cosmetic Formulation of Skin Care Product*, Taylor and Francis Group, New York.

- Dwidjoseputro. 2005, *Dasar-Dasar Mikrobiologi*, Djambatan, Jakarta.
- Entjang, I. 2003, *Mikrobiologi dan Parasitologi*, PT Citra Aditya Bakti, Bandung.
- Evans, C.W. 2009, *Pharmacognosy Trease and Evans*, 16th Ed. Saunders Elsevier, London.
- Fitria. 2015, 'Uji Aktivitas Antibakteri Ekstrak Etanol Daun Pepaya (*Carica papaya L.*) terhadap *Propionibacterium acnes*', *Karya Tulis Ilmiah*, Diploma 3 Farmasi Politeknik Kesehatan, Bandung.
- Garg, A., Aggarwal, D., Garg, S. dan Singla, A.K. 2002, Spreading of Semisolid Formulations: an Update, *Pharmaceutical Technology*, **26**: 84-105.
- Gandjar, I.G. dan Rohman, A. 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gelone, S. and Gennaro, A. 2005, *Remingtons The Sciences and Practice of Pharmacy* ed 21th, Lippincott Williams and Wilkins, Philadelphia.
- Harien. 2010, *Anatomi Fisiologi Kulit dan Penyembuhan Luka*, Universitas Muhammadiyah Malang, Malang.
- Harborne, J.B. 2006, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan (Alih bahasa: Kosasih Padmawinata dan Iwang Soediro)*, ITB, Bandung.
- Hilnak, A. J. and Clark, B. A. 2007, Drying and Dryings, in Swarbrick, J. *Encyclopedia of Pharmaceutical Technology*, **3 (3)**: 1443-1444.
- Imam Ghozali. 2007, *Statistik Non-Parametrik teori dan Aplikasi dengan Program SPSS*, Undip, Semarang.
- Ismaya. 2013, 'Proses Pemisahan Enzim Papain dari Buah Pepaya dengan Ekstraksi Padat-Cair', *Skripsi*, Universitas Indonesia, Depok.
- Jawetz, E., Melnick, J. and Adelberg, E. 2007, *Medical Microbiology* 24th ed, Connecticut : Appleton and Lange.
- Jadhav, K.J. dan Sreenivas S.A. 2012, Review On Chemical Permeation Enhancer Used Transdermal Drug Delivery System, *International Journal Of Science Innovations And Discoveries*, **6**: 204-217.

- James, W., Berger, T. and Elston, D. 2006, Clinical dermatology, *In: Andrews' diseases of the skin*, Elsevier Saunders, Philadelphia.
- Jeon, F.I.J. 2007, *Development and formulation of Carbomer 934P-containing Mucoadhesive pellets by Fluid-bed Techniques*, Dissertation, Marthin Luther University Halle-Wittenberg, Jerman.
- Jones, W.P. dan Kinghorn, A.D. 2006, Extraction of plant secondary metabolites, In: Sarker, S.D., Latif, Z. dan Gray, A.I, eds. *Natural Products Isolation* 2nd Ed. New Jersey: Humana Press.
- Kaur, L.P., Garg, R. and Gupta, G.D. 2010, Development and evaluation of topical gel of minoxidil from different polymer bases in application of alopecia, *International Journal of Pharmacy and Pharmaceutical Sciences*, **2 (3)**: 43-47.
- Kumar, P. and Clark, M.L. 2009, *Kumar and Clark's Clinical Medicine* 7th Edition, Elsevier, Spain.
- Kurniawan, D.W. dan Sulaiman, S.T.N. 2009, *Teknologi Sediaan Farmasi*, Graham Ilmu, Yogyakarta.
- Liapis, A.I. and Bruttini, R. 2006, *Handbook of Industrial Drying* 3rd edition, CRC Press/Taylor and Francis Group, Boca Raton.
- Mahatrinny, N.N., Payani, N.P.S., Oka, I.B.M. dan Astuti, K.W. 2014, Skrining Fitokimia Ekstrak Etanol Daun Pepaya (*Carica papaya* L.) yang Diperoleh dari Daerah Ubud, Kabupaten Gianyar, Bali, *Jurnal Farmasi Udayana*, **3 (1)**: 9-14.
- Makkar, H. P. S. 1993, *Antinutritional Factor in Food for Livestock in Animal Producing in Developing Country*, British Society of Animal Production.
- Mescher, A.L. 2013, *Junquiera's Basic Histology Text and Atlas* 13th Edition, McGraw-Hill Education, Indiana.
- Mujumdar, A.S. and Kudra, T. 2009, *Advanced Drying Technologies*, 2th edition, McGill University, Montreal Quebec, Canada.
- Muhammad, M. dan Rosen. T. 2013, A Controversial Proposal: No More Antibiotics for Acne, *Skin Therapy Letter*, *Indexed by the US National Library of Medicine and PubMed*, **18**: 1-4.
- Muharata, R.I dan Aronson, P.M. 1994. The Relationship Between Solution pH and Clinical Irritancy for Carboxylic Acid-

- based Personal Washing Product, *Journal Soc. Cosmetic. Chemistry*, **45**: 239-246.
- Mukholifah. 2014, 'Identifikasi Senyawa Tanin dan Penentuan Eluen Terbaik dari Eksrak Etanol 70% Daun Pepaya (*Carica papaya* L.) dengan Metode Kromatografi Lapis Tipis', *Skripsi*, Jurusan Biologi Fakultas Sains dan Teknologi, UIN Maulana Malik Ibrahim, Malang.
- Nath, R. and Dutta, M. 2016, Phytochemical and Proximate Analysis of Papaya (*Carica papaya*) Leaves, *Scholars Journal of Agriculture and Veterinary Sciences*, **3 (2)**: 85-87.
- Pelczar, M. J. 1999, *Microbiology*, McGraw-Hill International editions, New York.
- Pelczar, M. J. and Chan, E.C.S. 1988, *Dasar-Dasar Mikrobiologi*, Universitas Indonesia Press, Jakarta.
- Pratiwi, S.T. 2008, *Mikrobiologi Farmasi*, Penerbit Erlangga, Jakarta.
- Pan. X., F. Chen., T. Wu., H. Tang. and Z. Zhao. 2009, The Acid, Bile Tolerance and Antimicrobial Property of *Lactobacillus acidophilus* NIT. *J. Food Control*, **20**: 598-602.
- Rahayu, S. dan Tjitraresmi, A. 2016, Review artikel: Tanaman pepaya (*Carica papaya* L.) dan manfaatnya dalam pengobatan, *Farmaka*, **14 (1)**: 3,6-7.
- Ramly, A.L., Sabry, N., Elbayoumy, T., Badawi, A., Abdelmalak, N.S. and Rahman, S.A. 2014, Formulation of tretinoin-loaded topical proniosomes for treatment of acne: in-vitro characterization, skin irritation test and comparative clinical study, *Drug Deliv*, **22 (6)**: 731-739.
- Rinita, F.F. 2017, 'Uji aktivitas antibakteri dan pengaruh pemberian ekstrak etanol daun dan biji pepaya (*Carica papaya* L.) terhadap *Propionibacterium acnes* penyebab jerawat', *Skripsi*, Sarjana Farmasi, Universitas Sumatera Utara, Medan.
- Robinson, T. 1991, *Kandungan Organik Tumbuhan Tingkat Tinggi*, Penerbit ITB, Bandung.
- Rowe, C.R., Sheske, P. and Quinn, M.E. 2009, *Handbook of Pharmaceutical Excipient* 6th edition, Pharmaceutical Press and American Pharmacist Association, London and Chicago.

- Setiabudy, Rianto. 2007, *Farmakologi dan Terapi Edisi V*. Gaya Baru, Jakarta.
- Sharma, S. 2008, Topical Drug Delivery System: a review, *Pharmaceut*, **6**: 1- 29.
- Silva, J.A.T. 2007, Papaya (*Carica papaya* L.) Biology and Biotechnology, *Tree For Sci Biotechnol*. 1(1): 47-73.
- Susanti, C. M. E. 2000, 'Autokondensat tanin sebagai perekat kayu lamina', *Desertasi*, Program pasca sarjana IPB, Bogor.
- Sutton, S. 2011, *Determination of Inoculum for Microbiological Testing*, *Journal of GXP Compliance*, **15**: 49-53.
- Tanghetti, E.A. 2013, The Role of Inflammation. *The Journal of Clinical Aesthetic Dermatology*, **6 (9)**: 27-36.
- Tjitrosoepomo, G. 2005, *Taksonomi Tumbuhan Obat-Obatan*, Gajah Mada University Press, Yogyakarta.
- Tortora, G. J. and Derrickson, B. 2009, *Principles of Anatomy and Physiology*, John Wiley and Sons, Inc, New Jersey.
- The Lubrizol Corporation. 2009, Formulating Hydroalcoholic Gels with Carbopol Polymers Pharmaceutical, *Pharmaceutical Bulletin Ed September 3*, **1**: 1-9.
- Tranggono, R.I. dan Latifah, L. 2014, *Buku Pegangan Ilmu Kosmetik*, PT Gramedia Pustaka Utama, Jakarta.
- Trommer, H. dan Neubert, R.H.H. 2006, Overcoming The Stratum Corneum: The Modulation of Skin Penetration, *Skin Pharmacology and Physiology*, **19**: 106-121.
- Tuntun, M. 2016, Uji efektivitas ekstrak daun pepaya (*Carica papaya* L.) terhadap pertumbuhan bakteri *Escherichia coli* dan *Staphylococcus aureus*, *Jurnal Kesehatan* **7 (3)**: 497-502.
- Voigt, R. 2000, *Buku Pelajaran Teknologi Farmasi* diterjemahkan oleh S.N. Soewandhi, Universitas Gadjah Mada, Yogyakarta.
- Wasitaatmadja, S. 2010, *Akne Vulgaris*, Ilmu Penyakit Kulit dan Kelamin ed.6. Balai Penerbit FK UI, Jakarta.
- Williams, H. C., Dellavalle P. R., Garner, S., 2012, Acne Vulgaris, *Lancet*, **379**: 361-72.

Waluyo, L. 2004, *Mikrobiologi Umum*, Universitas Muhammadiyah
Malang, Malang.