

LAMPIRAN

Lampiran A. Data Kadar Air Papan Kayu Pada Tahun 2003 Bulan 1-5

Tahun	Bulan	Pengovenan	Palet	Kadar air					X	R	
				X1	X2	X3	X4	X5			
2003	1	1	1	11.1	12.1	12.1	12.1	11.8	11.84	1.0	
			2	12.3	11.1	11.1	11.5	11.7	11.54	1.2	
			3	10.9	8.9	11.7	9.7	11.1	10.46	2.8	
			4	12.1	11.5	11.9	12.0	12.4	11.98	0.9	
			5	12.1	11.2	11.9	12.4	12.0	11.92	1.2	
			6	10.2	10.6	12.0	11.4	10.9	11.02	1.8	
			7	10.9	11.4	10.9	11.6	12.2	11.40	1.3	
			8	11.5	11.1	11.4	11.8	12.6	11.68	1.5	
	2			1	11.5	11.9	11.9	13.0	11.8	12.02	1.5
				2	12.4	12.4	12.2	11.5	12.5	12.20	1.0
				3	11.4	9.9	11.1	10.4	10.9	10.74	1.5
				4	11.2	10.9	11.6	11.0	10.4	11.02	1.2
				5	11.1	12.1	12.1	10.8	12.0	11.62	1.3
				6	11.3	11.0	11.2	12.1	10.9	11.30	1.2
				7	11.8	12.0	10.9	11.6	12.0	11.66	1.1
				8	11.0	11.6	11.9	10.7	11.9	11.42	1.2
	3			1	10.8	11.3	12.0	11.4	12.4	11.58	1.6
				2	10.4	10.6	10.8	11.4	10.0	10.64	1.4
				3	10.5	10.0	12.0	10.4	10.0	10.58	2.0
				4	10.2	10.0	10.9	10.9	11.2	10.64	1.2
				5	12.1	11.0	12.1	12.2	12.0	11.88	1.2
				6	11.6	10.2	10.8	10.4	11.5	10.90	1.4
				7	10.4	11.5	12.3	11.0	12.1	11.46	1.9
				8	12.1	10.8	11.2	11.3	12.9	11.66	2.1
	4			1	13.2	11.1	11.3	11.9	11.1	11.72	2.1
				2	12.0	11.4	12.1	12.6	12.3	12.08	1.2
				3	11.8	11.1	10.0	9.7	11.5	10.82	2.1
				4	8.7	11.1	11.6	10.5	9.5	10.28	2.9
				5	11.0	11.5	9.2	10.4	10.5	10.52	2.3
				6	11.5	11.5	10.8	12.2	12.2	11.64	1.4
				7	12.4	12.4	12.1	10.6	12.3	11.96	1.8
				8	10.5	11.9	11.4	11.5	11.5	11.36	1.4
	5			1	11.5	12.6	11.2	10.5	11.0	11.36	2.1
				2	12.1	13.0	12.2	12.0	11.7	12.20	1.3
				3	12.0	11.0	10.5	12.4	10.9	11.36	1.9
				4	12.2	11.0	12.1	12.0	13.0	12.06	2.0
				5	12.4	11.7	12.3	13.5	11.0	12.18	2.5
				6	9.6	10.3	10.9	10.8	11.0	10.52	1.4
				7	11.8	10.7	12.2	11.3	11.4	11.48	1.5
				8	11.1	9.6	11.1	10.8	11.3	10.78	1.7
2	1		1	11.5	10.2	11.5	11.4	11.7	11.26	1.5	
			2	10.8	12.3	11.1	10.7	10.8	11.14	1.6	
			3	11.1	11.3	10.8	11.9	11.1	11.24	1.1	
			4	10.0	11.9	12.2	12.3	12.3	11.74	2.3	

			5	11.0	10.3	10.7	11.6	10.8	10.88	1.3
			6	11.9	12.7	12.6	11.1	12.4	12.14	1.6
			7	12.1	11.3	12.0	12.1	13.4	12.18	2.1
			8	12.0	11.5	12.1	12.7	11.4	11.94	1.3
		2	1	11.8	12.1	12.0	10.5	11.1	11.50	1.6
			2	10.8	10.7	12.4	10.8	11.6	11.26	1.7
			3	10.8	12.0	11.6	11.9	11.6	11.58	1.2
			4	12.0	10.9	11.5	10.8	11.5	11.34	1.2
			5	12.7	12.0	11.8	11.9	12.4	12.16	0.9
			6	12.7	11.9	11.5	12.1	12.1	12.06	1.2
			7	11.2	10.9	10.8	12.1	10.2	11.04	1.9
			8	10.7	11.1	10.4	11.4	11.7	11.06	1.3
		3	1	12.7	10.6	12.5	12.1	11.8	11.94	2.1
			2	11.2	12.1	10.2	10.8	11.1	11.08	1.9
			3	10.5	11.2	12.1	11.3	10.6	11.14	1.6
			4	10.4	10.4	11.1	11.1	11.3	10.86	0.9
			5	11.5	11.5	12.1	11.6	12.4	11.82	0.9
			6	10.0	10.7	11.9	10.5	9.7	10.56	2.2
			7	11.0	10.8	10.6	11.9	11.7	11.20	1.3
			8	12.6	11.8	12.4	10.9	12.4	12.02	1.7
		4	1	11.8	11.8	11.8	10.4	10.5	11.26	1.4
			2	11.7	11.4	11.7	12.0	10.6	11.48	1.4
			3	11.7	10.4	10.0	9.9	10.8	10.56	1.8
			4	10.7	10.9	11.5	11.1	9.6	10.76	1.9
			5	11.7	10.8	11.6	11.0	10.0	11.02	1.7
			6	12.3	10.4	10.8	11.3	12.2	11.40	1.9
			7	11.5	11.5	10.6	11.3	12.0	11.38	1.4
			8	11.1	10.0	10.8	11.9	11.0	10.96	1.9
		5	1	11.2	11.9	10.4	11.6	11.1	11.24	1.5
			2	10.7	9.9	11.6	10.3	10.8	10.66	1.7
			3	10.5	11.0	12.5	10.9	11.2	11.22	2.0
			4	10.4	11.8	10.4	11.6	10.7	10.98	1.4
			5	10.8	11.7	10.9	11.5	12.0	11.38	1.2
			6	10.8	11.1	12.0	10.5	11.5	11.18	1.5
			7	11.4	10.4	10.5	10.2	9.9	10.48	1.5
			8	10.9	11.1	11.7	10.8	12.0	11.30	1.2
3		1	1	12.1	10.6	11.7	11.3	12.4	11.62	1.8
			2	12.1	11.1	12.1	11.1	13.4	11.96	2.3
			3	10.6	9.6	11.0	10.9	11.1	10.64	1.5
			4	11.0	11.1	10.5	11.7	11.8	11.22	1.3
			5	12.5	11.7	11.4	11.1	13.0	11.94	1.9
			6	12.1	11.2	12.2	11.8	10.8	11.62	1.4
			7	11.9	12.0	10.9	10.6	10.4	11.16	1.6
			8	12.3	11.1	10.8	11.6	10.5	11.26	1.8
		2	1	11.7	11.6	10.0	11.0	10.2	10.90	1.7
			2	10.0	11.6	9.8	10.7	11.1	10.64	1.8
			3	10.7	10.6	11.0	11.0	12.0	11.06	1.4
			4	10.8	11.7	11.0	11.6	10.4	11.10	1.3

			5	12.5	12.5	11.3	11.1	12.1	11.90	1.4
			6	11.6	12.1	10.9	11.7	12.1	11.68	1.2
			7	11.9	12.1	11.3	11.1	12.6	11.80	1.5
			8	10.5	11.8	11.1	11.8	10.8	11.20	1.3
		3	1	11.3	12.0	12.3	12.4	10.8	11.76	1.6
			2	11.9	11.1	10.2	12.0	11.0	11.24	1.8
			3	10.5	11.4	9.9	11.1	11.5	10.88	1.6
			4	11.5	11.1	9.6	11.1	11.1	10.88	1.9
			5	11.1	10.8	12.0	10.4	10.5	10.96	1.6
			6	10.7	11.7	10.4	10.8	11.5	11.02	1.3
			7	10.3	12.3	11.3	11.3	11.7	11.38	2.0
			8	11.7	11.1	11.2	10.3	12.0	11.26	1.7
		4	1	10.3	9.7	10.7	11.6	10.5	10.56	1.9
			2	10.7	11.6	10.6	11.0	12.4	11.26	1.8
			3	10.5	10.3	10.8	11.7	10.0	10.66	1.7
			4	10.7	11.1	11.0	10.3	11.7	10.96	1.4
			5	11.0	11.6	10.5	10.4	12.1	11.12	1.7
			6	10.8	11.6	11.6	10.0	10.8	10.96	1.6
			7	11.6	10.0	10.4	11.8	11.9	11.14	1.9
			8	11.9	11.6	10.8	10.2	10.0	10.90	1.9
		5	1	11.1	11.1	10.4	11.0	11.6	11.04	1.2
			2	11.7	11.8	12.2	12.3	11.0	11.80	1.3
			3	11.8	11.1	12.2	12.2	10.6	11.58	1.6
			4	11.9	11.0	11.1	10.6	11.8	11.28	1.3
			5	11.8	11.2	12.4	11.0	12.0	11.68	1.4
			6	9.6	11.9	9.7	11.1	11.0	10.66	2.3
			7	11.6	11.9	10.5	11.3	9.9	11.04	2.0
			8	10.6	9.6	10.0	11.3	10.8	10.46	1.7
	4	1	1	11.1	11.1	11.9	10.3	11.6	11.20	1.6
			2	10.0	11.9	11.2	11.3	11.8	11.24	1.9
			3	10.8	10.7	11.0	12.3	12.2	11.40	1.6
			4	12.6	11.3	12.1	11.7	11.9	11.92	1.3
			5	12.0	11.2	13.1	11.9	12.2	12.08	1.9
			6	10.7	11.2	10.0	9.8	10.5	10.44	1.4
			7	10.8	11.4	11.0	11.7	10.4	11.06	1.3
			8	11.1	11.5	9.6	10.7	11.4	10.86	1.9
		2	1	10.0	10.4	12.0	10.1	11.1	10.72	2.0
			2	11.4	10.7	10.5	11.5	11.6	11.14	1.1
			3	10.9	11.1	9.7	10.0	11.6	10.66	1.9
			4	12.0	11.0	11.9	10.3	10.4	11.12	1.7
			5	12.1	11.1	10.3	11.1	11.5	11.22	1.8
			6	11.8	10.8	10.2	11.7	10.7	11.04	1.6
			7	11.6	10.2	11.1	11.9	11.6	11.28	1.7
			8	11.0	10.8	10.1	10.0	11.4	10.66	1.4
		3	1	10.5	10.1	11.1	11.7	10.5	10.78	1.6
			2	12.0	10.0	11.2	11.6	11.1	11.18	2.0
			3	12.1	11.1	11.3	12.1	12.9	11.90	1.8
			4	11.9	9.9	11.3	11.7	10.8	11.12	2.0

			5	11.7	11.1	11.5	10.2	9.8	10.86	1.9
			6	12.2	10.8	11.2	12.0	12.1	11.66	1.4
			7	11.1	11.9	10.9	10.1	11.5	11.10	1.8
			8	11.0	11.5	11.3	10.9	10.4	11.02	1.1
		4	1	12.6	12.6	11.1	11.9	12.8	12.20	1.7
			2	11.0	11.9	11.5	10.8	11.8	11.40	1.1
			3	12.5	11.5	11.1	11.9	11.5	11.70	1.4
			4	11.5	11.1	11.2	11.7	12.5	11.60	1.4
			5	12.5	10.8	12.1	11.1	11.7	11.64	1.7
			6	11.9	10.9	11.7	11.4	10.4	11.26	1.5
			7	12.1	10.4	11.1	11.8	11.7	11.42	1.7
			8	11.1	11.9	11.4	10.5	11.8	11.34	1.4
		5	1	9.6	10.0	11.1	10.7	11.6	10.60	2.0
			2	11.1	11.1	11.7	10.8	9.7	10.88	2.0
			3	11.5	11.1	12.1	12.8	11.3	11.76	1.7
			4	12.5	12.1	10.6	11.6	11.8	11.72	1.9
			5	13.0	11.1	11.2	12.1	11.9	11.86	1.9
			6	11.6	10.4	9.8	11.0	11.3	10.82	1.8
			7	10.7	11.3	10.3	12.2	11.3	11.16	1.9
			8	9.6	11.0	11.1	11.3	11.0	10.80	1.7
5	1		1	12.1	11.1	10.4	12.1	10.8	11.30	1.7
			2	12.2	11.1	12.4	12.3	12.4	12.08	1.3
			3	12.0	11.0	12.6	11.5	11.3	11.68	1.6
			4	10.9	10.3	11.8	11.4	12.0	11.28	1.7
			5	10.5	10.3	10.9	11.6	11.1	10.88	1.3
			6	11.8	11.0	11.1	10.6	11.6	11.22	1.2
			7	10.4	11.8	11.7	11.0	10.0	10.98	1.8
			8	9.9	11.5	10.4	10.5	11.5	10.76	1.6
		2	1	11.7	11.4	10.5	10.1	11.6	11.06	1.6
			2	10.8	9.7	11.3	11.7	10.5	10.80	2.0
			3	11.5	11.1	12.0	10.3	11.4	11.26	1.7
			4	11.7	11.5	11.0	11.1	10.5	11.16	1.2
			5	12.0	11.1	11.1	10.0	11.7	11.18	2.0
			6	12.4	11.6	10.8	11.5	10.6	11.38	1.8
			7	12.1	11.9	11.2	10.6	10.2	11.20	1.9
			8	11.9	10.7	10.7	11.7	11.1	11.22	1.2
		3	1	11.5	12.1	12.6	12.0	12.4	12.12	1.1
			2	10.9	10.3	11.5	11.8	10.4	10.98	1.5
			3	11.3	11.1	9.9	11.5	11.1	10.98	1.6
			4	12.4	10.5	12.0	11.5	11.1	11.50	1.9
			5	10.5	10.9	12.4	12.1	10.9	11.36	1.9
			6	11.7	12.2	12.7	12.2	12.1	12.18	1.0
			7	11.6	10.6	11.7	10.4	10.4	10.94	1.3
			8	11.8	12.1	11.8	11.8	12.5	12.00	0.7
		4	1	10.7	11.9	12.1	10.8	11.0	11.30	1.4
			2	11.0	10.5	10.8	11.6	11.5	11.08	1.1
			3	10.7	10.2	10.4	11.6	11.8	10.94	1.6
			4	10.9	10.0	10.5	11.5	11.9	10.96	1.9

			5	11.8	11.8	11.1	10.3	11.6	11.32	1.5
			6	12.6	10.8	12.1	10.8	11.2	11.50	1.8
			7	11.5	11.1	11.6	10.0	11.1	11.06	1.6
			8	11.1	11.5	10.4	10.5	12.2	11.14	1.8
		5	1	12.1	10.3	12.1	11.0	10.8	11.26	1.8
			2	11.8	10.4	12.2	11.1	11.1	11.32	1.8
			3	10.6	10.4	12.0	10.4	11.7	11.02	1.6
			4	12.0	11.7	10.8	11.6	11.0	11.42	1.2
			5	11.8	11.7	11.1	10.4	12.1	11.42	1.7
			6	11.6	11.1	11.0	9.6	11.0	10.86	2.0
			7	11.6	12.6	11.5	11.1	11.0	11.56	1.6
			8	11.5	11.1	12.1	10.8	12.2	11.54	1.4
									11.29	1.60

Lampiran B. Data Kadar Air Papan Kayu Hasil Eksperimen

Pengovenan	Palet	Kadar air					X	R
		X1	X2	X3	X4	X5		
1	1	10.5	11.9	11.8	10.9	11.2	11.260	1.4
	2	12.1	11.8	11.5	10.5	11.3	11.440	1.6
	3	10.6	9.9	11.5	10.5	10.9	10.680	1.6
	4	11.9	10.1	10.9	11.5	12.0	11.280	1.9
	5	12.5	11.8	11.1	10.9	11.5	11.560	1.6
	6	11.2	11.6	12.3	10.8	11.9	11.560	1.5
	7	11.9	10.9	11.5	12.1	12.5	11.780	1.6
	8	10.9	11.1	11.6	10.5	12.4	11.300	1.9
2	1	10.7	9.9	11.5	10.4	10.8	10.660	1.6
	2	10.9	11.9	11.5	10.4	11.6	11.260	1.5
	3	10.6	11.7	11.0	11.9	10.4	11.120	1.5
	4	9.9	10.4	11.0	10.6	10.8	10.540	1.1
	5	10.3	10.9	11.0	11.6	10.9	10.940	1.3
	6	11.4	11.9	10.6	11.6	10.5	11.200	1.4
	7	10.3	11.6	10.7	10.4	11.3	10.860	1.3
	8	11.0	10.6	11.5	11.6	10.4	11.020	1.2
3	1	12.8	11.3	11.9	11.8	12.4	12.040	1.5
	2	12.3	11.2	10.9	11.8	11.7	11.580	1.4
	3	11.7	12.4	12.6	10.9	11.8	11.880	1.7
	4	12.3	10.8	12.4	12.1	11.8	11.880	1.6
	5	12.5	11.1	11.9	12.7	12.3	12.100	1.6
	6	10.8	11.7	9.9	10.6	11.4	10.880	1.8
	7	12.5	12.7	11.4	12.3	11.2	12.020	1.5
	8	11.2	11.6	10.8	12.4	12.7	11.740	1.9
4	1	11.3	12.1	10.6	11.5	11.4	11.380	1.5
	2	11.6	10.9	12.0	10.6	10.8	11.180	1.4
	3	11.7	11.9	10.5	10.7	11.1	11.180	1.4
	4	11.9	10.5	10.6	11.6	12.1	11.340	1.6
	5	11.4	11.8	10.5	10.9	11.7	11.260	1.3
	6	12.0	11.5	10.8	12.3	11.7	11.660	1.5
	7	11.6	10.9	12.2	11.2	10.9	11.360	1.3
	8	12.3	12.5	10.8	11.7	11.9	11.840	1.7
5	1	12.4	11.4	11.1	11.5	12.1	11.700	1.3
	2	10.9	11.0	11.3	12.0	11.7	11.380	1.1
	3	11.5	11.8	12.0	11.2	10.8	11.460	1.2
	4	11.0	11.8	12.3	11.7	11.2	11.600	1.3
	5	11.8	11.5	12.1	10.9	11.5	11.560	1.2
	6	11.5	11.2	11.3	12.3	12.0	11.660	1.1
	7	11.8	12.0	12.2	11.0	11.5	11.700	1.2
	8	11.7	12.5	11.3	11.8	12.0	11.860	1.2
6	1	10.4	11.3	10.6	11.1	11.2	10.920	0.9
	2	11.6	10.6	11.8	11.0	10.6	11.120	1.2
	3	11.3	10.4	10.8	11.2	11.4	11.020	1.0
	4	10.9	11.4	10.6	10.8	11.3	11.000	0.8

	5	10.6	10.3	10.7	11.6	11.4	10.920	1.3
	6	11.6	11.3	11.0	11.5	11.7	11.420	0.7
	7	11.4	11.3	10.5	11.0	11.4	11.120	0.9
	8	10.8	10.8	11.8	11.5	11.1	11.200	1.0
7	1	12.3	12.5	11.2	12.0	11.5	11.900	1.3
	2	12.5	11.7	12.0	12.3	12.4	12.180	0.8
	3	11.6	12.3	11.4	12.6	12.0	11.980	1.2
	4	12.5	12.1	11.4	11.6	12.3	11.980	1.1
	5	12.5	11.9	11.9	11.7	11.6	11.920	0.9
	6	12.4	11.3	11.7	12.0	12.5	11.980	1.2
	7	12.1	11.4	12.0	11.7	11.2	11.680	0.9
	8	11.3	11.6	12.5	11.8	12.4	11.920	1.2
8	1	12.1	11.8	11.2	11.9	11.3	11.660	0.9
	2	11.7	12.1	11.8	11.1	11.3	11.600	1.0
	3	12.0	11.5	11.1	11.8	11.0	11.480	1.0
	4	11.5	11.8	11.0	10.7	11.1	11.220	1.1
	5	10.9	11.3	11.5	10.7	11.8	11.240	1.1
	6	12.1	11.7	12.0	12.4	11.9	12.020	0.7
	7	11.0	10.8	11.7	11.6	11.5	11.320	0.9
	8	11.5	11.8	11.0	10.7	10.9	11.180	1.1
							11.448	1.2890625

Lampiran C. Hasil ANOVA Untuk Rata-Rata Kadar Air Papan Kayu
Fractional Factorial Fit: Rata-rata versus Frekuensi, Tebal, Sekat

Estimated Effects and Coefficients for Rata-rat (coded units)

Term	Effect	Coef	SE Coef	T	P
Constant		11.4481	0.03231	354.35	0.000
Frekuensi	0.1600	0.0800	0.03231	2.48	0.016
Tebal	0.3900	0.1950	0.03231	6.04	0.000
Sekat	-0.4438	-0.2219	0.03231	-6.87	0.000
Frekuensi*Tebal	-0.0387	-0.0194	0.03231	-0.60	0.551
Frekuensi*Sekat	-0.0575	-0.0288	0.03231	-0.89	0.377
Tebal*Sekat	0.0225	0.0113	0.03231	0.35	0.729
Frekuensi*Tebal*Sekat	0.0012	0.0006	0.03231	0.02	0.985

Analysis of Variance for Rata-rat (coded units)

Source	DF	Seq SS	Adj SS	Adj MS	F	P
Main Effects	3	5.99383	5.99383	1.99794	29.91	0.000
2-Way Interactions	3	0.08503	0.08503	0.02834	0.42	0.736
3-Way Interactions	1	0.00002	0.00002	0.00002	0.00	0.985
Residual Error	56	3.74090	3.74090	0.06680		
Pure Error	56	3.74090	3.74090	0.06680		
Total	63	9.81978				

Unusual Observations for Rata-rat

Obs	Rata-rat	Fit	SE Fit	Residual	St Resid
3	10.6800	11.3575	0.0914	-0.6775	-2.80R
22	10.8800	11.7650	0.0914	-0.8850	-3.66R
62	12.0200	11.4650	0.0914	0.5550	2.30R

R denotes an observation with a large standardized residual

Estimated Coefficients for Rata-rat using data in uncoded units

Term	Coef
Constant	9.20500
Frekuensi	1.03250
Tebal	0.82500
Sekat	-1.03000
Frekuensi*Tebal	-0.18000
Frekuensi*Sekat	-0.29500
Tebal*Sekat	0.15000
Frekuensi*Tebal*Sekat	0.02000

Least Squares Means for Rata-rata

	Mean	SE Mean
Frekuensi		
1	11.37	0.04569
2	11.53	0.04569
Tebal		
3.000	11.25	0.04569
3.500	11.64	0.04569
Sekat		
1.000	11.67	0.04569
1.500	11.23	0.04569
Frekuensi*Tebal		
1 3.000	11.15	0.06462
2 3.000	11.35	0.06462


1	3.500		11.58	0.06462
2	3.500		11.70	0.06462
Frekuensi*Sekat				
1	1.000		11.56	0.06462
2	1.000		11.78	0.06462
1	1.500		11.18	0.06462
2	1.500		11.28	0.06462
Tebal*Sekat				
3.000	1.000		11.49	0.06462
3.500	1.000		11.85	0.06462
3.000	1.500		11.02	0.06462
3.500	1.500		11.43	0.06462
Frekuensi*Tebal*Sekat				
1	3.000	1.000	11.36	0.09138
2	3.000	1.000	11.62	0.09138
1	3.500	1.000	11.76	0.09138
2	3.500	1.000	11.94	0.09138
1	3.000	1.500	10.95	0.09138
2	3.000	1.500	11.09	0.09138
1	3.500	1.500	11.40	0.09138
2	3.500	1.500	11.46	0.09138

Alias Structure

I
 Frekuensi
 Tebal
 Sekat
 Frekuensi*Tebal
 Frekuensi*Sekat
 Tebal*Sekat
 Frekuensi*Tebal*Sekat

Lampiran D1. Hasil *Plot* Kenormalan Data Proses Awal


Normal Probability Plot



Average: 11.2390
StDev: 0.368682
N: 78

Anderson-Darling Normality Test
A-Squared: 0.549
P-Value: 0.152


Normal Probability Plot



Average: 11.2390
StDev: 0.368682
N: 78

W-test for Normality
R: 0.9899
P-Value (approx): > 0.1000

Normal Probability Plot




Average: 11.2390
StDev: 0.368682
N: 78

Kolmogorov-Smirnov Normality Test
D+: 0.073 D-: 0.044 D: 0.073
Approximate P-Value > 0.15

Lampiran D2. Hasil *Plot* Kenormalan Data Proses *Control*


Normal Probability Plot



Average: 10.95
StDev: 0.254334
N: 8

Anderson-Darling Normality Test
A-Squared: 0.201
P-Value: 0.815


Normal Probability Plot



Average: 10.95
StDev: 0.254334
N: 8

W-test for Normality
R: 0.9828
P-Value (approx): > 0.1000

Normal Probability Plot



Average: 10.95
StDev: 0.254334
N: 8

Kolmogorov-Smirnov Normality Test
D+: 0.123 D-: 0.123 D: 0.123
Approximate P-Value > 0.15

Lampiran E. Data *Brainstorming*

No.	Jenis Brainstorming	Jumlah
1	Jenis kayu yang dioven	11
2	Frekuensi penyemprotan yang kurang diperhatikan	11
3	Penyusunan papan kayu yang kurang diperhatikan	9
4	Penyusunan sekat yang kurang diperhatikan	7
5	Kurangnya pengarahannya	2
6	Jarang dilakukan <i>maintenance</i>	2
7	Tegangan turun	1
8	Mati lampu	1
		44

