

## YAYASAN WIDYA MANDALA SURABAYA UNIVERSITAS KATOLIK WIDYA MANDALA SURABAYA

Jl. Dinoyo 42-44 Telp. (031) 5678478, 5682211 Fax. 5610818 Surabaya 60265 Website : <u>http://www.wima.ac.id</u> Email : <u>info@mail wima.ac.id</u>

### SURAT TUGAS

Nomor : 4891/WM01/N/2012

Pimpinan Universitas Katolik Widya Mandala Surabaya dengan ini menugaskan:

| No. | Nama                                 | Judul Makalah   |
|-----|--------------------------------------|---|
| 1.  | Aning Ayucitra, ST., M.Eng.Sc. <     | Solvent Free Acetylation of Sago Starch   |
|     | Felycia Edi Soetaredjo, ST., M.Phil. |   |
| 2.  | Suryadi Ismadji, Ph.D.               | Incorporation of Fractional Surface<br>Coverage on Extended Langmuir Isotherm:<br>Binary Adsorption of Evans Blue and<br>Malachite Green onto Organo-Bentonite  |
| 3.  | Felycia Edi Soetaredjo, ST., M.Phil. | <ul> <li>Removal of Lead (II) and Copper (II)<br/>Heavy Metals from Binary Mixture Using<br/>Rice Straw Wastes as Biosorbent</li> <li>Density Based Modeling of Epicatechin<br/>Solubility in Supercritical Carbon Dioxide<br/>Fluid</li> </ul> |
|     | Suryadi Ismadji, Ph.D.               |   |

- Tugas : Peserta 19<sup>th</sup> Regional Symposium on Chemical Engineering (RSCE) 2012 yang diselenggarakan oleh Institut Teknologi Sepuluh Nopember
- Waktu : Rabu-Kamis, 7-8 November 2012
- Tempat : Inna Hotel Kuta - Denpasar
- Lain-lain : Biaya diambilkan dari anggaran Jurusan Teknik Kimia tahun 2012/2013 dengan kode 601.01.2232, 601.02.2232 dan 602.01.2232

Harap dilaksanakan dengan sebaik-baiknya dan memberikan laporan setelah menyelesaikan tugas tersebut.

Surabaya, 22 Oktober 2012 a.n. Rektor Wakil Rektor I, M Drs. Kuncoro Foe, G.Dip.Sc., Ph.D. NIK. 241.90.0176

TINDASAN :

- Dekan Fakultas Teknik
- Ketua LPPM
- Ketua BAU







# of Participation 19th REGIONAL SYMPOSIUM ON CHEMICAL ENGINEERING (RSCE 2012)

Bali, 7th - Sth November 2012

Aning Ayucitra

as Presenter

whead of Department of Chemical Engineering

Prof. Dr. Ir. Tri Widjaja, M.Eng NIP. 196110211986031001



Prof. Ir. Renanto, MSc, PhD NIP. 195307191978031001

# **PROCEEDING** 19th Regional Symposium on Chemical Engineering (RSCE2012)

## Strengthening the Role of ASEAN Chemical Engineers in the world economy dynamic





November 7 - 8, 2012 Bali, Indonesia

Hosted By



Department of Chemical Engineering Institut Teknologi Sepuluh Nopember (ITS) Surabaya, Indonesia



ISBN: 978-602-9494-30-3

#### PREFACE

The Regional Symposium on Chemical Engineering (RSCE) has become an important annual forum for academicians, researchers and professionals from both public and private organizations in the South East Asia and the Asia-Pacific regions. It is organized to serve as venue to exchange knowledge and information of relevance to the chemical engineering.

The committee received 282 abstracts and accepted around 230 papers in which around 170 papers came from aboard such as Japan, Taiwan, Korea, Malaysia, Thailand, and Australia, Philiphine, Vietnam, Saudi Arabia. All the papers have been reviewed with the help of experts in the areas.

The topics are classified into Chemical Reaction Engineering, New and Renewable Energy Technology, Fossil Fuel Technology, Polymer and Petrochemical Technology, Process Design and Control, Process Intensification, Separation and Purification Technology, Material Science and Technology, Food Science and Technology, Environmental and Science Technology, Transport Phenomena, Biochemical Engineering and Thermodynamics.

We wish to thank reviewers, plenary speakers, keynote speakers, and session moderators for their cooperation and valuable suggestions. We would like to extend our appreciation to members of organizing committees, International and National Scientific Committees for their valuable help and support.

#### **Editorial Board**

19<sup>th</sup> Regional Symposium on Chemical Engineering (RSCE2012)

# Committees

#### **Organizing committee :**

Prof. Ir. Renanto, MS., Ph. D. (Chairman) Dr.. Tantular Nurtono Setiyo Gunawan, ST., Ph.D. Dr. Ir. Kuswandi, DEA Dr. Ir. Sri Rachmania Juliastuti, M.Eng Ir. Nuniek Hendriani, MT Dr. Ir. Susianto, DEA Dr. Ir. Sumarno, M.Eng Dr. Widyastuti, ST,.MT Siti Zulaika, ST, Ph D Dr. Romanus Krisantus Tue Nenu

#### **International Scientific Committee :**

Assoc.Prof. Dr. Sanggono Adisasmito (Indonesia) Assoc. Prof. Dr. Moh. Fahrurrozi (Indonesia) Prof. Dr. Masaaki Suzuki (Japan) Prof. Dr. Hiroo Niiyama (Japan) Prof. Dr. Ir. Wan Ramli Wan Daud (Malaysia) Prof. Dr. Ir. Mohammad Azlan Hussain (Malaysia) Prof. Dr. Susan A. Roces (Philippines) Prof. Dr. Susan A. Roces (Philippines) Prof. Dr. Maria Natalia R. Dimaano (Philippines) Prof. Dr. Ching Chi Bun (Singapore) Prof. Dr. Xu Rong (Singapore) Prof. Dr. Piyasan Praserthdam (Thailand) Dr. Chutimon Satirapipathkul (Thailand) Assoc. Prof. Dr. Phan Dinh Tuan (Vietnam) Dr. Mai Thanh Phong (Vietnam)

#### National Scientific Committee :

Prof. Dr. Ir. Tri Widjaja, M.Eng
Prof. Ir. Renanto, MS., Ph. D.
Prof. Dr. Ir. Gede Wibawa, M.Eng
Prof. Dr. Ir. Heru Setyawan, M.Eng
Prof. Dr. Ir. Arif Widjaja
Prof. Dr. Ir. Achmad Roesyadi, DEA
Prof. Dr. Ir. M. Rachimoellah, DEA
Prof. Dr. Ir. Sugeng Winardi, M.Eng
Prof. Dr. Ir. Nonot Suwarno, M.Eng
Dr. Ir. Tontowi Ismail
Prof. Dr. Ir. Ali Altway, MS
Minta Yuwana

### CONTENTS

#### Preface

#### **Keynote Speakers**

#### **Keynote Session Speakers**

<u>KS-1</u> Optimum Utilization Of Natural Gas In Indonesia And Cryogenic Technology For Lng Processing

Gede Wibawa, Sumarno, Setiyo Gunawan

Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

#### **Plenary Lectures**

<u>PL-01</u> Chemical Engineering: Contributions and Future Prospects on the ASEAN Economy

Moses O. Tadé and Hong M. Yao

Centre for Process Systems Computations, Department of Chemical Engineering, Curtin University, GPO Box U1987, Perth, WA 6845, Australia

<u>PL-02</u>Separation Technology Using Stimuli-Responsive Polymers and Gels

Shuji Sakohara

Department of Chemical Engineering, Graduate School of Engineering Hiroshima University, Higashi-Hiroshima 739-8527, Japan

PL-03 Managing New Contaminants in a Changing World – Take TMAH as an Example *J.C. Liu* 

Department of Chemical Engineering, National Taiwan University of Science and Technology, 43 Keelung Road, Section 4, Taipei 106, Taiwan

#### A. Energyand Bioprocessing

<u>A-01</u> Mechanical Dewatering and Thermal Drying Characteristics of Pulp Mill Sludge Cake

*Kevin Prawiranto, Syamsudin, and Herri Susanto* Department of Chemical Engineering Institut Teknologi Bandung, Jalan Ganesa 10, Bandung-40132 Indonesia

 <u>A-02</u> Ethanol Production from Brown Algae with Alginate-Degrading Microbial Consortia
 *Yutaka Nakashimada, Satoshi Kawada, Takeshi Yamaguchi, TakahisaTajima, Junichi Kato, and Naomichi Nishio* Department of Molecular Biotechnology Hiroshima University, 1-3-1
 Kagamiyama, Higashi-Hirohsima, 739-8530, Japan

- A-03 Extraction of Rice Bran Oil Using Limonene: A Mathematical Model for Rice Bran Oil Uptake *Teguh Ariyanto, Imam Prasetyo, and Ragaguci* Chemical Engineering DepartmentUniversitas Gadjah Mada, Yogyakarta 55281 Indonesia
- A-04 Marine Biomass as a Source of Biorefinery Jong Moon Park, Kyung A Jung, Seong-Rin Lim and Hong Soon Rhee Advanced Environmental Biotechnology Research Center, Department of ChemicalEngineering, School of Environmental Science and Engineering, Division of Advanced NuclearEngineering, POSTECH, Pohang 790-784, South Korea Department of Environmental Engineering, Kangwon National University, Chuncheon 200-701, South Korea Samsung Advanced Institute of Technology, Suwon 440-600, South Korea
- A-05 Storage of Methane by Using Water-Saturated Nanoporous Carbon Imam Prasetyo, Budhijanto, Rochmadi, Rakhmat Yunanto, and Teguh Ariyanto Department of Chemical Engineering, Gajah Mada University, Yogyakarta 55281, Indonesia
- <u>A-06</u> Self-ignition tendency of upgraded products obtained by a solvent treatment of low rank coals
   *Hiroyasu Fujitsuka, Ryuichi Ashida, and Kouichi Miura* Department of Chemical Engineering, Kyoto University,Katsura, Nishikyo-ku, 615-8510, JAPAN
- A-07 Adsorption Behavior of Caffeine on Persimmon Tannin Gel Prepared by Autoxidation La Ode Ahmad, Le Hoang My Linh, Mio Akimoto, Yusuke Kaneki, Mitsunori Honda, Mitsuhiro Suda, Ko-Ki Kunimoto Graduate School of Natural Science and Technology, Kanazawa UniversityKakuma-machi, Kanazawa 920-1192, Japan
- A-08 Fouling studies and Phenol Removal potential during Ultrafiltration of Palm Oil Mill Effluent (POME)
   Muhammad Said, Abdul Wahab Mohammad
   Department of Chemical and Process Engineering, Faculty of Engineering and Built Environment,
   University of Kebangsaan Malaysia, 43600 UKM Bangi, Selangor, Malaysia
- A-09 Synthesis and Characterization of Phosphorylated and Acetylated Hanjeli (*Coix* lacryma-jobi L.) Starch for Food Thickener Applications Asaf K. Sugih, Henky Muljana, Andi N. Alamsyah, Christine Saputra, Friska G. Mandalas

Department of Chemical Engineering, Parahyangan Catholic University, Jl. Ciumbuleuit 94, Bandung 40141 Indonesia

Indonesian Center for Agricultural Postharvest Research and Development (ICAPOSTRD)Jl. Tentara Pelajar 12 Cimanggu, Bogor 16111 Indonesia

A-10 Thin-Layer Analysis and Modelling of the Drying of Coconut Meat in a Fluidized Bed Dryer

Bernhard S. Valenzuela, Wilfredo I. Jose, Ph.D.

College of Engineering Graduate ProgramUniversity of the Philippines, Diliman, Quezon City, 1101 PhilippinesDepartment of Chemical Engineering,

College of EngineeringUniversity of the Philippines, Diliman, Quezon City, 1101 Philippines

A-11 Characterization of Bio-oil from Oil Palm Kernel Shell by Microwave Pyrolysis Hafizah Afif, Yoshimitsu Uemura, Noridah Osman and Kaoru Onoe Department of Chemical Engineering, Universiti Teknologi PETRONAS, Bandar Seri Iskandar, 31750, Tronoh, Perak, Malaysia Department of Life and Environmental Sciences, Chiba Institute of Technology, Japan

A-12 Concentrations of Acetic Acid and Phenol in Bio-oil Derived from Palm Kernel Shell Using Fluidized Bed Pyrolyzer

Norizan Ali, Yoshimitsu Uemura, Noridah Osman, Wissam Omar, and Toshio Tsutsui

Centre for Biofuel and Biochemical Research, Universiti Teknologi PETRONAS, Bandar Seri Iskandar, 31750Tronoh, Perak, Malaysia

Department of Chemical Engineering, Faculty of Engineering, Kagoshima University, 1-21-40 Korimoto, Kagoshima 890-0065, Japan

- A-13 Production of Green Hydrogen by Reaction of Aluminum and Water Masatoshi Sugioka, Kazuyuki Higashino, Yoshio Uemichi and Yasuharu Kanda Graduate School of Engineering, Muroran Institute of Technology, 27-1 Mizumoto, Muroran 050-8585, Japan
- A-14 Hydrogel Based on Glutaraldehyde-Crosslinked Kappa Carrageenan: Effect of Glutaraldehyde Concentration Sperisa Distantina, Rochmadi, Mohammad Fahrurrozi, and Wiratni Chemical Engineering Department, Gadjah Mada University, Jl. Grafika 2 Yogyakarta 55281,Indonesia Chemical Engineering Department, Sebelas Maret University, Jl. Ir. Sutami 36 A Surakarta 57126,Indonesia
- A-15 Solvent Free Acetylation of Sago Starch Aning Ayucitra and Felycia Edi Soetaredjo Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37,Surabaya 60114, Indonesia

- <u>A-16</u> Research on biological activity of some extractsfrom Vietnamese *Carica papaya* leaves
   *Do Thi Hoa Vien, Phung Thi Thuy* School of Biotechnology and Food TechnologyHanoi University of Science andTechnology, 1 Dai Co Viet, Hanoi, Vietnam
- A-17 Potentiality of Citrus Pectin from Pomelo (*Citrus Grandis*) Wastesin Cu<sup>2+</sup> Biosorption
   Aries A. Arcega, Maria Lourdes P. Dalida, Virluz P. Laguerta, Lorielyn P. Marquez, Elisa D.Gutierrez, Anita P. Aquino
   Department of Chemical Engineering, University of the Philippines Diliman, Quezon City 1101,Philippines
   Chemical and Food Engineering Department, Batangas State University, Batangas City 4200,Philippines
   Science Department, Batangas State University, Batangas City 4200, Philippines

<u>A-18</u> Isolation and Physicochemical Properties of Starches from VietnameseLimnophila aromatica Quy Diem Do, Lien Huong Huynh and Yi-Hsu Ju
 Department of Chemical Engineering, National Taiwan University of Science and Technology, 43 Sec.4,Keelung Road, Taipei 106-07, Taiwan.
 Department of Chemical Engineering, Can Tho University, 3-2 Street, Can Tho City, Vietnam

- A-19 Development of Biocoal from Waste of Tobacco Stem As a Source of an Alternative Energy Suryo Purwono, Bardi Murachman, Joko Wintoko, Fitri Fathmawati Laksono, and Tri Setia Pratiwi Department of Chemical EngineeringGadjah Mada University, Yogyakarta, Indonesia
- <u>A-20</u> Ozonolysis of Vegetable Oilfor Synthesis of Aeroplane Turbine Jet Fuel Rahayu G. Siwi, Rio K. Prianantyo, Irwan Kurnia, Tatang H. Soerawidjaja and Tirto Prakoso
   Department of Chemical Engineering, Institut Teknologi Bandung, Bandung 40132, Indonesia

 A-21 Application of Capric-Lauric Acid with Methyl Salicylate as Phase Change Material Impregnated To Wallboards in a Miniature Sample Unit For Thermal Energy Storage Cooling Application *Antonietta Ramona L. Faronilo, Rachelle Ingrid S. Fiala, John Lester C. Lim, and Maria Natalia R. Dimaano* Department of Chemical Engineering and b Research Center for the Natural and Applied Sciences, University of Santo Tomas, España, Manila 1008, Philippines

- A-22 The Kinetic Reacion Of Virgin Coconut Oil (Vco) Fermentation In An IdealBioreactor Tank In A Batch Process Sri Redjeki1, Ely Kurniati Departement of Chemical Engineering UPN "Veteran" East Java 60295, Indonesia
- A-23 Fabrication of Electrospun Chitosan Nanofibers Treated by UV Irradiation *Cendy Kurniawan, Doan Van Hong Thien, and Ming-Hua Ho* Department of Chemical Engineering National Taiwan University of Science and Technology, Taipei 10607 Taiwan Department of Chemical EngineeringCan Tho University, Can Tho City, Vietnam
- A-24 Production of Laccase by *Marasmius* sp. Grown in Rice Straw using a Packed Bed Bioreactor *Hendro Risdianto, Maya Fitriyantia, Sri Harjati Suhardi, Yogi W. Budhi and Tjandra Setiadi*Department of Chemical Engineering Faculty of Industrial Technology, Institut Teknologi Bandung, Bandung 40132 Indonesia
  Center for Pulp and Paper Ministry of Industry, Bandung 40258 Indonesia
  School of Life Sciences and Technology Institut Teknologi Bandung, Bandung 40132 Indonesia
- A-25 From Palm Oil Waste to Valuable Products:Microbial Production of Xylitol *M.T.A.P. Kresnowati, A.B. Ardina, and V.P. Oetomo* Microbiology and Bioprocess Technology Laboratory, Department of Chemical Engineering,Bandung Insitute of Technology, Indonesia
- A-26 In Situ Production of Biodiesel from Copra Using Methanol and Methanol-Tetrahydrofuran Mixtures
   Dinh S. Khanga, Luis F. Razon, Cynthia B. Fabian-Madrazo, Raymond R. Tan, Shiro Saka
   Department of Chemical Engineering, De La Salle University, 2401 Taft Avenue, Manila 1004, Philippines
   Grad. School of Energy Science, Kyoto University, Yoshida-honmachi, Sakyoku, Kyoto 606-8501, Japan
- A-27 Effects of Operating Conditions inBiodiesel Fuel Production from Plant Oils *Hiroaki Habaki, Tomoki Hayashi, Patima Sinthupinyo, and Ryuichi Egashira* Department of International Development Engineering, Tokyo Institute of Technology, 2-12-1, O-okayama, Meguro-ku, Tokyo 152-8550, Japan
- <u>A-28</u> Submerged fermentation of glucose by *Aspergillus niger* into gluconic acid *Maria Inggrid, Ign.Suharto, William Lisan, Edwin Suhady, Soeseno Hadi* Department of Chemical Engineering, Faculty of Industrial Technology, Parahyangan Caholic University, Jalan Ciumbuleuit 94-96, Bandung 40141, University of Padjadjaran, Bandung.

- A-29 Coconut Oil Biodiesel as an Emulsifier in Diesel-Ethanol Blends for Diesel Engines
   *Tanti Ardiyati, Nathaniel P. Dugos, Susan A. Roces, Masaaki Suzuki, Kusnanto* Chemical Engineering DepartmentDe La Salle University, Manila 1004 The Philippines
   Chemical Engineering DepartmentTokyo Institute of Technology, Tokyo Japan Physics Engineering DepartmentGadjah Mada University, Yogyakarta 55281 Indonesia
- A-30 Biofouling effect on membrane (PEM) in Microbial Fuel Cell: A review Manal Ismail, Madihah Miskan, Darman Nordin, Mostafa Ghasemi Fuel Cell Institute, The National University of Malaysia, 43600 Bangi, Selangor Malaysia
   Department of Chemical & Process Engineering, Faculty of Engineering & Built Environment, The National University of Malaysia, 43600 Bangi, Selangor, Malaysia.
- <u>A-31</u> Study of Bioethanol Production from Liquid Waste of Bogasari Factory in Mini Plant Scale *Ni Ketut Sari, C. Pujiastuti*

Department of Chemical Engineering E

Department of Chemical Engineering, Faculty of Industrial Engineering, UPN "Veteran" East java

<u>A-32</u> Biodiesel Production from Waste Edible Oil (WEO)Assisted by Microwave Heating

Amie Thant, Susan A. Roces, Florinda T. Bacani, Raymond R. Tan, Masatoshi Kubouchi and Piyachat Wattanachai

De La Salle University, Chemical Engineering Department, 2401 Taft Ave., 1200, Philippines

Tokyo Institute of Technology, Department of Chemical Engineering, 2-12-1, O-okayama, Meguro-Ku, Tokyo, 152-8552, Japan

Burapha University, Department of Chemical Engineering, T. Saensuk A. Muang, Chonburi 20131, Thailand

- A-33 The Enhancement of waste cooking oil esterfication catalyzed by sulfated zirconia and assisted by the addition of silica gel
   Agus Adhiatma, Chahyo Purbo Anshory, Agus Purwanto, and Wirawan Ciptonugroho
   Department of Chemical Engineering, Sebelas Maret University, Jalan Ir.Sutami No 36A, Surakarta 57126, Indonesia
- <u>A-34</u> Using shell-core structural Ca(C<sub>3</sub>H<sub>7</sub>O<sub>3</sub>)<sub>2</sub>/CaO catalyst in Stirred-Packed Bed Reactor to Synthesize Biodiesel *Zih-Hua Li, Pei-Hsuan Lin, Jeffrey C. S. Wu*

Department of Chemical Engineering National Taiwan University, Taipei 10617 Taiwan

- A-35 Effect of Power Block Operating Strategies on the Efficiency of Integrated Gasification Combined-Cycle with CO<sub>2</sub> Capture *Hsiu-Mei Chiu, Po-Chuang Chen, and Yau-Pin Chyou* Chemistry Division, Institute of Nuclear Energy Research, Longtan 32546 Taiwan (R.O.C.)
- <u>A-36</u> Performance Prediction of Biomass Gasification in Fixed-Bed Gasifier Based on Selection Size and Shape of Biomass Particle
   Dwi Hantoko, Muflih Arisa Adnan , and Sunu Herwi Pranolo
   Department of Chemical Engineering, Sebelas Maret University, Surakarta 57126, Indonesia
- A-37 Discussion of high-temperature desulfurization reaction parameters *Ching-Ying, Huang, Liang-Wei, Huang, Yau-Pin Chyou* Chemistry Division, Institute of Nuclear Energy Research, Longtan, Taoyuan 32546, Taiwan, R.O.C
- <u>A-38</u> Effects of vacuum drying on structural changes of banana slices Wannapit Junlakan, Ram Yamsaengsung, and Supawan Tirawanichakul Department of Chemical Engineering, Prince of Songkla University, Songkhla 90110 Thailand
- A-39 Hydrogen Production in Steam Gasification of Japanese Cedar below 500 °C Kenji Murakami, Takahiro Kato, and Katsuyasu Sugawara
   Department of Engineering in Applied Chemistry, Faculty of Engineering and Resource Sience, Akita University, Akita 010-8502, Japan
- <u>A-40</u> Fabrication of Uniform, Non-crosstalking Closely Spaced Microsensors Array for Instantaneous Glutamate Detection
   *Wen-Chin Chan, Zheng-Lin Yu, Wei-Fan Lu, Tina T.-C. Tseng* Department of Chemical Engineering, National Taiwan University of Science and Technology, Taipei, 10607, Taiwan (R.O.C.)
- A-41 Production of Metallurgical Coke from Low Rank Coal and/or BiomassWaste Utilizing Hot Press Pretreatment *Kazumi Iwase, Kyosuke Nakagawa, Ryuichi Ashida, and Kouichi Miura* Department of Chemical Engineering, Kyoto UniversityKyoto daigaku katsura, Nishikyo-ku, Kyoto 615-8510, Japan
- <u>A-42</u> Measurement of coal char gasification rate under high temperature andhigh pressure by a mini directly-heated reactor (mini-DHR) Shunsuke Imai, Eiji Sasaoka, Ryuichi Ashida, and Koichi Miura

Department of Chemical Engineering, Kyoto UniversityKatsura, Nishikyo-ku, Kyoto 615-8510, Japan

- <u>A-43</u> Biodiesel production with heterogeneous catalystby conventional stirrer and static mixer
   *Paweetida Sungwornpatansakul, Yuuki Nigahara, Thumesha Kaushalya Jayasinghe, and Kunio Yoshikawa* Department of Environmental Science and Technology, Tokyo Institute of Technology4259 Nagatsuta, Midori-ku, Yokohama 226-8502, Japan
- <u>A-44</u> Selection of Gasification Technique for Processing Low Rank Coals as a Raw Material of Fertilizer Plant
   *Andri Wibawa Syarip, Nurhadi, and Herri Susanto* Department of Chemical Engineering, Institut Teknologi Bandung Jalan Ganesha 10,Bandung, Indonesia Research and Development Center for Mineral and Coal TechnologyJalan Sudirman 623, Bandung, Indonesia
- A-45 Electrochemical Characterization of Proton-Exchange Membrane Fuel Cell (PEMFC) for Fuel Cell Vehicle Application Aditya F. Arif, Hary Devianto, Isdiriayani M. Nurdin Department of Chemical Engineering Institut Teknologi Bandung, Bandung 40132, Indonesia
- A-46 Study on Reactor Configurations for Air/Steam Gasification of Sludge Cake to Produce Medium Heating Value Gas *Febryana Nugrahany, Nurani Galuh Safitri, Syamsudin and Herri Susanto* Chemical Engineering Department, Faculty of Industrial TechnologyInstitut Teknologi Bandung, Jl. Ganesha 10, Bandung 440132 Indonesia
- <u>A-47</u> Characterization of Sulfated Zirconia and Its Catalytic Activity for Esterification of Palm Fatty Acid Distillate
   *Dyah Retno Sawitri, Arif Hidayat, Sutijan, Kunio Yoshikawa, Arief Budiman* Department of Chemical Engineering, Faculty of Industrial Technology, Islamic University of Indonesia, Yogyakarta 55501 Indonesia
   Department of Chemical Engineering, Faculty of Engineering, Gadjah Mada University, Yogyakarta 55281 Indonesia
   Department of Environmental Science and Technology, Tokyo Institute of Technology, Yokohama, 226-8502 Japan
- <u>A-48</u> Effects of Fluxing Agents On Filter Aids Prepared From Lam-Dong Diatomite Mai Thanh Phong, Tran Duy Hai, Phan Dinh Tuan Faculty of Chemical Engineering, Ho Chi Minh City University of Technology 68 Ly Thuong Kiet Str., Dist. 10, Ho Chi Minh City
- <u>A-49</u> Role of Surface and Interaction Energies on Adhesion Mechanism of *P. aeruginosa* and *B. subtilis* on Stainless Steel

Ardiyan Harimawanand Yen-Peng Ting Department of Chemical Engineering, Institut Teknologi Bandung Jalan Ganesha 10, Bandung 40132 Indonesia Department of Chemical and Biomolecular Engineering, National University of Singapore 4 Engineering Drive 4, Singapore 117576

- A-50 Evaluation on Potential Emissions of NOx and SOx in Utilization of SludgeCake as Alternative Energy Resources Syamsudin and Herri Susanto Chemical Engineering Department, Faculty of Industrial TechnologyInstitut Teknologi Bandung, Jl. Ganesha 10, Bandung 440132 Indonesia
- A-51 Transesterification of Palm Oil in refluxed methanol with heterogeneous Base Catalyst Nyoman Puspa Asri, Santi Diyah Savitri, Suprapto1, Kusno Budikarjono, Achmad Roesyadi

Chemical Engineering Department, Industrial Technology Faculty, Sepuluh Nopember Institute of Technology, Surabaya, Indonesia, 60111

Chemical Engineering Department, Faculty of Engineering , WR. Supratman University, Surabaya, Indonesia, 60111

A-52 DFT-TDDFT Molecular Design of Innovated Dyesfor Dye-Sensitized Solar Cell (DSSC)

Fadlilatul Taufany, Huei-Tang Wang, Chieh-Yu Tseng, and Kuan-Hwa Lai, Nachimuthu Santhanamoorthi, Jyh-Chiang Jiang,

Department of Chemical Engineering National Taiwan University of Science and Technology, Taipei 106 Taiwan

Department of Chemical Engineering Sepuluh Nopember Institute of Technology, Surabaya 60111 Indonesia

- <u>A-53</u> Repellent Activity of Bio-active Agent from Artocarpus camansi against Ae. Aegypti
   *Dianti HadiyoanA, Heni Anggorowati, Vikki Herawati, Arshita Wahyuning Atmoko, Dyah Retno Sawitri, Arif Hidayat* Chemical Engineering Department, Faculty of Industrial Technology, University of Islam IndonesiaJalan kaliurang km. 14,5 Yogyakarta
- <u>A-54</u> Rate of Transesterification of Model Feed Oil in Batch Stirred Vessel for Biodiesel Production
   *Tomoki Hayashia, Hiroaki Habakia, and Ryuichi Egashira* Department of International Development Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8550 Japan
- <u>A-55</u> Synthesis of perovskite manganite magnetic fine particles by ultrasonic spray pyrolysis for self-controlled magnetic hyperthermia *Takamitsu Furuyabu, Ayako Yasuda, Takuya Kinoshita, and Motoaki Adachi*

Department of Chemical EngineeringOsaka Prefecture University, 1-1 Gakuencho Naka-ku, Sakai, Osaka, Osaka 599-8531, Japan

<u>A-56</u> A photoelectric biosensor based on bacteriorhodopsin and nanogolds
 *Kai-Ru Jheng and Hsiu-Mei Chen* Department of Chemical EngineeringNational Taiwan University of Science and Technology

A-57 Effect of Extraction Conditions on the Yield of Oil fromMicroalgae Nannochloropsis sp.
 Ni'mah Ayu Lestari, M Hamzah Ismail, Arif Hidayat, Budi Setiadi Daryono, Arief Budiman
 Chemical Engineering Department, Faculty of Engineering, Gadjah Mada University
 Chemical Engineering Department, Faculty of Industrial Technology, University of Islam Indonesia
 Genetics Laboratory, Faculty of Biology, Gadjah Mada University, Y ogyakarta 55281, Indonesia
 Process System Engineering (PSE) research group, Chemical Engineering Department, Gadjah Mada University

- <u>A-58</u> Drying Curve Characteristics of Garlic (*Allium sativum* L.) Subjected toHigh Temperature Short-Time (HTST) Vacuum Drying *Kristian July R. Yap, Marjorie L. Baynosa, Jerson M. Carullo, Daisy Grace B. Magbuhos, Jennifer T. Romero and Benjamin P. Villamin* Department of Chemical Engineering, University of the Philippines-Diliman, Quezon City 1101, Philippines
- A-59 Effects of vacuum drying on structural changes of pineapple slices Wannapit Junlakan, Ram Yamsaengsung, and Supawan Tirawanichakul Department of Chemical Engineering, Prince of Songkla University, Songkhla 90110 Thailand
- A-60 Assessment of Teak Wood Sawdust Gasification *Abdul Kadir Muhamad Jamal, Agnes Catur Adi Nugroho, and Sunu Herwi Pranolo* Departmen of Chemical Engineering, Sebelas Maret University, Surakarta 632112 Indonesia
- <u>A-61</u> Characterization of Palm Mesocarp Fiber after Torrefaction *Yoshimitsu Uemura, Muafah A. Aziz, Khalik M. Sabil*  Center for Biofuel and Biochemical Research, Universiti Teknologi PETRONAS, 31750 Tronoh, Perak, Malaysia Petroleum Engineering Department, Universiti Teknologi PETRONAS,31750 Tronoh, Perak, Malaysia

- <u>A-62</u> Green diesel production from hydrotreating of oleic acid over CoMo/γ-Al2O<sub>3</sub> and CoMoW/γ-Al2O<sub>3</sub> catalyst
   *Pongsatorn Jantharak, Worapon Kiatkittipong, Suwimol Wongsakulphasatch, Navadol Laosiripojana, Suttichai Assabumrungrat* Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Bangkok 10330 Thailand
   Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhon Pathom 73000, Thailand
   The Joint Graduate School of Energy and Environment, King Mongkut's University of Technology Thonburi, Bangkok 10140, Thailand
- <u>A-63</u> Hydrodeoxygenation of methyl esterfor diesel-like hydrocarbon production Cholada Laokittikul, Worapon Kiatkittipong, Suwimol Wongsakulphasatch, Navadol Laosiripojana, Suttichai Assabumrungrat Center of Excellence in Catalysis and Catalytic Reaction Engineering, Department Engineering, Faculty of Engineering, Chulalongkorn of Chemical University, Bangkok, 10330, Thailand Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhon Pathom, 73000, Thailand The Joint Graduate School of Energy and Environment, King Mongkut's University of Technology Thonburi, Bangkok 10140, Thailand
- <u>A-64</u> Effect of Heat Treatment on Doping Efficiency of Metal Oxide *Pramujo Widiatmoko,Yosuke Kondo, and Wuled Lenggoro*  Graduate School of Bio-Applications and Systems Engineering, Department of Chemical Engineering and Institute of Engineering, Tokyo University of Agriculture and Technology, Tokyo 184-8588, Japan Department of Chemical Engineering, Institut Teknologi Bandung, Bandung 40132, Indonesia
- A-65 Recombinant Protein Production by baculovirus-infected Insect Cells with Cost-Effectively Inhibiting Proteolytic Degradation *Takeshi Gotoh, Shindo Yuuki, Hiroki Ono, Saki Yokota, and Saori Takahashi* Department of Applied Chemistry, Graduate School of Engineering and ResourceScience, Akita University, 1-1 Tegata Gakuen-cho, Akita 010-8502, Japan Akita Research Institute of Food and Brewing, 4-26 Sanuki Arayamachi, Akita 010-1623, Japan
- A-66 Synthesis and Characterization of Visible Light-Responsive Cu-doped SrTiO<sub>3</sub> Photocatalyst for Hydrogen Production *Kristine R. Tolod, Cyril Jose E. Bajamundi, Rizalinda L. de Leon, Ph.D, Paiboon Sreearunothai, Ph.D, Nurak Grisdanurak, Ph.D* Department of Chemical Engineering, University of the Philippines, Quezon City,Philippines

Department of Chemical Engineering, Sirindhorn International Institute ofTechnology,

Thammasat University, Pathum Thani, Thailand Department of ChemicalEngineering, Thammasat University, Pathum Thani, Thailand

- A-67 Sterilization of *Escherichia coli* in water using atmospheric inductivelycoupled plasma *Xu Yang, Daisuke Fukuoka, Yoshinari Wada, Masakazu Matsumoto, Kaoru Onoe* Department of Life and Environmental Sciences, Graduate School of Engineering,Chiba Institute of Technology2-17-1 Tsudanuma, Narashino, Chiba 275-0016 JAPAN
- <u>A-68</u> Co-processing of low rank coal/biomass-derived carbonaceous materialsand lowgrade iron ore
   *Eiki Nagai, Ryuichi Ashida, Kouichi Miura* Department of Chemical Engineering, Kyoto UniversityKyoto-daigaku Katsura, Nishikyo-ku, Kyoto 615-8510, Japan
- A-69 Carbon fibers preparation by low-molecular-weight extracts obtained from lowrank coal or biomass by degradative solvent extraction *Kenshiro Okuda, Xian Li, Ryuichi Ashida and Kouichi Miura* Department of Chemical EngineeringKyoto University – Japan
- <u>A-70</u> Performance of Gasifier Stove With Variety Biomass Fuels in Riau Sri Helianty, Zulfansyah, Darwis Damanik and Rio Sunarya Department of Chemical Engineering, University of Riau, Pekanbaru 28293, Indonesia
- <u>A-71</u> Impact of High Electric Field Pulses on Apple Juice Extraction Mohammad Naghi Eshtiaghi
   Department of Chemical EngineeringMahidol University, Salaya, akhornpathom, 73170 Thailand
- A-72 Application of High Electric Field Pulses for Fermentation of Red Beet Mohammad Naghi Eshtiaghi, Wahyuningsih Tedjo
   Department of Chemical EngineeringMahidol University, Salaya, akhornpathom, 73170 Thailand
   Institute of Food and Bioprocess Technology, Thechnical University of Berlin, 12159 Germany
- A-73 Kinetics of Catalytic Cracking From Oleic Acid to Liquid Biofuel Achmad Roesyadi, Danawati Hariprajitno, Nurjannah, Santi Dyah Savitri Department of Chemical EngineeringSepuluh Nopember Institute of Technology, Surabaya 60111 Indonesia
- <u>A-74</u> Development of Au/HZSM-5 Catalyst for Producing Biofuel

fromPalm Oil

Agus Budianto, Ignatius Gunardi, Achmad Roesyadi, Kusno Budhikarjono and Danawati Hari Prajitno Chemical Engineering Department, Industrial Technology Faculty, SepuluhNopember Institute of Technology, Surabaya, Indonesia

<u>A-75</u> The Effect of Vessel Metal Contact Surface Area onOxidation Stability of Jatropha Biodiesel
 *Rina Mariyana, Chikaya Sakai and Tirto Prakoso* Komatsu Marketing and Support Indonesia, PT.
 Department of Chemical Engineering, Institute of Technology Bandung

- <u>A-76</u> Liquid-Liquid Extraction In Packed Column Using *n-amyl alcohol* And *1-dodecanol* as Solvent to Separate Ethanol From Synthetic Broth *Tri Widjaja, Ali Altway, Setyo Gunawan, Achbarida Praba, and Ika Purwantiningsih* Department of Chemical Engineering, Faculty of Industrial TechnologySepuluh Nopember Institute of Technology, Surabaya 60111 Indonesia
- A-77 Utilization of Hemicellulose in Rice Straw For Production of Biofuel Arief Widjaja, Herdin Hidayat, Herlis Madu Ika W, Nadiem Anwar Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111,Indonesia
- <u>A-78</u> Enzymatic Hydrolysis of Alkali-Pretreated Sugar Cane Bagasse ForProduction of Biofuel
   *Arief Widjaja, Timoteus Yuwono and Eduward Rolanda* Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111,Indonesia
- A-79 Size Reduction, Steaming and Enzymatic Hidrolysis Of Palm Oil Empty Fruit Bunch Misri Gozan, Rudy Surya Sitorus, Muhammad Sahlan, and M. Chairul Chemical Engineering Departement, Faculty of Engineering, Universitas Indonesia, Kampus UI, Depok 16424, Indonesia, ph: +62 21 7863516, fax: +62 21 7863515 Chemical Engineering Departemen, Faculty of Engineering, Universitas Riau, JI. H.R.Subrantas Km 12,5 Simpang Baru Pekanbaru 28293, ph: +62 761 566937; fax: +62 761 566937

 A-80 Integrated System for Underutilised Biomass Supply Chain Wendy Pei Qin NG and Hon Loong LAM Department of Chemical and Environmental EngineeringCentre of Excellence for Green Technologies The University of Nottingham, Malaysia CampusJalan Broga, 43500 Semenyih, Selangor, Malaysia

- <u>A-81</u> Effect of Bread Yeast and Tempeh Yeast on Total Titrable acidity (TTA) and pH during Cassava Fermentation
   Setiyo Gunawan, Ary Yusen Pratama, Rima Nur Febriani, Sri Rachmania Juliastuti, Tontowi Ismail, and Tri Widjaja
   Department of Chemical Engineering, Faculty of Industrial Technology, Institut Teknologi Sepuluh Nopember, Surabaya 60111, Indonesia
- <u>A-82</u> Composition and Analysis of Calophyllum Inophyllum Seed and It's Oil Setiyo Gunawan, Bayu Biru Chandra, Filan Setiawan, Mulyanto, Sri Rachmania Juliastuti, Arief Widjaja, Tri Widjaja
   Department of Chemical Engineering, Faculty of Industrial Technology, Institut Teknologi Sepuluh Nopember, Keputih Sukolilo, Surabaya 60111, Indonesia

 <u>A-83</u> In-Situ Production of Biodiesel from Rice Bran and Its Effect on Carbohydrate Recovery in Defatted Rice Bran *Siti Zullaikah, M. Rachimoellah, Sumarno and Tri Widjaja* Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

- <u>A-84</u> Biodiesel Production from Cottonseed Oil via Transesterification Method Using Cao as Catalyst
   *M. Rachimoellah, Siti Zullaikah, Romanus K. T. N., Yulia Tri R., Nidya Santoso* and Ferdy Pradana
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia
- <u>A-85</u> Natrium Hydroxide (Naoh) As Alkaline Hydrolysis On Pretreatment Of Water Hyacinth (*EichorniaCrassipes*) As Raw Material In Biogas Production Sri Rachmania Juliastuti, Nuniek Hendrianie, Jaka Abdillah, Gawa Reza Mahadin
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya60111, Indonesia
- <u>A-86</u> Agent-based Modeling of Visible Light-Driven Hydrogen Production Roy Vincent L. Canseco, Vena Pearl Boñgolan, Kristine R. Tolod, and Rizalinda L. de Leon
   Department of Computer Science
   Department of Chemical Engineering
   University of the Philippines, Quezon City 1101 Philippines

#### **B.** Process System Engineering

<u>B-01</u> Mathematical Modelling of a Solid Oxide Fuel Cell For The Thermal Modeling Seyedahmad Hajimolana, Mohd Azlan Hussain, Jayakumar Natesan Subramanian Nayagar, Wan Wan Ashri Wan Daud, Mohammed Harun Chakrabarti Chemical Engineering Department, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia

B-02 Thermal Conductivity Enhancement of Alumina Nanoparticles in an Aqueous [HMIM]LS Solution
Glaiza E. Tanguilan, Stephen S. Doliente, Rizalinda L. de Leon, Susan D. Arcoc, Miguel T. Escoto, Jr.
Energy Engineering Program, University of the Philippines, Diliman, Quezon City 1101, Philippines
Department of Chemical Engineering, University of the Philippines, Diliman, Quezon City 1101, Philippines
Institute of Chemistry, University of the Philippines, Diliman, Quezon City 1101, Philippines
Natural Sciences Research Institute, University of the Philippines, Diliman, Quezon City 1101, Philippines
Electrical and Electronics Engineering Institute, University of the Philippines, Diliman, Quezon City 1101, Philippines

 <u>B-03</u> Discussion on Time Difference Models for Application of Soft Sensors *Hiromasa Kaneko and Kimito Funatsu* Department of Chemical System Engineering, The University of Tokyo, 7-3-1
 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan

 <u>B-04</u> A Statistical Approach for Selecting Control Components in Process Design *Trung Kim Nguyen, Tetsuo Fuchino* Department of Chemical Engineering, Graduate School of Engineering, Tokyo Institute of Technology, Meguro, Tokyo 152-8550, Japan

B-05 The Treatment Of A Simulated Liquid Radioactive Waste Containing Tributyl Phosphate Using Ozone Followed By Adsorption
 Noor Anis Kundari, Angga Kukuh Setya Hartato, Kartini Megasari, Kris Tri Basuki, Bangun Wasito
 Department of Nuclear Chemical Engineering; Sekolah Tinggi Teknologi Nuklir-Badan Tenaga Nuklit Nasional (Polytechnic Institute of Nuclear Technology, National Nuclear Energy Agency) Yogyakarta 55281, Indonesia

- B-06 PT Badak NGL Case: Optimum LNG Plant Operation Akbar Surya Laksamana, Johan Anindito Indriawan Process & SHE Engineering, Technical Department PT Badak NGL, Bontang 75324 Indonesia
- <u>B-07</u> PT Badak NGL Case : Optimization of Molecular Sieve Dehydration Regeneration *Dedik Rahmat Ermawan*

Process & SHE Engineering, Technical Department PT Badak NGL, Bontang 75324 Indonesia

- B-08 Process Failure Of The High Pressure Co<sub>2</sub> Stripper Urea Plant Pusri-IB Andri Azmi, Devie Herdiansyah
   Departemen Perencanaan dan Pengendalian Produksi, PT Pupuk SriwidjajaPalembang
   Gedung 29-SB, Jl. Mayor Zen Palembang 30118, Phone (0711)712222, Fax. (0711)718042
- B-09 Next Generation in Biomass Processing: Extraction Process and Depolymerization
   Donni Adinata and Andreas Pfennig
   Department of Chemical Engineering, Faculty of Engineering, University of Indonesia, Depok 16424, Indonesia
   AVT-Thermal Process Engineering, RWTH Aachen University, Wüllnerstrasse 5, D-52062 Aachen, Germany
- B-10 Henry's Constant Of Polar Solutes In Polymer Solutions
   Gede Wibawa, Rama Oktavian, Gema Cahya N, and Fadinsa Yudhistira
   Department of Chemical Engineering Sepuluh Nopember Institute of Technology,
   Surabaya 60111 Indonesia
- <u>B-11</u> Optimisation Of Ls54/Dx Aqueous Two Phase System Conditionsfor Cutinase Recovery

FarizaAkmal Abdul Mutalib, Jamaliah Md Jahima, Farah Diba Abu Bakar, Abdul Wahab Mohamad and Osman Hassan

Department of Chemical and Process Engineering, Faculty of Engineering & Built Environment,

Centre of Bioscience & Biotechnology Studies, Faculty of Science & Technology, Centre of Chemical and Food Technology Studies, Faculty of Science & Technology,

UniversitiKebangsaan Malaysia (UKM), 43600, Bangi, Selangor, Malaysia.

- <u>B-12</u> Principal Component Analysis of Optimum Linear Estimator in Chemical Processing System
   *Marthen Luther Doko* Department of Chemical Engineering, Institut Teknologi Nasional Bandung
- <u>B-13</u> State and Parameter Estimation of Large Scale Chemical Processing System *Marthen Luther Doko* Department of Chemical Engineering, Institut Teknologi Nasional Bandung
- <u>B-14</u> A decision modeling approach to evaluate the climate change mitigation options in the Philippines

Michael Angelo B. Promentillaa, Katrina C. Angelesa Carla Angeline M. De la Cruza, Kathrina G. Tana Department of Chemical Engineering, De La Salle University, 2401 Taft Avenue 1004 Manila Philippines

- <u>B-15</u> Esterification of Phthalic Anhydride Suprihastuti S Rahayu, Sofiyah, and Inga R Rossytha Department of Chemical Engineering, Gadjah Mada University, Yogyakarta5528, Indonesia
- <u>B-16</u> Optimization of Hydroxylation Reaction For Synthesis of Polyol FromEpoxidized Palm Oil Methyl Ester
   *Edy Purwanto, Emma Savitri, Julian Wiriadi and Linvan Christinawati* Department of Chemical Engineering; University of Surabaya, Surabaya 60293
   Indonesia
- <u>B-17</u> Design and Control of Alkali-Catalyzed Transesterification Reactors *Veerayut Lersbamrungsuk and Thongchai Srinophakun*  Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhonpathom, 73000, Thailand Department of Chemical Engineering, Faculty of Engineering, Kasetsart University, Bangkok, 10900, Thailand
- B-18 A Dynamic Model for Ultrasonic Assisted Extraction of Bio-ActiveCompounds from Natural Products *Trung Kien Tran, Lan Huong Phung, Hoai Nga Le, Thi Thu Huyen Nguyen, Xuan Son Nghiem, Van Thiem Pham* Department of Chemical Engineering, Hanoi University of Science andTechnology (HUST), No. 1, Dai Co Viet Str., Hanoi, Vietnam Department of dynamic and engineering equipment of plant, School of Process Sciences, Technische Universität Berlin, No. 135, 17. Juni Street, 10623 Berlin, Germany Bachkhoa Consultancy & Technology Transfer One Member Co., Ltd. (BKContech Co.,Ltd.), HUT, No. 1 Dai Co Viet Str., Hanoi, Vietnam.
- <u>B-19</u> Study on Chemical Reaction Equilibrium of MethanolSynthesis in Liquid Phase *Hendriyan and Herri Susanto* Department of Chemical Engineering, Institut Teknologi Bandung, Bandung Ganesa 10 Indonesia
- <u>B-20</u> Different Types of Observers Applied in Process Systems
   Jarinah Mohd Ali and Mohd Azlan Hussain
   Department of Chemical Engineering, Faculty of Engineering, University of Malaya 50603 Kuala Lumpur
- <u>B-21</u> The Development of Pertamax Racing

*Ery Gunarto, Murtina Dwi Lastuti* Process Engineering – Engineering & Developmnet Departement PT. Pertamina RU III Plaju Palembang 30268

- <u>B-22</u> Design and Control of Biodiesel Production in Esterification Section *Apichat Saejio, and Kulchanat Prasertsit*  Department of Chemical Engineering, Prince of Songkla University, Hatyai Thailand
- <u>B-23</u> Dynamic Simulation the Influence of Gas Compressor Suction Pressure Controlto Improve Anti Surge Control System Performance in Two Stages CentrifugalGas Compression System *Rudy Winarto, Tri Partono Adhi* Chemical Engineering Department, Bandung Institute of Technology, Ganesha 10 Bandung, Indonesia, Phone: 62-22-2500989 Fax: 62-22-25001438
- <u>B-24</u> Optimal Design Based RSM and ANN of High Vacuum Distillation for Beta-Carotene Recovery
   *Rattanatiya Yingyong, Pornsiri Kaewpradit and Wachira Daosud* Department of Chemical Engineering, Prince of Songkla University, Songkhla, 90112, Thailand
   Department of Chemical Engineering, Burapha University, Chonburi, 20131, Thailand
- B-25 Dynamic Simulation of Optimization of Load Sharing Compressor and LinePacking Utilization
   Bramasto Aryaka, Tri Partono Adhi
   Chemical Engineering Department, Bandung Institute of Technology
   Jalan Ganesha 10 Bandung, Phone: 62-22-2500989 Fax: 62-22-25001438
- <u>B-26</u> Optimization Process of Biodiesel Production with Ultrasound Assisted by Using Central Composite Design Methods
   *Widayat, Hantoro Satriadi, Oki Yuariski and Djoko Murwono* Department of Chemical Engineering, Diponegoro University Semarang Indonesia
   Center of Biomass and Renewable Energy (C-BIORE) Diponegoro University
- <u>B-27</u> Dynamic Simulation and Control in A Non-Interacting-Tank System
   *Yulius Deddy Hermawan* Department of Chemical Engineering, Faculty of Industrial Technology, UPN
   "Veteran" Yogyakarta 55283, Indonesia
- <u>B-28</u> Technical and Economics study of biodiesel production by supercritical transesterification *Tanya Tippayasri, Veerayut Lersbamrungsuk*

Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Nakhonpathom 73000 Thailand

 <u>B-29</u> Modelling of Risk Assessment Using Layer of Protection Analysis (LOPA) on Enclosed Ground Flare at Onshore Facilities *Renanto Handogo, Hizkia Alexander Widianto Takasana, and Donnyanto Adrian Limadinata* Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya60111, Indonesia

#### **C.** Chemical Engineering Fundamentals

- C-01 Improvement of Antifouling Potential on Anion Exchange Membrane by Layer by Layer Deposition
   Sri Mulyati, Ryosuke Takagi, Yoshikage Ohmukai and Hideto Matsuyama
   Center for Membrane and Film Technology, Dep.Chem.Sci.and Eng.,Kobe Uni.,Kobe, Japan
   Dep.Chem.Eng., Syiah Kuala Uni., Banda Aceh, Indonesia
- <u>C-02</u> Effect of Coalescer Height to Oil Separation in Produced Water Using Gas Flotation Vessel Cell
   *Yazid Bindar, Ira Susanty and Dinar Citra Indar Hutami* Research Group on Energy and Chemical Engineering Processing System
   Departement of Chemical Engineering ,Faculty of Industrial Engineering
   Institut Teknologi Bandung
- C-03 Comparison of Cutinase Separation in Different Chromatographic Media Suhaila Johar, Abdul Wahab Mohamad, and Jamaliah Md. Jahim
   Department of Chemical & Process Engineering, Faculty of Engineering & Built Environment, Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor
- C-04 Hydrothermal Extraction of Valuable Compounds from Kikurage (Auricularia auricula-judae)
   Kohei Takamoto, Armando T. Quitain, Mitsuru Sasaki and Motonobu Goto
   Graduate School of Science and Technology, Kumamoto University 2-39-1
   Kurokami Chuo-ku, Kumamoto 860-8555 Japan
   Department of Chemical Engineering, Nagoya University Furo-cho, Chikusa-ku, Nagoya 464-8603 Japan

 <u>C-05</u> PVT Properties for Mixtures of Ionic Liquid 1-Butyl-3-Methylimidazoliumbis(Trifluoromethylsulfonyl)imide[C<sub>4</sub>mim][NTf<sub>2</sub>]with Anisole
 *Elisabeth Widowati, Ming-Jer Lee* Department of Chemical Engineering, National Taiwan University of Science and Technology, 43 Keelung Road, Section 4, Taipei 106-07, Taiwan

- C-06 CFD Simulation and ERT visualization of Gas-Liquid Oscillatory Flow in a Baffled Column
   Mohd Sobri Takriff, Ahmad Azahari Hamzah, and Masli Irwan Rosli
   Department of Chemical & Process Engineering, Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor, Malaysia
   Institute of Chemical & Bioengineering Technology, Universiti Kuala Lumpur Malaysian, Lot 1988, Taboh Naning, Kawasan Perindustrian Bandar Vendor, 78000 Alor Gajah, Melaka Malaysia
- C-07 A Study on The Application of Orange Peel Waste as Low Cost Biosorbent for Dye Removal
   Arenst Andreas, Jeremy Reinaldo, and Kelvin Tertira
   Department of Chemical Engineering Faculty of Industrial Technology, Parahyangan Catholic University, Ciumbuleuit 94 Bandung 40141 Indonesia
- <u>C-08</u> Simple Extraction Method of Galanthamine from *Narcissus pseudonarcissus* bulbs

Orchidea Rachmaniah, Jaap van Spronsen, Rob Verpoorte, and Geert-Jan Witkamp Institute Technology of Sepuluh Nopember, Chemical Engineering Department, Surabaya, Indonesia 60111

Delft University of Technology, Process & Energy Department, Leeghwaterstraat 44, 2628 CA, Delft, the Netherlands

Leiden University, Institute of Biology, Natural Products Laboratory, 2300 RA, Leiden, The Netherlands

C-09 Incorporation of Fractional Surface Coverage on Extended Langmuir Isotherm: Binary Adsorption of Evans Blue and Malachite Green onto Organo-Bentonite Suryadi Ismadji, Alfin Kurniawan, and Hogiartha Sutiono Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37, Surabaya 60114, Indonesia

C-10 Density Based Modeling of Epicatechin Solubility in Supercritical Carbon Dioxide Fluid
 Felycia Edi Soetaredjo, Suryadi Ismadji, and Yi-Hsu Ju
 Department of Chemical Engineering, National Taiwan University of Science and Technology, 43, sec 4. Keelung Rd., Taipei, Taiwan
 Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37, Surabaya 60114, Indonesia

- C-11 Transesterification mechanism for PET recycle by molecular orbital method Kazuki Hashimoto, Yusuke Aaskuma
   Department of Mechanical and Systems Engineering, University of Hyogo, 2167 Shosha Himeji 671-2280 Japan
- <u>C-12</u> Kinetics of Amidation for The Synthesis of Diethanolamide From Methyl Ester and Diethanolamine by Using Sulfuric Acid Catalyst

*Renita Manurung, Rakhmat Akbar Sinaga and Rahmad Taufik Simatupang* Department of Chemical Engineering, University of Sumatera Utara, Medan 20155 Indonesia

 <u>C-13</u> Effect of Agitation on the Metastable Zone, Nucleation and Growth of Struvite Crystals in a Batch Crystallizer *Eko Ariyanto , H. M. Anga, Tushar Kanti Sena* Department of Chemical Engineering, Curtin University, Perth, GPO Box U 1987, 6845 Western Australia-Australia Departement of Chemical Engineering, Muhammadiyah University of Palembang, Palembang 30263 Indonesia

C-14 Shock Loads and Revival of Activity after Shutdown in Single Stage Stirred Tank Anaerobic Reactors fed Continuously and Intermittently *Herawati Budiastuti, Pratap Pullammannappallil, and Ralf Cord-Ruwisch* Chemical Engineering Department, The State Polytechnic of Bandung, Bandung 40012, Indonesia Agricultural and Biological Engineering Department, University of Florida, Gainesville, USA Environmental Sciences and Biotechnology, Murdoch University, Perth, Australia

<u>C-15</u> Bioproduct-Based Solvents for Dissolving Styrofoam and Comparison of its Solubility with Thermodynamic Model
 J.P. Sitompul, R. Simon, F.X. Ruben, and H.W. Lee
 Department of Chemical Engineering, Faculty of Industrial Technology, Institute of Technology Bandung, Jl. Ganesha 10, Bandung 40132, Indonesia

C-16 Isolation and Physicochemical Properties of Starches from Vietnamese Limnophila aromatic
 Quy Diem Do, Lien Huong Huynh and Yi-Hsu Ju
 Department of Chemical Engineering, National Taiwan University of Science and Technology, 43 Sec.4, Keelung Road, Taipei 106-07, Taiwan.
 Department of Chemical Engineering, Can Tho University, 3-2 Street, Can Tho City, Vietnam

- <u>C-17</u> Mass Transfer of stevioside in stevia rebaudiana extraction *Aswati Mindaryania, Novarina Intan Pamungkas* Department of Chemical Engineering University of Gadjah Mada, Yogyakarta, 55381, Indonesia
- <u>C-18</u> Thermophysical Characterization of Glycol (DEG/TEG/T<sub>4</sub>EG) + TRIS + Water: Measurements and Correlation *Elizabeth S. Espiritu, Allan N. Soriano, and Meng-Hui Li* School of Chemical Engineering and Chemistry, Mapúa Institute of Technology, Manila 1002, Philippines

R&D Center for Membrane Technology and Department of Chemical Engineering, Chung Yuan Christian University, Chung-Li 32023, Taiwan, R.O.C.

- C-19 Liquid-Liquid Equilibrium of Acetonitrile + Water in the Presence of Biological Buffer MOPS Saidah Altway, Mohamed Taha, Ming-Jer Lee
   Department of Chemical Engineering, National Taiwan University of Science and Technology, 43 Keelung Road, Section 4, Taipei 106-07, Taiwan
- C-20 Analysis of Flux Decline during Microfiltration of Different Types of Feed *Putu D. Sutrisna, Julius Candrawan, and Wira W. Tangguh*  Chemical Engineering Department, University of Surabaya (UBAYA) Jl. Raya Kalirungkut (Tenggilis), Surabaya – Indonesia 60292
- C-21 The Use of Ion-Exchange Resin in The Production of Clean Biodiesel Manal Ismail, Naidatul Fariha, and Zahira Yaakob
   Department of Chemical and Process Engineering Universiti Kebangsaan Malaysia, Bangi 43600 Malaysia

 C-22 Co-solvent Selection for Supercritical Fluid Extraction of Essential Oil andBioactive Compounds from *Polygonum minus* Norsyamimi Hassim, Masturah Markom, Nurina Anuar, and Syarul Nataqain Baharum
 Department of Chemical and Process Engineering, Faculty of Engineering and Built Environment, National University of Malaysia, 43600 UKM Bangi, Selangor, Malaysia.
 Institute of Systems Biology, National University of Malaysia, 43600 UKM Bangi, Selangor, Malaysia.

- C-23 Vegetable oil reforming for high-temperature PEMFCs
   Parinya Intaracharoena, Worapon Kiatkittipong, Suwimol Wongsakulphasatch and Sutichai Assabumrungrat
   Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Silapakorn University, Nakhon Phathom 73000, Thailand
   Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Bangkok 10330, Thailand
- C-24 Novel heterogeneous monolithic catalyst in biodiesel production: A review Manal Ismail, Siti Rahayu Azman, Abdul Amir Hassan Kadhum, and Zahira Yaakob
   Department of Chemical and Process Engineering, Faculty of Engineering and Built Environment, Unversiti Kebangsaan Malaysia, Bangi, 43600 Malaysia
- <u>C-25</u> Comparison of Pyrolysis Products between Jatropha Curcas L Waste and Jatropha Curcas L Nut *Hary Sulistyo, Khaurusy Zulhilmi and Baskara Aji Nugraha*

Department of Chemical Engineering Gadjah Mada University, Yogyakarta 55281, Indonesia PT Synergy Engineering, Nusa Loka CI/03, BSD City, Tangerang Selatan, Indonesia Process Engineer PT Kaltim Parna Industri, KIE Area, Bontang 75314, Indonesia

- C-26 Enhancing CO2 Adsorption Using Strong Base Anion Exchange Resin Anies Mutiari, Wiratni, and Aswati Mindaryani
   Department of Chemical Engineering, Gadjah Mada University, Yogyakarta 55281, Indonesia
   Center for Material and Technical Product, Ministry of Industry, Bandung 40135, Indonesia
- C-27 Liquefaction of low-molecular-weight extracts obtained from low-rank coal and biomass by degradative solvent extraction under mild condition Dedy Eka Priyanto, Xian Li, Ryuichi Ashida, Kouichi Miura Department of Chemical Engineering, Kyoto University – Japan

C-28 Effect of Paraffins on Benzene Photocatalytic Oxidation of Clean Room in Semiconductor Fab
 *Yi-Ting Wu, Yi-Hui Yu, Jeffrey Chi-Sheng Wu, Angela Yu-Chen Lin, Luh-Maan Chang, and Ming-Hao Hsu* Department of Chemical Engineering, National Taiwan University, Taipei 106 Taiwan
 Department of Civil Engineering, National Taiwan University, Taipei 106 Taiwan
 Graduate Institute of Environmental Engineering, National Taiwan University, Taipei 106 Taiwan

- C-29 Kinetic Evaluation of the Graft Copolymerization of Acrylic Acid onto Starch Based on Concentration Measurements and on Torque Observation Judy R. Witono, Hero J. Heeres, Leon P.B.M.Janssen, Inge W. Noordergraaf Department of Chemical Engineering Parahyangan Catholic University, Bandung 40141 Indonesia Department of Chemical Engineering University of Groningen, Groningen 9700AB The Netherlands
- <u>C-30</u> Identification of Potential Dyesand Developing Methods to Improve Dyesensitized Solar Cell's Efficiency
   *I. Noezar, A. Z. Abidin, J. Jaya, and Hendra* Department of Chemical Engineering Faculty of Industrial Technology, Institut
   Teknologi Bandung JI Ganesa 10 Bandung 40132 Indonesia
- <u>C-31</u> Separation of Aromatic Hydrocarbons from Cracked Oils by Solvent Extraction *Yoshihisa Yoshimura, Hiroaki Habaki, and Ryuichi Egashira* Department of International Development Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8550 Japan

- <u>C-32</u> Prediction of Solubilities of CO, H2 and Its Mixture in Various Solvents Joko Waluyo and Herri Susanto
   Department of Chemical Engineering Institut Teknologi Bandung, Bandung-40132 Indonesia
- C-33 Optimizing Lipase Immobilization by Entrapment Method on Chitosan as Biocatalyst for Biodiesel Synthesis
   Heri Hermansyah, Merisa Bestari Faiz, Intan Afridawaty Sipangkar and Renly James Yosua
   Department of Chemical Engineering, University of Indonesia, Depok 16424, Indonesia

C-34 Miscibility Development Calculation in Model Oil Injection by Flare-Flue Gas Mixtures
 *Tjokorde Walmiki Samadhi, Stephanie L.U. Sutoko, and Utjok W.R. Siagian* Chemical Engineering Program, Bandung Institute of Technology, Bandung 40132, Indonesia
 Petroleum Engineering Program, Bandung Institute of Technology, Bandung 40132, Indonesia

<u>C-35</u> Adsorption of copper(II), cadmium(II) and zinc(II) ions by SDS-functionalized mesoporous silica

Wanchai Kaewprachum, Suwimol Wongsakulphasatch, Worapon Kiatkittipong, and Suttichai Assabumrungrat

Center of Excellence on Catalysis and Catalytic Reaction Engineering, Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Bangkok 10330, Thailand.

Department of Chemical Engineering, Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhon Pathom 73000, Thailand.

<u>C-36</u> Dye Adsorption on Silica-filled ENR/PVC Beads *Nurul Amni Abdullah, Ibrahim Abdullah, and Rizafizah Othaman* School of Chemical Sciences and Food Technology, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi 43600 Selangor, Malaysia

 C-37 Phase Behaviour Of CH<sub>4</sub>-CO<sub>2</sub> Mixture in Cryogenic Heat Exchanger Process Ardila Hayu Tiwikrama, Syahipul Rachman Hidayat, Gede Wibawa, Sumarno, and Setiyo Gunawan
 Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

<u>C-38</u> Optimization research into the ultrasonic-assisted extraction to separate polyphenol from green tea waste Lan Huong Phung, Trung Kien Tran, The Cuong Nguyen, Hong Quang Do, Thu Tra Phan, Hong Son Vu, Tien Huy Nguyen Department of Chemical Engineering, Hanoi University of Technology (HUST), No. 1 Dai Co Viet Str., Hanoi, Vietnam. Department of Quality Management, HUST, No. 1 Dai Co Viet Str., Hanoi, Vietnam.

- C-39 Kinetic Reaction Comparison of CO2 Absorption Into Promoted Potassium Carbonate (K2CO3) Erwan Adi Saputro, Kusno Budikardjono, Ali Altway Chemical Engineering Department, UPN Veteran Jawa Timur, Surabaya, Indonesia Chemical Engineering Department, ITS Surabaya Indonesia.
- C-40 Supercritical CO2 Extraction and Micronization of Carotenoids Nanako Hagihara, Mitsuru Sasaki, Armando T. Quitain, Takuma Higashiura, Motonobu Goto
   Graduate School of Science and Technology, Kumamoto University 2-39-1
   Kurokami, Chuo-ku, Kumamoto 860-8555 Japan
   Research Institute, KAGOME CO., LTD.
   17 Nishitomiyama, Nasushiobarashi, Tochigi 329-2762 Japan
   Department of Chemical Engineering, Nagoya University Furo-cho, Chikusa-ku, Nagoya 464-8603 Japan
- C-41 Kinetic studies on the removal of reactive blue 19 and reactive yellow 145 by Putsan(tiwi) clay *Junel B. Borbo and Mark Daniel G. de Luna* Department of Chemical Engineering, University of the Philippines Dilimanand Department of Chemical Engineering, Bicol University Department of Chemical Engineering, University of the Philippines Diliman
- <u>C-42</u> Activation of Mesoporous Carbon Synthesized from SBA-16 for CO2 Storage Nguyen Van Dung and Nguyen Ngoc Hanh
   Department of Physicochemical Engineering Ho Chi Minh University of Technology, Vietnam
- C-43 Transient Heat Transfer Analysis of Latent Heat Thermal Energy Storage System Using Phase Change Material Panut Mulyono and Denny Andriatno Pribadi
   Department of Chemical Engineering, Faculty of Engineering, Gadjah Mada University Yogyakarta 55281, Indonesia
- <u>C-44</u> A Review on CFD Modeling of Fluidization Bed Gas Phase Reactor For Polyolefin Production
   Mohammad Jakir Hossain Khan, M. A. Hussain
   Department of Chemical Engineering, Faculty of Engineering, University of Malaya, 50603, Kuala Lumpur, Malaysia

- <u>C-45</u> Growth of Carbon Nanotube from Banana Peel Activated Carbon with Simple Pyrolisis Methode and Methane Decomposition *Praswasti Pembangun Dyah Kencana Wulan and Najma* Department of Chemical Engineering, Department Faculty of Engineering Universitas Indonesia, Kampus Baru UI Depok 16424, Indonesia
- C-46 Mass Transfer Model for Basic Blue Adsorption onto Pillared Bentonite Clay by Taking Into Account the Intra Particle Concentration Gradient *Hadiatni Rita Priyantini, Wahyudi Budi Sediawan, Rochmadi and Imam Prasetyo* Department of Chemical Engineering, University of Surabaya, Surabaya 60292, Indonesia
   Department of Chemical Engineering, Gajah Mada University, Yogyakarta 55281, Indonesia
- <u>C-47</u> Removal of Terpenes from Citrus Oil Model Compounds with Supercritical CO<sub>2</sub> Fractionation
   Siti Machmudah, Wahyudiono, Motonobu Goto, and Ryuichi Fukuzato
   Department of Chemical Engineering, Nagoya University, Nagoya 464-8603, Japan
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia
   SCF Technolink, Kobe, Japan
- <u>C-48</u> Flow instabilitiesinAgitated Tanks withSide Entering Mixers Sugeng Winardi, Tantular Nurtono, Widiyastuti,
   B.GustiayuSukmawedha, A. Ratna Sari, Bayu Triwibowo
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology Surabaya,Indonesia
- C-49 A Computational Fluid Dynamics Study into Turbulent Characteristic that Affect the Combustion Process
   *T. Nurtono, W. Widiyastuti, R.K.T. Nenu, I.S. Arief and S. Winardi* Department of Chemical Engineering, Institute of TechnologySepuluh Nopember, Surabaya60111, Indonesia
   Department of Marine Engineering, Institute of TechnologySepuluh Nopember, Surabaya60111, Indonesia
- C-50 Liquid-Liquid Equilibria of Ternary System Eugenol + Isopropanol + Water at 303.15, 313.15, and 323.15 K
   Zuhriyyah R.A, Rachma F., and Nur Andriani P.K, Kuswandi
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia
- <u>C-51</u> Bitumen Extraction from Asbuton Rock Using Pertasol Susianto, Ali Altway, and Suprapto

Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

#### **D.** Polymer, Petrochemical and Material Science and Technology

- D-01 Investigation of Rice Husk Loading on The Characterization and Water Permeation of ENR/PVC Composite Membrane Norfarhana Ab. Samad, Nazwa Jon, Rizafizah Othaman and Ibrahim Abdullah School of Chemical Sciences and Food Technology, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, 43600 Bangi Selangor, Malaysia.
- D-02 One step synthesis of hybrid single-wall carbon nanohorns with metallic nanoparticles using arc discharge in water with nitrogen gas injection *Chantamanee Poonjarernsilpa, Noriaki Sano, Taiga Ishii, and Hajime Tamon* Department of Chemical Engineering, Graduate School of Chemical Engineering Kyoto University, Kyoto 615-8510, Japan Department of Chemical Engineering, Faculty of Engineering, Rajamangala University of Technology Krungthep, 2 Nanglinchee road, Sathorn, Bangkok 10120, Thailand

 D-03 PreparationofAmine-GraftedMesoporousMaterialMCM-48UsingGeothermalSolidWasteSilica MariaChristinaPrihatiningsih,ImamPrasetyo, Rochmadi
 DepartmentofNuclearChemicalEngineering PolytechnicInstituteofNuclearTechnology–NationalNuclearEnergyAgency, Yogyakarta55281,Indonesia
 DepartmentofChemicalEngineering GadjahMadaUniversity,Yogyakarta55281,Indonesia

<u>D-04</u> Synthesis of Furfural from Locally Available Agricultural Residues in the Philippines

Rodel D. Guerreroa, Emmanuel P. Belostrino, Mark Louis H. Lagura, Billy Joe Y. Uy, Terence P. Tumolva and Masatoshi Kubuochi

Department of Chemical Engineering, University of the Philippines, Diliman 1101 Quezon City, Philippines TELEFAX: +6329296640

Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-Okayama Meguro-ku, Tokyo, 152-8552 Japan

Ceramics Engineering/Chemical Engineering/Metallurgical Engineering Department, Mindanao State University-Iligan Institute of Technology, Iligan City, Lanao del Norte, Philippines

<u>D-05</u> Granulation of Organic and Inorganic Mixtures

IDG. Arsa Putrawan and H. Mohamed

Research Group on Chemical Engineering Product Design and Development Faculty of Industrial Technology Insitut Teknologi Bandung, Jalan Ganesha 10, Bandung 40132, Indonesia

- D-06 Thermal Compression Effects on Hybrid Poplar Wood: Lignin Analysis Noridah B. Osman, Armando G. McDonald, and Marie-Pierre G. Laborie
   Center for Biofuel and Biochemical Research, Universiti Teknologi PETRONAS, Perak 31750, Malaysia
   Renewable Materials Program, Department of Forest, Range and Fire Sciences, University of Idaho, USA
   Institute of Forest Utilization and Work Sciences, University of Freiburg, Germany
- <u>D-07</u> Preparation of CO Gas Sensor from WO<sub>3</sub> Nanomaterial Synthesized via Sol-Gel Method Followed by Calcination

Diah Susanti, A.A. Gede Pradnyana Diputra, Lucky Tananta, Hariyati Purwaningsih, George Endri Kusuma, Chen-Hao Wang, Shao-Ju Shih and Ying-Sheng Huang

Department of Materials and Metallurgical Engineering Sepuluh Nopember Institute of Technology, Surabaya601111Indonesia Department of Mechanical Engineering, Surabaya State Shipbuilding Polytechnic, Sepuluh Nopember Institute of Technology (ITS), Surabaya 60111, Indonesia Department of Materials Science and Engineering, National Taiwan University of Science and Technology (NTUST), Taipei, Taiwan Department of Electronic Engineering, National Taiwan University of Science and Technology (NTUST), Taipei, Taiwan

 D-08 Green Synthesis of Zinc Oxide Nanoparticles via Simple Precipitation Method Nur Hanis Hayati Hairoma, Abdul Wahab Mohammad Universiti Kebangsaan Malaysia Universiti Tun Hussein Onn Malaysia

D-09 Differential Scanning Calorimetry (DSC) analysis of PP/Organoclay Nanocomposites: Isothermal Crystallization Study
 Achmad Chafidza, Mohammad Al-haj Ali, Rabeh Elleithya and Saeed M. AL-Zahrania
 Department of Chemical Engineering, King Saud University, Riyadh, Saudi Arabia
 SABIC Polymer Research Center, King Saud University, Riyadh, Saudi Arabia
 Research and Development Department, Printpack Inc., Williamsburg, USA

- D-10 Shape Memory Polymer Based on Benzoxazine-modifed Epoxy Sarawut Rimdusit and Montha Lohweratham
   Polymer Engineering Laboratory, Department of Chemical Engineering Faculty of Engineering, Chulalongkorn University, Bangkok 10330, Thailand
- <u>D-11</u> Highly Filled Graphite Based Benzoxazine Composites for an Application as Bipolar Plates in Fuel Cells *Anucha Pengdam and Sarawut Rimdusit*

Polymer Engineering Laboratory, Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Payathai Road. Pathumwan, Bangkok, 10330, THAILAND.

- <u>D-12</u> Synthesis and Characterization of ZeoliteMonolith
   by Ice-Templating and Steam-Assisted Crystallization
   *Hajime Tamo, Takuya Akatsuk, Hiroki Mori, and Noriaki Sano* Department of Chemical Engineering, Kyoto University, Katsura, Kyoto 615-8510, Japan
- D-13 Modeling of Gas Phase Propylene Polymerization in Fluidized Bed reactors Using Aspen Polymer Plus and Two Phase Models
  Ahmad Shamiri, M. A. Hussain, Farouq Sabri Mjalli, Navid Mostoufi
  Department of Chemical Engineering, University of Malaya, 50603 Kuala Lumpur, Malaysia
  Training center, Razi Petrochemical Company, P.O. Box 161, Bandar Imam, Iran
  Petroleum & Chemical Engineering Department, Sultan Qaboos University, Muscat, 123, Oman
  Process Design and Simulation Research Center, School of Chemical Engineering, College of Engineering, University of Tehran, P.O. Box 11365/4563, Tehran, Iran
- D-14 In-situ observation of convection and phase separation behavior under microwave radiation
   *Yusuke Asakuma, Yutaka Koh* Department of Mechanical and Systems Engineering, University of Hyogo, 2167
   ShoshaHimeji 671-2280Japan
- D-15 Production and Characterization of Polyethylene-Clay Nanocomposites through in situ Polymerization using Montmorillonite Supported Metallocene Catalyst *Hyung Woo Lee, Johnner P. Sitompul, and Yeung Ho Park* Department of Chemical Engineering, Faculty of Industrial Technology, Institute of Technology Bandung, Jl. Ganesha 10, Bandung 40132, Indonesia Department of Materials and Chemical Engineering, Hanyang University, Ansan,Gyeonggi-do 426-791, South Korea
- D-16 Thermomechanical Properties of Kevlar<sup>TM</sup> Reinforced Benzoxazine-Urethane Alloys
   Okhawilai M., Kasemsiri P., and Rimdusit S.
   Department of Chemical Engineering, Chulalongkorn University, Bangkok 10330 Thailand
   Department of Chemical Engineering, Khon-Kaen University, Khon-Kaen 40000 Thailand

- D-17 Effectiveness of Tannin as Corrosion Inhibitor for Carbon Steel in Chloride Solutions
   *I.M. Nurdin, Stephanie, P.S. Ayudiani, W.K. Effendy, E.A. Pravasta* Department of Chemical Engineering, Bandung Institute of Technology, Bandung 40132, Indonesia
- D-18 Polymer Flooding for Improving Oil Recovery Suryo Purwono, Bardi Murachman, Rochmadi, Wahyu Hasokowati, Dodi Irawan and Yudha Endriadi
   Department of Chemical Engineering Gadjah Mada University, Yogyakarta, Indonesia
- <u>D-19</u> Evaluation of micro-catalytic reactor with *in situ* UV microscopy *Tomohiko TAGAWA, Lee Yi Fuan and Hiroshi YAMADA* Department of Chemical Engineering, Nagoya University, Chikusa, Nagoya, 464-8603,Japan
- <u>D-20</u> Innovation process and equipment in the traditional tempe industries without pollution

Ign. Suharto

Department of Chemical Engineering, Faculty of Industrial Technology, Parahyangan Catholic University (UNPAR), Jalan Ciumbuleuit 94-96, Bandung 40141, Indonesia,

 D-21 Fluorimetric Determination of Boron Levels in Semiconductor Cleanroom *Ming Hao Hsu, Yi Hui Yu, Yi Ting Wu, Angela Yu-Chen Lin, Jeffrey Chi-Sheng Wu, Luh Maan Chang*  Graduate Institute of Environmental Engineering, bDepartment of Civil Engineering,

Department of Chemical Engineering, National Taiwan University, Taipei 10617 Taiwan

<u>D-22</u> Bimodality Criterion for Sequence Length Distribution of Ethylene/1-olefin Copolymers

Boonyanuch Seteinsook, Siripon Anantawaraskul

Center of Excellence for Petroleum, Petrochemicals and Advanced Materials (PPAM), Department of Chemical Engineering, Faculty of Engineering, Kasetsart University, 50 Phaholyothin Rd., Jatujak, Bangkok, Thailand 10900

 <u>D-23</u> Simulation of Morphological Development during Crystallization of Syndiotactic Polypropylene in a Temperature Field *Chattong Pornpiriyayotha, Siripon Anantawaraskul* Center of Excellence for Petroleum, Petrochemicals and Advanced Materials

(PPAM), Department of Chemical Engineering, Faculty of Engineering, Kasetsart University, 50 Phaholyothin Rd., Jatujak, Bangkok, Thailand 10900

- D-24 Effect of Ethylene-Vinyl Acetate Copolymer on Properties of Acrylonitrile-Butadiene-Styrene/Zinc Oxide Nanocomposites Sirirat Wacharawichanant, Lalitwadee Noichin, and Sutharat Bannarak Department of Chemical Engineering, Faculty of Engineering and Industrial Technology Silpakorn University, Nakhon Pathom 73000, Thailand
- D-25 Developing Anti-Fogging Visor Using Titania Nanoparticle Coating Dien Nurfathi, Ulfa Hardyanti, Agus Purwanto
   Department of Chemical Engineering, Sebelas Maret University, Surakarta632112, Indonesia
- D-26 Synthesis and in vitro Characteristics of Sintered Hydroxyapatite Kha Minh Nguyen, Ha Ky Phuong Huynh, Phu Xuan Nguyen and Tram Thi Ngoc Pham
   Department of Chemical Engineering HoChiMinh City University of Technology, VNU-HCM, Vietnam
- D-27 Stable aluminum oxide/water nanofluids with ionic liquid dispersant Stephen S. Doliente, Glaiza E. Tanguilan, Rizalinda L. de Leon and Susan D. Arco
   Energy Engineering Program, College of Engineering University of the Philippines Diliman, Quezon City 1101 Philippines
   Department of Chemical Engineering University of the Philippines Diliman, Quezon City 1101 Philippines
   Insitute of Chemistry University of the Philippines Diliman, Quezon City 1101 Philippines
   National Sciences Research Institute University of the Philippines Diliman, Quezon City 1101 Philippines
- D-28 Predicting of parameters effect on PE wax powder size distribution and shape in atomization process
   Ubonwan Madua, Kulchanat Prasertsit, Paiboon Innachitra, Tanakorn Keatkhunboot.
   Department of Chemical Engineering, Faculty of Engineering, Prince of Songkla University, Hat Yai, Songkhla 90112
- D-29 Investigation of Thermal and Mechanical Properties of Highly Filled Polybenzoxazine Composites
   Jirawat Kajohnchaiyagua, Chanchira Jubsilp, and Sarawut Rimdusit
   Polymer Laboratory Engineering, Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Payathai, Pathumwan, Bangkok, 10330, THAILAND.
   Department of Chemical Engineering, Faculty of Engineering, Srinakharinwirot

Department of Chemical Engineering, Faculty of Engineering, Srinakharinwirot University, Nakhonnayok 26120, THAILAND

- <u>D-30</u> Preparation of Activated Carbon from Extraction Residue of Low-Rank Coal Dedy Eka Priyanto, Xian Li, Ryoichi Ashida, Kouichi Miura Department of Chemical Engineering, Kyoto University Japan
- <u>D-31</u> Electrochemical Characterization of Cathode For MCFC (Molten Carbonate Fuel Cell) Produced By Dry Casting *Ribka Priscilla Sinaga, Muhammad Ardian Nur, and Hary Devianto* Department of Chemical Engineering, Institut Teknologi Bandung, Bandung 40132, Indonesia
- D-32 Activation of polymer supported catalysts using atmospheric non-equilibrium plasma
   H.Sekiguchi, S.Kodama, and Y.Kawashima
   Department of Chemical Engineering Tokyo Institute of Technology, Tokyo 152-8552 Japan
- D-33 Study of Structure and Properties of Nano Composite Poly(Acrylic-co-Acrylamide)/Bentonite A. Z. Abidin, I. Noezar, R. Irawan, and W. A. Nugroho Department of Chemical Engineering Faculty of Industrial Technology, Institut Teknologi Bandung JI Ganesa 10 Bandung 40132 INDONESIA
- <u>D-34</u> Synthesis technique and applications of carbon nanotubes directly grown on stainless steel surfaces
   *Noriaki Sano, Suguru Yamamoto, Takeshi Kodama, Satoru Matsuoka, and Hajime Tamon* Department of Chemical Engineering, Kyoto University, Kyoto 615-8510, Japan
- <u>D-35</u> Effect of Temperature and Type of Inorganic Acid in Acidolysis of Epoxy and Polyurethane Thermosetting Resins
   Jonas Karl Christopher N. Agutaya, Zarlon M. Bernardo, Lorenz Anthony T. Fernando, Timothy David T. Salmo, Terence P. Tumolva
   Department of Chemical Engineering University of the Philippines, Diliman, Quezon City 1101 Philippines
- <u>D-36</u> SynthesisofProton Exchange Membrane from SO<sub>3</sub>H-Grafted Silica Membrane in Production of Electrolized Oxidized Water (EOW)
   Zarra Miantina Putrie, Rizki Pratama, Vania Mitha Pratiwi, Minta Yuwana and Heru Setyawan
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya60111, Indonesia
- <u>D-37</u> Coating Steel With Nanosilica By Electrophoresis For Corrosion Protection Ni Made Intan P.Suari, Heru Setyawan, Samsudin Affandi, Rian Intan Saputra, Ririn Kurniasari

Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

- D-38 The Effects of Silica Addition on The Characterization and Gas Permeation of ENR/PVC Membrane Nazwa Jon , Ibrahim Abdullaha, and Rizafizah Othaman School of Chemical Sciences and Food Technology, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, 43600, Bangi, Selangor, Malaysia
- D-39 Purification of Silica Recovered from Dieng's Geothermal Sludge Renung Reningtyas, Indra Perdana, I Made Bendiyasa
   Department of Chemical Engineering, Faculty of Engineering Gadjah Mada University, Jl. Grafika 2, Yogyakarta, 55281 Indonesia
   Master student in Department of Chemical Engineering, Faculty of Engineering, Gadjah Mada University, Jl. Grafika 2, Yogyakarta, 55281 Indonesia
- D-40 Validation of a Base-Extraction □-Al2O3 Catalyst Support Synthesis Route *Tjokorde Walmiki Samadhi, Novita D.P. Nugraheni, Herpurna A. Futaqi, and Khasin Fuadi* Chemical Engineering Program, Bandung Institute of Technology, Bandung 40132, Indonesia
- <u>D-41</u> Lifetime Prediction of Furan Resin using Thermal Analysis
   Jhud Mikhail O. Aberillaa, Terence P. Tumolva, and Masatoshi Kubouchib
   Department of Chemical Engineering, University of the Philippines, Diliman,
   Quezon City 1101 Philippines
   Department of Chemical Engineering, Tokyo Institute of Technology, Meguro-ku,
   Tokyo 152-8552 Japan
- D-42 Thermal Degradation Kinetics of Orthophthalic Unsaturated Polyester Ralph P. Villaa, Jonas Karl Chritopher N. Agutayaa, Terence P. Tumolvaa and Masatoshi Kubouchib
   Department of Chemical Engineering, University of the Philippines, Diliman, Quezon City 1101 Philippines
   Department of Chemical Engineering, Tokyo Institute of Technology, Meguro-ku, Tokyo 152-8552 Japan
- D-43 A protocol to detect chemical residues using a nanoparticle-based sensor combined with a Raman spectroscopic method
   Masao Gena, Hideo Kakutac, Yoshihito Kamimotod and Wuled Lenggoroa
   Graduate School of Bio-Applications and Systems Engineering, Department of Chemical Engineering and Institute of Engineering, Tokyo University of Agriculture and Technology, Koganei, Tokyo 184-8588, Japan
   Plant Ecochemicals Research Center, Eniwa, Hokkaido 061-1374, Japan Kanagawa Industrial Technology Center, Ebina, Kanagawa 243-0435, Japan

- D-44 Stable non-fouling polymeric nanofilms for biomaterial applications Bidhari Pidhatikaa, Mathias Rodenstein, Yin Chena, Marcus Textora, and Rupert Konradia
   Laboratory for Surface Science and Technology, Department of Materials, ETH Zürich, Switzerland
   Now at Department of Materials, Academy of Leather Technology, Ministry of Industry, Indonesia
   Now at Bioengineering Program, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong
- D-45 The Effect of Plasticizer on Mechanical Properties and Chemical Structure of Chitosan-Starch Film Composites *Natalia S.*, *Emma S.*, *Andrew L.* Chemical Engineering Department, University of Surabaya, Indonesia
- D-46 Diffusivity of Methanol in Modified Nafion and PolyAcrylonitrile-Acrylamide Membranes
   *Rochmadi, Eniya Dewi Listyani, and Dani Endar Purwanto* Chemical Engineering Department, Gadjah Mada University, Yogyakarta-55284, Indonesia
   The Agency for The Assessment and Application of Technology ,Jakarta, Indonesia
- <u>D-47</u> Effect of NaCl and Seed Crystal on Induction Time for Struvite Precipitation *Eko Ariyantoa, H. M. Anga, Tushar Kanti Sena* Department of Chemical Engineering, Curtin University, Perth, GPO Box U 1987, 6845, Western Australia-Australia
   Departement of Chemical Engineering, Muhammadiyah University of Palembang, Palembang 30263, Indonesia
- <u>D-48</u> Preliminary Study on Degradation of Chitosan with Sonication Emma Savitri, Azra Yuliana, Linggar Septy Pradeckta, Anitarakhmi Handaratri, Sumarno and Achmad Roesyadi
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111,Indonesia
- <u>D-49</u> Effect of Reaction Time to Production of Nanocarbon by Catalytic Decomposition of Methane From Banana Peel Activated Carbon *Praswasti PDK Wulan1, Imia Ribka* Teknik Kimia, Teknik, Universitas Indonesia, Kampus Baru UI Depok, Jawa Barat, 16424, Indonesia
- <u>D-50</u> Synthesis of gold/iron-oxide composite nanoparticles by ultrasonic spray pyrolysis for magnetic separation of biomolecules *Shuji Watanabea, Toshiyuki Tania, Takuya Kinoshitaa, and Motoaki Adachia*

Department of Chemical Engineering, Osaka Prefecture University, 1-1 Gakuencho Naka-ku, Sakai, Osaka, Osaka 599-8531, Japan

- D-51 Characterization and UV Photocatalytic Activity of Nano-TiO2 Co-doped with Iron and Niobium for Lindane Removal *Nhat Minh Doan, Carl Renan Estrellan, Anton Purnomo, Susan Gallardo, Chris Salim, Hirofumi Hinode, Pailin Ngaotrakanwiwat* Chemical Engineering Department, De La Salle University, Philippines Tokyo Institute of Technology, Japan Burapha University, Thailand
- D-52 Preparation and characterisation of carbon nanotube buckypapers synthesized from SWNTs and MWNTs in different dispersants Son Q.T Pham, Jenny Boge, Luke Sweetmanb, Leighton Alcock, Anthony Wise, Mohamed Mostafa, Jing Cai, Stephen Ralph, Marc in het Panhui, Hanh N. Nguyen
   Nong Lam University, Linh Trung ward, Thu Duc dist, HCMC, Vietnam. University of Wollongong, NSW 2522, Australia.
   University of technology of HCMC, 268 Ly Thuong Kiet, HCMC, Vietnam
- <u>D-53</u> Effect of Metal Oxide on Electrical Properties of Tapioca/Metal Oxide Composites Nuryetti, Heri Hermansyah, Mohammad Nasikin Departement of Chemical Engineering, Universitas Indonesia, Depok 16424, Indonesia
- <u>D-54</u> Low Molecular Weight Chitosan Production by Hydrolisis Using Commercial αamylase Hypertermophilic
   *Nur Rokhati, Bambang Pramudono, Heru Susanto, Prita Issolikha Wijayanti* Departement of Chemical Engineering, Universitas Diponegoro, Semarang 50239
   Indonesia
- <u>D-55</u> Fabrication of Dye-Sensitized Solar Cell using Spray Coating Method Agus Purwanto, and HendriWidiyandari
   Department of Chemical Engineering,SebelasMaret University,Jl. Ir. Sutami No. 36 A, Surakarta, Indonesia
   Department of Physics,Diponegoro University,Jl. Prof. H. Soedarto SH, Semarang, Central Java 50275, Indonesia
- <u>D-56</u> The Influence of Urea as Additive on the Particle Characteristics of Hydroxyapatite Synthesized by Flame Spray Pyrolysis Method *Abdul Halim, Widiyastuti, Tantular Nurtono and SugengWinardi* Department of Chemical Engineering, SepuluhNopember Institute of Technology, Surabaya 60111, Indonesia

- D-57 The Analysis of Particle Formation Mechanism in the Diffusion Flame Reactor using Liquid Precursor
   Agung Nugroho, Widiyastuti, and Sugeng Winardi
   Department of Health and Safety Engineering, Surabaya Shipbuilding State
   Polytechnic, 60111, Indonesia
   Department of Chemical Engineering, Sepuluh Nopember Institute of
   Technology, Surabaya 60111, Indonesia
- <u>D-58</u> Effect Sonication in Cellulose Degradation Using Hydrothermal Method Sumarno, P.N. Trisanti, Sumari, and Mulyanto
   Department of Chemical Engineering, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

## **E. Environmental Science and Technology**

- <u>E-01</u> Hydrothermally Prepared Iron Oxide Nanoparticles Pillared Montmorillonite as an Effective Adsorbent for Pb and As Removal *Chairul Irawana, Iryanti Fatyasari Nata, and Cheng-Kang Lee* Department of Chemical Engineering, Faculty of Engineering, University of Lambung Mangkurat, Banjarbaru 70711 Indonesia
- <u>E-02</u> Photo-Oxidation of VOCs with Hydrogen Peroxide Katsuyasu Sugawara, Takahiro Kato, Kenji Murakami, Takuo Sugawara and Hitoshi Funayama
   Faculty of Engineering & Resource Science, Akita University, Akita 010-8502 Japan
   Department of Materials Engineering, Akita National College of Technology, Akita 010-8511 Japan
- <u>E-03</u> Precipitation of struvite: a feasible approach for scale prevention and nutrient recovery from wastewater
   <u>S.Muryantoa</u>, A.P.Bayuseno, and E.Supriyo
   Dept. of Chemical Engineering and Office of Research, UNTAG University in Semarang, Bendhan Dhuwur Campus, Semarang 50192, Indonesia
   Centre for Waste Management, Mechanical Engineering Graduate Program, Diponegoro University, Tembalang Campus, Semarang 50275, Indonesia
   Chemical Engineering Vocational-D3 Program, Diponegoro University, Tembalang Campus, Semarang 50275, Indonesia

- <u>E-04</u> Removal of Acid Blue 158 from Solution by Sunflower Seed Hull Siriwan Srisorrachatr
   Department of Chemical Engineering, Faculty of Engineering, Srinakharinwirot University, Nakhon Nayok 26120, Thailand.
   Graduate School, Srinakharinwirot University, Bangkok 10110, Thailand.
- <u>E-05</u> Synthesis of Ferrate (Fe(VI)) from Sludge and its Performance in Arsenite Removal from Water evaluated by Response Surface Methodology (RSM) *Vincent Paul G. Monterosoa, Meng-Wei Wan, Chi-Chuan Kan, Ma. Lourdes P. Dalida* Department of Chemical Engineering, College of Engineering, University of the Philippines Diliman, Diliman, Quezon City, 1101, Philippines
   Department of Environmental Engineering and Science, Chia Nan University of Pharmacy and Science, Jen-Te, Tainan, 71710, Taiwan
- <u>E-06</u> Removal of Lead(II) and Copper (II) Heavy Metals From Binary Mixture Using Rice Straw Wastes As Biosorbent
   *F.E. Soetaredjo, A. Kurniawan, L.K. Ong, S. Ismadji* Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37, Surabaya 60114, Indonesia
- <u>E-07</u> Improving the performance of cellulose acetate pervaporation membrane by the addition of bentonite and natural zeolite Malang *Dianika Lestari and Irwan Noezar* Department of Chemical Engineering , Faculty of Industrial Technology, Institute Technology Bandung, Jalan Ganesha 10 Bandung 40132 Indonesia
- E-08 The Use of Natural Coagulants in Wastewater Treatment *Pretty Mori Budiman, Ta Yeong Wu, and Chee Yang The* Chemical Engineering Discipline, School of Engineering, Monash University, Jalan Lagoon Selatan, Bandar Sunway, 46150, Selangor Darul Ehsan, Malaysia.
- <u>E-09</u> Recent Development In Solid Waste Management Through Composting and Vermicomposting
   *Katrina Pui Yee Shak, Ta Yeong Wu, Pei Nie Lim and Su Lin Lim* Chemical Engineering Discipline, School of Engineering, Monash University, Jalan Lagoon Selatan, Bandar Sunway, 46150, Selangor Darul Ehsan, Malaysia
- E-10 Treatments of Pulp and Paper Mill Effluent Wennie Subramonian, Ta Yeong Wua, and Jaqueline Xiao Wen Hay Chemical Engineering Discipline, School of Engineering Monash University, Jalan Lagoon Selatan, Bandar Sunway, 46150, Selangor Darul Ehsan, Malaysia
- E-11 Variation of Size Distribution and Iron Loading in Iron Oxide-Coated Sand Sorption Systems Jay R T. Adolaciona and Maria Lourdes P. Dalida

Department of Chemical Engineering, University of the Philippines, Diliman, Quezon City, Philippines

- <u>E-12</u> Photocatalytic Degradation of Azo Dyes (Reactive Red 198) using Platinumloaded AgBr-TiO<sub>2</sub> Coupled Catalysts
   Argenia B. Co, Daryll Anne T. de Joya, Eunice H. Mabutas, and Rolly G. Santos
   School of Chemical Engineering and Chemistry
   Mapúa Institute of Technology, Manila Philippines
- E-13 Treatment of Quick-Service Restaurant Wastewater by Electrocoagulation: Effect of Charge Loading on Pollutant Removal and Energy Consumption *Jem Valerie D. PEREZ and Wilfredo I. JOSE* Department of Chemical Engineering, University of the Philippines, 1011 Diliman, Quezon City, Philippines
- <u>E-14</u> Photocatalytic Degradation of Acetaminophen in TiO2/Visible Light Reactor System
   Kristine Marfe S. Amer, Maria Lourdes P. Dalid, PhD, and Ming-Chun Lu, PhD Environmental Engineering Program, University of the Philippines Diliman, Quezon City 1101 Philippines
   Department of Chemical Engineering, University of the Philippines Diliman, Quezon City 1101 Philippines
   Department of Environmental Resources Management, Chia Nan University of Pharmacy and Science, Tainan 717 Taiwan
- <u>E-15</u> Decomposition of gas-phase benzene using Ag/TiO2 packed nonthermal plasma catalysis reactor
   *Christian David C. Pangilinan, Hirofumi Hinode, and Chris Salim* Department of International Development Engineering, Tokyo Institute of Technology, Tokyo 152-8550 Japan
- E-16 Treatment of Quick Service Restaurant Wastewater through Compact Electrocoagulation Technology
   Jake Lawrie T. Chin, Christopher Kenneth N. Choa, Gladys Paz T. Cruz, and Pag-asa D. Gaspillo
   Department of Chemical Engineering, De La Salle University Manila, 2401 Taft Ave., M.M.
- E-17 Two Stages Phytoremediations Of Palm Oil Mill Effluent (Pome) By Using Apu-Apu(*Pistia Stratiotes*) Plant And Algae Spirulina Sp For Protein Production *Hadiyantoand Danny Soetrisnanto* Center of Biomass and Renewable Energy (CBIORE)
   Chemical Engineering Department, Diponegoro University Jln. Prof. Sudharto, Tembalang, Semarang, 50239, Telp/Fax: (024)7460058

 <u>E-18</u> Ultrasound-Assisted Oxidative Desulfurization of Organosulfur Compounds using Ferrate (VI) from Sludge
 Aries A. Arcega, Chi-Chuan Kan, Maria Lourdes P. Dalida, Meng-Wei Wan
 Department of Chemical Engineering, University of the Philippines Diliman, Quezon City 1101,Philippines
 Department of Environmental Engineering and Science, Chia Nan University of Pharmacy andScience, 60, Erh-Jen RD., Sec.1, Jen-Te, 717, Tainan, Taiwan

# **Additional Paper**

Ad-1 Comparation between Multi-culture Fermentation Method and Series in Bioethanol Production using Saccharomyces cerevisiae and P.pastoris GS115 mut+

Zilfahmiati, Ronny Purwadi

Department of Chemical Engineering – Faculty of Industrial Technology, Institut Teknologi Bandung

Ad-2 Numerical Study on A Bead Mill by Lagrangian-Lagrangian Coupling Method *Yoshinori YAMADA, Xiaosong SUN, and Mikio SAKAI* Department of Systems Innovation, Graduate School of Engineering, University of Tokyo Research Fellow of the Japan Society for the Promotion of Science Department of Nuclear Engineering and Management School of Engineering, University of Tokyo

- Ad-3 Effect H<sub>2</sub>O and SO<sub>2</sub> Concentration on Selective Catalytic Reduction of Nitrogen Oxide by Ammonia over V<sub>2</sub>O<sub>5</sub>-WO<sub>3</sub>/TiO<sub>2</sub> Catalyst *Piyasan Praserthdam and Phraewphan Kuntanate* Center of Excellence on Catalytic Reaction Engineering, Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University, Bangkok, 10330, Thailand
- <u>Ad-4</u> Synthesis of Gold Nanostructures Using Paper for Active SERS Substrate
   *Yian Tai, Sudeshna Kar, and Christa Desmonda* Department of Chemical Engineering, National Taiwan University of Science and Technology, Taipei 10607 Taiwan



PROCEEDING 19<sup>th</sup> Regional Symposium on Chemical Engineering

ISBN: 978-602-9494-30-3

# Solvent Free Acetylation of Sago Starch

## Aning Ayucitra<sup>a</sup> and Felycia Edi Soetaredjo<sup>a\*</sup>

<sup>a</sup> Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37, Surabaya 60114, Indonesia

#### \*Corresponding Author's E-mail: felyciae@yahoo.com

#### Abstract

Starch is the major carbohydrate in a normal diet. Acetic anhydride and acetic acid were used to modify sago starch. The solvent free acetylation was conducted using the process of microwave radiation heating. Iodine served as a catalyst and had a greater influence on the degree of substitution (DS) of sago starch acetate than did the acetylation reagents. As the DS increased, the thermal properties ( $\Delta H_G$  and  $T_P$ ) of sago starch acetate significantly reduced. Scanning electron micrographs confirmed that the alteration of the initial morphology of sago starch became more evident as DS increased.

Keywords: Sago starch acetate, degree of substitution, thermal properties, surface morphology.

#### 1. Introduction

A few palms can effectively be used as a main starch staple (e.g. the sago palm, *Metroxylon* spp.). Sago is native to Indonesia and it is believed that sago is from the region around Sentani lake, Jayapura, Papua (Indonesia 2007). The greatest number of sago plantations are in Papua (1.2 million ha) and Papua New Guinea (1.0 million ha), and comprises about 90% of the total sago in the world. Sago palm contains a large amount of starch in its trunk; and has a yield that is greater than that of paddy rice (Ahmad, Williams et al. 1999). Sago is an annual crop, and it produces about 25 tons of dry starch/ha/year (Indonesia 2007). Sago palm is environmentally friendly since it survives in swampy, acidic peat; submerged and saline soils. It is also immune to floods, draught, fire and strong winds.

Starch modification is commonly performed using genetic, physical and chemical techniques (BeMiller 1997). Genetic modification of plants can yield novel starches with certain properties similar to postharvest modified starch (Visser and Jacobsen 1993; Slattery, Kavakli et al. 2000; Jobling 2004). Physical modification of starch is primarily heat-moisture treatments. The critical parameters that need to be controlled are the starch to moisture ratio, temperature and heating time (Tester and Debon 2000). Chemical modification involves hydroxyl group oxidation, crosslinking, stabilization and depolymerization (BeMiller 2003). Certain chemical reactions such as esterification, etherification or oxidation can also be used to significantly alter starch properties.

Acetylation is obtained by treating starch slurry with acetylated reagent at specific pH values. This process needs large amounts of water to maintain pH, is time consuming and yields large amounts of wastewater. A straightforward solvent-free method that requires less water and time involves the use of microwave radiation as the energy source (Koroskenyi and McCarty 2002; Biswas, Shogren et al. 2005; Shogren and Biswas 2006; Biswas, Shogren et al. 2008; Diop, Li et al. 2011). In solvent-free acetylation, iodine is typically used as a catalyst. The effect of acetylating agent and reaction time in the solvent-free acetylation has already been studied for corn starch (Biswas, Shogren et al. 2008; Diop, Li et al. 2011), potato starch (Koroskenyi and McCarty 2002; Liu, Ming et al. 2012), sago starch (Soetaredjo, Ismadji et al. 2012) and cellulose (Biswas, Shogren et al. 2005; Biswas, Selling et al. 2007; Hu, Chen et al. 2011). This study, therefore, investigates the effect of acetylation reagents and iodine concentration on DS, thermal properties, and surface morphology of sago starch acetate.

## 2. Experimental

#### 2.1. Materials

Sago pith at the *plawei* growth stage (estimated age 10 years) from Manokwari, West Papua was sun dried then crushed into powder. Before starch isolation, a number of characteristics were measured (e.g. protein content (AOAC 2000) and proximate analysis (AOAC 2000)). The proximate analyses of sago pith included moisture, ash, and fixed carbon, which were 4.50%, 0.32%, and 84.20%, respectively. The amount of crude protein and total starch in sago pith were 0.62% and 75.88%.

Acetic acid ( $\geq$  99%) and acetic anhydride ( $\geq$  98%) were analytical grade from Sigma-Aldrich (St. Louis, USA). Sodium thiosulfate, ethanol, iodine, and potassium hydroxide were analytical grade supplied by Merck (Darmstadt, Germany). Hydrochloric acid was obtained from Fluka (Steinheim, Germany).

#### 2.2. Starch isolation and acetylation

Sago starch was obtained by soaking sago pith in water for 6 hours with a ratio of solid to water of 1:5. The mixture was then filtered, and the filtrate was centrifuged at 1000 g for 20 min to obtain sago starch. Sago starch was dried in a vacuum oven (Lab-Line Duo-Vac Oven, Lab-Line Instrument Inc., Melrose Park, ILL, USA) at 60°C for 3h.

Before the acetylation process, sago starch was dried in an oven (Memmert GmbH, Germany) and its MC then measured at 3.4 %. A detailed procedure of starch acetate synthesis and degree of substitution determination has been previously described (Soetaredjo, Ismadji et al. 2012). Constant variables considered in this experiment were reaction temperature (100°C), medium stirring (equipment setting), microwave power (100 W), the mole ratio of starch to acetylation agent (1:4) and reaction time (10 min). Two variables, the ratio of acetic anhydride to acetic acid and iodine concentration were kept at two levels, high level (+1) and lower levels (-1) as listed in Table 1. An analysis of variable interaction based on two-level full factorial design of experiment (DOE) was calculated by variance (ANOVA) technique using Minitab 16 software.

| Table 1. Two variables considered for Design of Experiment (DOE) |                |                 |  |  |
|--|----------------|-----------------|--|--|
| Parameters   | Low level (-1) | High level (+1) |  |  |
| Mole ratio of acetic anhydrate to acetic acid (A)                | 1:0            | 0:1             |  |  |
| Iodine catalyst (%mole of starch) (B)                            | 0.15           | 5               |  |  |

Table 1. Two variables considered for Design of Experiment (DOE)

### 2.3. Thermal properties analysis

Thermal properties of sago starch acetate were analyzed using a differential scanning calorimetry (DSC Jade, Perkin Elmer). Samples of sago starch acetate (3.5 mg) and distilled water (70%) were put in 40- $\mu$ L aluminum pans (TA Instruments, USA). The samples were sealed and allowed to stand for 1 h at room temperature before heating in the DSC. Sample pans were heated from 25 to 100°C at 10°C/min. The calibration of DSC was performed using indium and an empty aluminum pan as reference.

Thermal stability was studied using a Perkin Elmer Diamond TG/DTA Instrument (Perkin Elmer, Japan). In order to determine the decomposition temperature, sago starch acetate ( $\pm$  6 mg) was placed on a platinum pan and heated from 30 to 950°C at a heating rate of 10°C/min. Air flow through the system was maintained at 20 mL/min and atmospheric pressure, during the entire measurements.

#### 2.4. Scanning electron microscopy analysis

The scanning electron micrographs of native and sago starch acetate were taken with a Cambridge scanning electron microscope (S-360) at an accelerating voltage of 20 kV. Granules of native starch and sago starch acetate were sprinkled onto a double-sided tape attached to a stub and then coated with gold.

### 3. Results and Discussion

The isolation of starch from sago pith yielded 78.5%, and the moisture content was 11.2%. The results of amylose and amylopectin analysis of sago starch were 23.9% and 76.1%, respectively. The moisture content of sago starch from Manokwari, West Papua was found to be similar to sago

starch from Serawak, Malaysia, likewise the amylose and amylopectin content (Ahmad, Williams et al. 1999; Tie, Karim et al. 2008).

Sago starch acetate was synthesized using a facile preparation method with acetic anhydride and acetic acid as acetylation reagent and iodine as catalyst. This method saves considerable time when compared to the conventional method ( $\pm$  6 h) because it used microwaves as the heating source. The result of DS from the matrix of two variables of two levels full factorial DOE is listed in Table 2, and the result of statistical analysis is summarised in Table 3. The lowest DS was 0.014 that was obtained using only acetic acid as acetylation reagent and a low concentration of catalyst; whereas the highest DS was 1.190 and obtained when using only acetic anhydride as acetylation reagent and high concentration of iodine catalyst. The influence of catalyst concentration on DS is more significant than the ratio of acetic anhydride to acetic acid (Figure 1). For the same ratio of acetylation reagent, higher concentrations of iodine gave higher DS. Starch can be regarded as a polyalcohol; therefore, iodine serving as Lewis acid catalyst activates the carbonyl carbon of the acetylation reagent to make it more reactive in the absence of a solvent (Li, Zhang et al. 2009). The mechanism has been reported by Biswas et al.(Biswas, Shogren et al. 2005) and Li et al.(Li, Zhang et al. 2009) that iodine facilitates the initial step for the reaction of acetic anhydride with hydroxyl group. The interaction of both variables has less effect compared to the independent variable on the determination of DS.

Table 2. The effect of two level variables on the DS

| Standard Run | А | В | DS    |
|--------------|---|---|-------|
| 7            | - | + | 1.185 |
| 8            | + | + | 0.587 |
| 4            | + | + | 0.543 |
| 5            | - | - | 0.177 |
| 3            | - | + | 1.190 |
| 6            | + | - | 0.018 |
| 2            | + | - | 0.014 |
| 1            | - | - | 0.158 |

| Table 3  | Statistical | anal | veie | result |
|----------|-------------|------|------|--------|
| Table 5. | Statistical | anai | ysis | resuit |

| Factors/     | Effect  | Coef    | SE Coef  | Т      | Р     |
|--------------|---------|---------|----------|--------|-------|
| Interactions |         |         |          |        |       |
| Constant     |         | 0.4840  | 0.006044 | 80.08  | 0.000 |
| А            | -0.3870 | -0.1935 | 0.006044 | -32.01 | 0.000 |
| В            | 0.7845  | 0.3922  | 0.006044 | 64.90  | 0.000 |
| A*B          | -0.2355 | -0.1177 | 0.006044 | -19.48 | 0.000 |
| S = 0.01709  | 953     |         |          |        |       |
| R-Sq = 99.9  | 93%     |         |          |        |       |

R-Sq (adj) = 99.88%




Figure 1. Pareto chart of the standardized effects (response is DS, Alpha= 0.05)

Figure 2 shows the thermal decomposition profile of native sago starch and starch acetate. The first thermal decomposition is dehydration, and occurs in the temperature interval of  $50 - 120^{\circ}$ C for free moisture and  $120 - 210^{\circ}$ C for bound water. The decomposition of native sago starch and sago starch acetate occurs in the same temperature interval of  $210 - 550^{\circ}$ C; however the major decomposition of sago starch acetate ( $310.02^{\circ}$ C) occurs at lower temperature compared to native sago starch ( $316.02^{\circ}$ C). This result is similar to that of corn starch acetate (Diop, Li et al. 2011). Substitution of hydroxyl groups by acetyl groups causes the rupture of the amylopectin double helices, consequently the decomposition temperature become lower (Singh, Kaur et al. 2007).





Figure 2. Thermogravimetric curves of native sago starch and sago starch acetate. Weight loss curve (-). Derivative of weight loss (--)

| Sample   | Gelatinisation     |            |             |  |
|----------|--------------------|------------|-------------|--|
|          | $\Delta H_G [J/g]$ | $T_o$ [°C] | $T_p$ [[°C] |  |
| Native   | 16.3               | 69.1       | 72.6        |  |
| DS 0.016 | 15.2               | 65.6       | 70.1        |  |
| DS 0.168 | 12.7               | 58.1       | 67.3        |  |
| DS 0.565 | 11.5               | 53.3       | 60.8        |  |
| DS 1.188 | 10.1               | 50.7       | 57.1        |  |

Table 4. The effect of DS on the thermal properties

Thermal studies of gelatinization of sago starch acetate revealed that acetylation reduced  $T_o$  (the mean onset temperature) and  $T_p$  (the peak temperature) (Table 4). The peak temperature of gelatinization of native sago starch is slightly higher compared to commercial sago starch, as analyzed by Ahmad et al (Ahmad, Williams et al. 1999). Sago starch acetate with higher DS reduced in the enthalpy of gelatinization as also observed for other sources of starches (Singh, Kaur et al. 2007). This phenomenon is due to the incorporation of the ester group into a starch molecule which increases the free volume inside the chain and reduces the tension provoked by the intermolecular hydrogen bond (Diop, Li et al. 2011).

The scanning electron micrographs of native sago starch and sago starch acetate are shown in Figure 3. Native sago starch has an irregular oval shape, and there is no significant difference between native and commercial sago starch. The diameter of sago starch granules is in the range of 20-40  $\mu$ m (Ahmad, Williams et al. 1999). Figure 3 shows the effect of DS on the starch granule surface, and it is shown that the effect of acetylation in the absence of a solvent significantly influences the surface morphology (Singh, Kaur et al. 2007; Diop, Li et al. 2011). Using acetic anhydride as an acetylation reagent and increasing the iodine concentration caused the DS increase from 0.158 to 1.185, while using acetic acid as acetylation reagent caused the DS increase from 0.014 to 0.587. The influence of iodine as a catalyst on the surface morphology of starch after acetylation is more significant compared to those of acetylation reagent. Iodine serves as a Lewis acid and acts as an oxidizing agent and the action of acid could cause an exo-corrosion all over the starch granule surface (Atichokudomchai, Shobsngob et al. 2000; Diop, Li et al. 2011). Other authors explained that acid can provoke exfoliation on the surface of the starch granule and the effect of an oxidizing agent causes the surface of starch become rougher (Sorokin, Kachkarova-Soronika et al. 2004; Ferrini, Rocha et al. 2008).






Figure 3. Scanning electron micrograph of native and sago starch acetate

### 4. Conclusion

In the acetylation of sago starch from sago pith, iodine concentration as catalyst more significantly affects DS, thermal properties, and surface morphology compared to the acetylating agent. High concentration of iodine and acetic anhydride as the acetylating agent result on high DS, lower thermal properties, and porous surface. For food products, low concentration of iodine and acetic acid as acetylating agent produce a form of sago starch acetate that fulfill the requirements for a safe food as stated by FAO/WHO.

### Acknowledgement

This work was supported by the Directorate General of Higher Education, Indonesia Ministry of Education through Competitive Grant 2012. The authors thank to Dr. David S. Barkley from N. Simonson & company for assistance in language editing.

### References

Ahmad, F. B., P. A. Williams, et al. (1999). "Physico-chemical characterisation of sago starch." <u>Carbohydrate Polymers</u> **38**: 361-370.

AOAC (2000). Official method of analysis Crude protein (Kjeldahl) 968.06.

AOAC (2000). Official methods of analysis. Proximate Analysis. 940.26.

Atichokudomchai, N., S. Shobsngob, et al. (2000). "Morphological properties of acid-modified tapioca starch." <u>Starch/Starke</u> **52**(8-9): 283-289.

BeMiller, J. N. (1997). "Starch Modification: Challenges and Prospects." <u>Starch/Starke</u> **49**(4): 127-131.

BeMiller, J. N. (2003). Modified starches. <u>Encyclopedia of food sciences and nutrition</u>. B. Caballero, Elsevier Science Ltd: 5576.

Biswas, A., G. Selling, et al. (2007). "Iodine catalyzed esterification of cellulose using reduced levels of solvent." <u>Carbohydrate Polymers</u> **68**: 555-560.

Biswas, A., R. L. Shogren, et al. (2008). "Rapid and environmentally friendly preparation of starch esters." <u>Carbohydrate Polymers</u> **74**: 137-141.

Biswas, A., R. L. Shogren, et al. (2005). "Solvent-Free Process to Esterify Polysaccharides." <u>Biomacromolecules</u> **6**: 1843-1845.

Diop, C. I. K., H. L. Li, et al. (2011). "Impact of the catalytic activity of iodine on the granule morphology, crystalline structure, thermal properties and water solubility of acetylated corn (*Zea mays*) starch synthesized under microwave assistance." <u>Industrial Crops and Products</u> **33**: 302-309.

Diop, C. I. K., H. L. Li, et al. (2011). "Effect of acetic acid/acetic anhydride ratios on the properties of corn starch acetates." Food Chemistry **126**: 1662-1669.

Ferrini, L. M. K., T. S. Rocha, et al. (2008). "Effect of acid-methanol treatment on the physicochemical and structural characteristics of cassava and maize starches "<u>Starch/Starke</u> 60(8): 417-425.

Hu, W., S. Chen, et al. (2011). "Solvent-free acetylation of bacterial cellulose under moderate conditions." <u>Carbohydrate Polymers</u> **83**: 1575-1581.

Indonesia, B. P. B. P. (2007). "Tanaman sgu sebagai sumber energi alternatif." <u>Warta Penelitian</u> dan Pengembangan Pertanian **29**(4): 3-4.

Jobling, S. (2004). "Improving starch for food and industrial applications." <u>Current Opinion in</u> <u>Plant Biology</u> 7: 210-218.

Koroskenyi, B. and S. P. McCarty (2002). "Microwave-assisted solvent-free or aqueous-based synthesis of biodegradable polymers." Journal of Polymers and the Environment **10**(3): 93-104.

Li, J., L. P. Zhang, et al. (2009). "Microwave assisted solvent-free acetylation of cellulose with acetic anhydride in the presence of iodine as catalyst." <u>Molecules</u> **14**(9): 3551-3566.

Liu, J., J. Ming, et al. (2012). "Synthesis, characterisation and *in vitro* digestibility of carboxymethyl potato starch rapidly prepared with microwave-assistance." <u>Food Chemistry</u> **133**: 1196-1205.

Shogren, R. L. and A. Biswas (2006). "Preparation of water-soluble and water-swellable starch acetates using microwave heating." <u>Carbohydrate Polymers</u> **64**: 16-21.

Singh, J., L. Kaur, et al. (2007). "Factors influencing the physico-chemical, morphological, thermal and rheological properties of some chemically modified starches for food applications - A review." Food Hydrocolloids **21**: 1-22.

Slattery, C. J., I. H. Kavakli, et al. (2000). "Engineering starch for increased quantity and quality." <u>Trends in Plant Science</u> **5**(7): 291-298.

Soetaredjo, F. E., S. Ismadji, et al. (2012). "Facile preparation of sago starch esters using full factorial design of experiment." <u>Starch/Starke</u>: 1-9.

Sorokin, A. B., S. L. Kachkarova-Soronika, et al. (2004). "From native starch to hydrophilic and hydrophobic products: a catalytic approach." <u>Topics in Catalysis</u> **27**: 1-4.

Tester, R. F. and S. J. J. Debon (2000). "Annealing of starch - a review." <u>International Journal of Biological Macromolecules</u> **27**: 1-12.

Tie, A. P., A. A. Karim, et al. (2008). "Physicochemical properties of starch in sago palms (*Metroxylon sagu*) at different growth stages." <u>Starch/Starke</u> **60**(408-416).

Visser, E. G. F. and E. Jacobsen (1993). "Towards modifying plants for altered starch content and composition." <u>TIBTECH</u> **11**: 63-68.