

## **BAB V**

### **KESIMPULAN DAN SARAN**

#### **5.1      Kesimpulan**

Berdasarkan penelitian yang telah dilakukan maka dapat disimpulkan sebagai berikut :

1. Pemberian ekstrak biji Jitan Hitam (*Nigella Sativa*) dapat menurunkan jumlah sel PMN pada membran korioalantois telur ayam berembrio (TAB) yang diinduksi bFGF.
2. Ekstrak biji jintan hitam dengan dosis pemberian 110 µg mampu menurunkan jumlah sel PMN sehingga jumlah sel PMN sebanding dengan keadaan normal seperti pada kelompok kontrol negatif.

#### **5.2      Saran**

Berdasarkan penelitian yang telah dilakukan, saran yang dapat dianjuran sebagai berikut :

1. Perlu dilakukan fraksinasi terhadap senyawa-senyawa berkhasiat pada biji jintan hitam seperti flavonoid, terpen dan minyak atsiri agar didapatkan efek antiangiogenesis yang lebih efektif.
2. Perlu dilakukan penelitian lebih lanjut tentang efek samping dari penggunaan ekstrak biji jintan hitam.
3. Perlu dilakukan penelitian lanjutan menggunakan faktor pertumbuhan VEGF .

## DAFTAR PUSTAKA

- Achmad, H., Oewen, R., Satari, M., Supriatno. 2011, Aktivitas antitumor agen Celecoxib terhadap invasi sel kanker lidah Sp-C1 (*Kajian Invitro*),hal. 2. Diakses pada tanggal 2 Juni 2016.  
[http://repository.unpad.ac.id/16434/1/aktivitas\\_antitumor\\_agen2.pdf](http://repository.unpad.ac.id/16434/1/aktivitas_antitumor_agen2.pdf).
- Al- Gaby, A.M. 1998, Amino acid composition and biological effects of supplementing broad bean and corn proteins with *Nigella sativa* (Black cumin) cake protein. *Nahrung*, **42**:290-294.
- Aziz., Andrijono., Saifuddin.2006, *Onkologi Ginekologi*, Yayasan Bina Pustaka Sarwono Prawirohardjo, Jakarta.
- Aspan, Ruslan., dkk. 2008, *Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup*, Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia.
- Becker, S.R.B. and I.A. Shibley. 1998, Teratogenicity of ethanol in different chicken strains. *Alcohol and Alcoholism*, **33**: 457-464.
- Bergers G., and L.E. Benjamin. 2003, Pathologic angiogenesis. *Nat Rev Cancer*. **3**:401-410.
- Bloom William, Don W. Fawcett. 2002. *Buku ajar histologi*. Edisi 12. Terjemahan Jan Tambayong. Jakarta: EG
- Brem, S. 1999, ‘Angiogenesis and Cancer Control: From Concept to Therapeutic Trial’, *Moffitt Cancer Center & Research institute*. Diakses pada 3 Juni 2016 .  
[http://www.medscape.com/cancercontrol/1999/v06.n02.brem/cc0605.02.b\rem\\_01.html](http://www.medscape.com/cancercontrol/1999/v06.n02.brem/cc0605.02.b\rem_01.html).
- Breyer B., Jiang, W., Cheng, H., Zhou, L., Paul, R., Feng, T., He, T-C., 2001, Adenoviral vector-mediated gene transfer for human gene therapy, *Journal of Current Gene Therapy*, **1** : 149-162.

- Ciulei, J. 1984. *Metodology for Analysis of Vegetables and Drugs.* Bucharest Rumania: Faculty of Pharmacy. Pp. 11-26.
- Champe, P.C., and Harvey, R.A. 2009, *Lippincott's illustrated reviews : Pharmacology. Ed.4.* USA: Lippincott-Wiliams and Wilkins.
- Chang, L.C. and Kinghorn, A.D. 2001, *Flavonoid as Chemopreventive Agent, Bioactive Compound From Natural Sources, Isolation, Characterization And Biological Properties.* New York: Tailor & Friends. pp. 161-168.
- Chilmy.M., Munawir.A., Misnawi.2012, Efek Angiogenik Ekstrak Polifenol Biji Kakao (*Theobroma cacao* ) pada Membran Korio Alantois (CAM) Embrio Ayam, *Artikel Ilmiah Hasil Penelitian mahasiswa.*
- Dang, C.V. and Semenza, G.L. 1999, Oncogenis alterations of metabolism . *TIBS.* Pp 68 –72.
- Dannhardt, G., and Laufer, S. 2000, Structural Approach to Explain the Selectivity of COX-2 Inhibitors: Is There a Common Pharmacophore *Current Medical Chemistry, 7:* 1101-1112.
- Departemen Kesehatan RI, 1995, *Farmakope Indonesia*, ed. 4, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI, 2000, *Pedoman Pelaksanaan Pedoman Uji Klinik Obat Tradisional*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI. 2001. Inventaris Tanaman Obat Indonesia (I). Jilid 2. Jakarta: Departemen Kesehatan dan Kesejahteraan Sosial Republik Indonesia. Hal. 348-350.
- Departemen Kesehatan RI. 2008. *Farmakope Herbal Indonesia.* Edisi 1. Jakarta: Departemen Kesehatan Republik Indonesia. Hal. 8-9, 11-12
- Deryugina, E.I. and Quigley, J.P. 2008, Chick embryo chorioallantoic membrane model systems to study and visualize human tumor cell

- metastasis. *Journal of Histochemistry and Cell Biology*, **130**:1119–1130
- Direktorat Jenderal Pengawasan Obat dan Makanan RI, 1979, *Farmakope Indonesia*, Edisi III. Jakarta: Departemen Kesehatan Republik Indonesia. Hal. 639.
- Direktorat Jenderal Pengawasan Obat dan Makanan RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Djajanegara., Ira., Wahyudi. and Prio. 2009, Pemakaian sel hela dalam uji sitotoksitas fraksi kloroform dan etanol ekstrak daun *Annona squamosa*, Jakarta, **Vol. 7** no. 1.
- Duke, J.A. 1992, *Handbook of Phytochemical Constituents of GRAS Herbs and Other Economic Plants*, CRC Press, London New York.
- Effendi. 2003, ‘Peranan leukosit sebagai anti inflamasi alergik dalam tubuh’, Fakultas Kedokteran, Universitas Sumatra Utara.
- Ekowati, Juni., I.S. Hamid., T. Budiati. 2013, Modifikasi struktur etil p-metoksonamat isolat *Kaempferia galanga* dan uji aktivitasnya sebagai kemopreventif kanker penghambat angiogenesis, Laporan Akhir Penelitian Unggulan Perguruan Tinggi, Universitas Airlangga.
- Ese, C., 2016, ‘Uji aktivitas antiangiogenesis kombinasi Celecoxib dan 5-Fluorourasil terhadap sel PMN pembuluh darah membran korioalantois telur ayam berembrio yang diinduksi bFGF’, *Skripsi*, Sarjana Farmasi. Universitas Katolik Widya Mandala, Surabaya.
- Farnsworth, N.R. 1996. “Biological and Phytochemical Screening of Plants”. *J. Pharm*,**55(3)**, 226-227.
- Federer, W. 1991, *Statistics and Society: Data Collection and Interpretation*, 2nd ed, New York: Marcel Dekker.

- Folkman, J., Klagsbrun, M. 1987, Angiogenic factors, *Science*; **235**: 442-7.
- Folkman, J., 1976. The Vascularization of Tumors. *Sci Am*, **6**:59-73.
- Frisca, C.T., Sardjono., dan F, Sandra. 2009, Angiogenesis; patofisiologi dan aplikasi klinis, *JKM* , **8(2)**: 174-187.
- Gendy, S.E., M. Hessien, A. Saam, M. Morad, K. E. Magraby, 4 H.A. Ibrahim, M.H. kalifa, E. Aaser.2007. Evaluation of Possible Antioxidant Effects of Soybean and *Nigella Sativa* During Experimental Hepatocarcinogenesis by Nitrosamine Precursors. *Turk J Biochem*. **32 (1)** : 5- 11.
- George W, et all. 1994. Wound Healing Textbook Of Surgery; Vol IA. New York:Oxford University Press.
- Ghosheh, O., Houdi, A., and Crooks, P. 1999, High Performance Liquid Chromatographic Analysis of the Pharmacologically Active Quinones and Related Compounds in the Oil of the Black Seed (*Nigella sativa L.*). *Journal of Biomedical and Pharmaceutical Analysis*, **19**: 757-762.
- Gilani, A.H.,Qaiser, J., and Muhammad, A.U.K. 2004, A Review of Medicinal and Pharmacological activities of *Nigella sativa*, *Pakistan Journal of Biological Science*, **7 (4)**: 441-451.
- Guyton, A. C., dan Hall, J. E. 2006, *Buku ajar Fisiologi Kedokteran*, Jakarta : EGC.
- Harborne IB. 1987. *Metode Fitokimia*. Penerbit ITB Bandung. [Dictionary of Natural Product].
- Hilda, T., Kozaki, K., Ito, H. 2002, Significant growth inhibition of human lung cancer cells both in vitro and in vivo by the combined use of a selective cyclooxygenase-2 inhibitor, JTE-522, and conventional anticancer agents, *Clinical Cancer Research*, **8** : 2443-7.

- Irie, T., et al. 2007. Synergistic antitumor effects of celecoxib with 5-fluorouracil depend on IFN- $\gamma$ . *International Journal of cancer*.
- Iwan,H., Bijanti, S., Wahyuni., Maslachah,L., Gandhul, atik. 2011, Uji Aktivitas Ekstrak Daun Gynura procumbens Sebagai Antiangiogenesis pada Membran Korio Alantois Telur Ayam Berembrio yang Diinduksi basic Fibroblast Growth Factor (bFGF), *Veterania Medika,4:2*
- Johnston, D.A., H. Liu., T. O'Connell., P. Phelps., M. Bland., J. Tyczkowski., A. Kemper., T. Harding., A. Avakian., E. Haddad., C. Whitfill., R. Gildersleeve., and C.A.Rick. 1997, Applications in in ovotechnology, *Poultry Science, 76*: 165–178.
- Jenie, R.I., E. Meiyanto dan R. Murwanti. 2006, ‘Efek antiangiogenik ekstrak etanolik daun sambung nyawa (*Gynura procumbens (Lour.) Merr.*) pada membran korioalantois (CAM) embrio ayam’, *Majalah Farmasi Indonesia, 17(1)*, 50 –55.
- Jones, W. P., Y. W.Chin, and A.D. Kinghorn.2006. The role of pharmacognosy in modern medicine and pharmacy. *Curr Drug Targets*7:247-265.
- Jeremy, R. 2006, Cancer Stem Cells Spur Glioma Angiogenesis, Could Hold Key To Brain Tumor Therapy Cellular and Molecular Biology , *Cold Spring Harbor Symposia on Quantitative Biology*, **Vol.73**, 411-420.
- Kapoor, L.D. 1990, *Handbook of Ayurvedic Medicinal Plants* . CRC Press, Ic., Boca Raton, Florida, USA.
- Kementerian Kesehatan RI, 2013, *Riset Kesehatan Dasar (RISKESDAS)*, Jakarta: Badan Litbang Kemenkes Republik Indonesia.
- Kementerian kesehatan RI, 2014, *Profil kesehatan Indonesia Tahun 2013*, Jakarta: Kementerian Kesehatan Republik Indonesia.

- King, R. J. B. 2000, *Cancer Biology*, 2nd ed, Pearson Education Limited, London.
- Kleinsmith LJ. Kerrigan D, Kelly J, Hollen B. 2008, Understanding cancer and related topics under standing angiogenesis, Diakses pada 2 Agustus 2016 <http://cancer.gov/cancertopics/understandingcancer>.
- Kusriningsrum, R.S. 2008, *Perancangan Percobaan*. Airlangga University Press.
- Lema, M.J. 2002, Coxib Therapy and Colorectal Cancer: Emerging options with coxib therapy, *Cleveland Clinic Journal of Medicine*, **69**: 176-184.
- Lenny S. 2006. *Senyawa Flavonoid, Fenilpropanoida dan Alkaloida*. Fakultas MIPA, USU, Medan.
- Liekens S, Clercq, Neyts J. 2008, Angiogenesis: An introduction, diakses pada 5 Agustus 2016, <http://www.med.unibs.it/~airc/sandra/introduction.html4>.
- Lumbanraja LB. 2009. Skrining Fitokimia dan uji efek Antiinflamasi ekstak etanol daun tempuyang (*Sonchus arvensis L.*) terhadap radang pada tikus. Universitas Sumatera Utara, Medan.
- Mabrouk, G., Moselhy, S., Zohny, S. Ali, E., Helal, T., Amin, A., and Khalifa, A. 2002, Inhibition of Methylnitrosourea (MNU) induced oxidative stress and carcinogenesis by orally administered bee Honey and Nigellagrains in Sprague Dawley rats. *Journal of Experimental and Clinical Cancer Research*, **21**: 341-346.
- Martinez M, McPherson RS, Levin B, Annegers JF. 1995, Aspirin and other nonsteroidal anti inflammatory drugs and risk of colorectal adenomatous polyps among endoscoped individuals. *Cancer Epidemiology Biomarkers and Prevention*, **4**:703-7

- Masferre, J.L., Lehy, K.M., Koki, A.T., et al. 2000, Anti-angiogenic and antitumor activities of cyclooxygenase-2 inhibitors, *Cancer Research*, **60**:1306–11.
- Matter, A., 2001, Tumor angiogenesis as a therapeutic target, *Drug Discovery Today*, **6(19)**: 1005-1020.
- McDonald, MD. and PL. Choyke. 2003, Imaging of angiogenesis: from microscope to clinic, *Nature Medicine*, **9(6)**: 713-725.
- Medenica, R., Janssens, J., Tarasenko A., Lazovic, G., Corbitt,W., Powell, D., Jocic, D., and Mujovic, V. 1997, Anti-angiogenic activity of *Nigella sativa* plant extract in cancer therapy. *Proc. Annual Meeting Am. Assoc. Cancer Res.* **38**: A1377.
- Merck and Co., Inc. 2001. *The Merck Index* (13th ed.). (M.J.O’Neil, A. Smith, P. E. Heckelman, J.R. Obenchain Jr., J. R. Gallipeau, M.D’ Arecca, et al., Eds.) Whitehouse Station, New Jersey, United States of America: Merck Research Laboratories.
- Milas, L., Kishi, K., Hunter, N., et al. 1999, Enhancement of tumour response to g-radiation by an inhibitor of cyclooxygenase-2 enzyme, *Journal of National Cancer Institute*, **91**:1501–4.
- Mutabagani A, El-Mahdy S. A study of the anti-inflammatory activity of *Nigella sativa* L and thymoquinone in rats. *Saudi Pharm Journal*. 1997; **5 (2)**: 110-113
- Nadkarni, A.K. 1976, Indian Materia Medica. Popular Prakashan Pvt. Ltd., Bombay, India.
- Nagegowda D.A Plant volatile terpenoid metabolism: biosynthetic genes, transcriptional regulation and subcellular compartmentation. *FEBS letters*. 584.
- Nugroho,T,E. 2005, ‘Pengaruh infiltrasi levobupivakain 0,25% terhadap kuantitas angiogenesis tikus wistar pada proses penyembuhan luka

- insisi har ke 5', *Tugas akhir*, Spesialis bidang Anestesiologi, Universitas Diponegoro Semarang.
- Nurani. L. 2012, Uji sitotoksitas dan antiproliferatif sel kanker payudara T47D dan sel vero biji *Nigella sativa*, *L, Jurnal Ilmiah Kefarmasian*, **2(1)**: 17-29
- O'Reilly, M.S., Holmgren, L., Shing, T., Chen, C., Rosenthal, R.A., Moses, M., Lane, W.S., Cao, Y., Sage, E.H. dan Folkman, J. 199, Angiostatin : A novel angiogenesis inhibitor that mediates the suppression of metastases by a Lewis lung carcinoma, *Cell*, **79** ; 315 -328.
- Plank MJ, Sleeman BD. 2004, Tumour-induced angiogenesis, *Journal of Theoretical Medicine*, **5(2)**: 137- 53.
- Polverini PJ. 2002, Angiogenesis in health and disease : insight into basic mechanisms and therapeutic opportunities. *Journal of Dental Education*, **66(6)** : 962-75.
- Putra, N.A.R.E., 2012, Analisis perubahan jumlah dan jenis sel PMN penderita sinusitis kronik pada pengobatan gurah, 22-27. Diakses pada tanggal 1 Juni 2017  
[http://eprints.undip.ac.id/37634/1/NAJIH\\_RAMA\\_EKA\\_PUTRA\\_G\\_2A008122\\_.pdf](http://eprints.undip.ac.id/37634/1/NAJIH_RAMA_EKA_PUTRA_G_2A008122_.pdf)
- Putri , E., Anggraeni, Y., Khairana. 2012, *Standarisasi Ekstrak Etanol Herbal Pegangan (Centella asiatica L. Urban) yang Berasal dari Malang dan Penetapan Kadar Asiatisida*. Jurusan Farmasi UIN Syarif Hidayatullah Jakarta. Hal. 2-3.
- Reddy BS, Hirose Y, Lubet R, et al. 2000, Chemoprevention of breast cancer in rats by celecoxib – a cyclooxygenase-2 inhibitor. *Cancer Research*, **60(7)** :293.

- Retnowati,K., 2009. Pengaruh infusa akar tempuyung (*Sonchus arvensis*) terhadap penurunan kadar urat pada tikus putih (*Rattus Norvegicus*). *Biomedika..* **6 (2)**, 1 – 4.
- Reizis, A., Hammel I. and Ar A. 2005, Regional and Developmental Variations of Blood Vessel Morphometry in the Chick Embryo Chorioallantoic Membrane. *The Journal of Experimental Biology*, **208**: 2483-2488.
- Ribatti, D., A, Vacca., L, Roncalli., F, Dammacco. 2000, The Chick Embryo Chorioallantoic Membrane as a model for in vivo Research on Anti Angiogenesis, *Journal of Current Pharmaceutical nnti Biotechnology*. **1**: 73-82.
- Ribatti, Domenico., Gualandris, Anna., Bastaki, Maria., Vacca, Angelo., Iurlaro, Monica., Roncali, Luisa., Presta, Marco. 1997, New Model for Study of Angiogenesis and Antiangiogenesis in the Chick Embryo Chorioalantoic Membrane :The Gelatin Sponge / Chorioallantoic Membrane Assay, *Journal of Vascular Research*, **34**:455-463.
- Ren,Wenying.,Zhenhu, Qiao., Hongwei, Wang., Lei, Zhu., Li, Zhan., 2003. Flavonoids : Promising Anticancer Agents. *Medicinal Research Reviews.***23(4)** : 519 – 534.
- Rismadayanti, Devian, M., 2015, ‘Uji Aktivitas Antiangiogenesis Kombinasi Celecoxib dan 5-Fluorourasil terhadap Jumlah Makrofag Pembuluh Darah Membran Korioalantoid Telur Ayam Berembrio yang Diinduksi BFGF’, *Skripsi*, Sarjana Farmasi. Universitas Katolik Widya Mandala, Surabaya.
- Robbins dan Kumar. 1995. *Buku Ajar Patologi* 1. Edisi 4. Jakarta. EGC. 290-293.

- Roy, J., Lucille, A., Combining NSAID with chemotherapy, radiation may improve cancer treatment, Diakses pada tanggal 25 juni 2016, <http://www.uihealthcare.com/news/news/2007/06/04cancertreatment.html>.
- Ruegg, C., Dormond, O. 2001, Suppression of tumor angiogenesis by non – steroidial anti- inflammatory drugs : a new function of old drugs, *The Science Worlds*, **1**:11-808a.
- Ruiz, P., Gunther, U. 1996, The cellular basis of metasis, *World Journal of Urology*, **14**: 141-150.
- Saifudin,A., Rahayu, & Teruna. 2011, *Standarisasi Bahan Obat Alam. Graha Ilmu* :Yogyakarta.
- Salas.G.M and Totaan.E.V. 2015, Selected Philippine Herbal plantextracts as Angiogenesis inhibitors using Chick Chorioallantoic Membrane (CAM) assay, *International Research Journal of Biological Sciennce*,**4(9)**:28-32.
- Sjamsul, A. A. 1986. *Buku Materi Pokok Kimia Organik Bahan Alam Modul 1-6*. DEPDIKBUD UT, Jakarta. Halaman: 7-8.
- Smith T.W. 1997, *Avian embryo*. Article of the Mississippi State University Extension Service.
- Thun. M. J., Henly. S.J. and Patrono.C. 2002, Nosteroidal anti-iflammatory drugs as anticancer agents:Mechanistic, pharmalogic, and clinical issue, *Journal of National Cancer Institute*, **94(4)**: 252-266.
- Toi, M., Kondo, S., Suzuki, H., Yamamoto, Y., Inada, K., Imazawa, T., Taniguchi, T. and Tominaga, T. 1996, Quantitative analysis of vascular endothelial Growth factor in primary breast cancer. *Cancer*, **77**: 1101-1106.

- Usmanghani, K., A. Saeed and M.T. Alam. 1997, *Indusyunic Medicine :Traditional Medicine of herbal, Animal and Mineral Origin in Pakistan*. B.C.C. and T.Press, University of Karachi, Pakistan.
- Valdes T.I. , D. Kreutzer, and F. Moussy. 2002, *The chicken chorioallantoic membrane as a novel in vivo model for the testing of biomaterials*. Wiley Periodicals, Inc.
- Vohora, S.B. and P.C. Dandiya. 1992, Herbal analgesic drugs, *Fitoterapia*, **63** : 195 – 207.
- Washart, M.L. 2002, Treating and Preventing Cancer Through COX-2 Inhibition. Diakses pada 4 Juni 2016  
<http://www.medscape.org/viewarticle/433987>
- Wati, W.K. 2011, Uji Aktivitas Ekstrak Daun *Gynura procumbens* Sebagai Anti Angogenesis pada Membran Korioalantoidis Telur Ayam Berembrio yang Diinnduksi dengan *basic Fibroblast Growth Factor* (bFGF), *Skripsi*, Sarjana Kedokteran Hewan, Universitas Airlangga, Surabaya.
- Wei, H., Wei, L., Frenkel, K., Bowen R., Barnes, S. 1993, Inhibition of tumor promoter-induced hydrogen peroxide fermentation in vitro and invivo by genistein, *Nutrition and Cancer*, **20**: 1-2.
- Widyaningsih., Salamah., Susanti., Fitriani. 2014, Antiangiogenic effect of ethanolic extract of green algae (*Spirogya sp.*) against expression COX-2 in T47D cells, *Traditional Medicine Journal*, **19 (3)** :127 – 132.
- Williams CS, Watson AJ, Sheng H, et al. 2000, Celecoxib prevents tumor growth in vivo without toxicity to normal gut: lack of correlation between in vitro and in vivo models, *Cancer Research*, **60**:6045.
- Zijlstra, A., M. Seandel, T.A. Kupriyanova, J.J. Patridge, M.A. Madsen, E.A. Hahn-Dantona, J.P. Quigley, dan E.I. Deryugina. 2005, Pro-

angiogenic Role of Neutrophil-like Inflammatory Heterophils during  
Neovascularization Induced by Growth Factor and Human Tumor  
Cell. DOI 10.1182/blood-2005-04-1458.