

Bab 6

SIMPULAN DAN SARAN

6.1. Simpulan

Berdasarkan hasil penelitian dan pembahasan, maka dapat disimpulkan bahwa:

- a. Mayoritas responden (79,7%) mengetahui bahaya penggunaan piranti dengar bagi kesehatan pendengaran.
- b. Mayoritas responden (81,7%) memiliki sikap yang peduli terhadap bahaya penggunaan piranti dengar bagi kesehatan pendengaran.
- c. Mayoritas responden (62,7%) berperilaku sesuai dengan batas normal penggunaan piranti dengar.

6.2. Saran

6.2.1. Bagi Institusi Pendidikan Tingkat Sekolah Menengah Pertama

Penyampaian bahaya penggunaan piranti dengar secara lebih rinci, terutama bahaya kebiasaan menambah volume piranti dengar ketika situasi ramai dan dampak kerusakan pendengaran yang berpotensi menetap atau permanen.

6.2.2. Bagi Masyarakat

Melakukan pemeriksaan audiometri secara berkala untuk mengetahui kondisi pendengaran dan mencegah keparahan terjadinya gangguan pendengaran bagi mereka yang berisiko memiliki gangguan pendengaran.

6.2.3. Bagi Peneliti Selanjutnya

Perlu dilakukan pemeriksaan audiometri untuk mengetahui secara pasti kondisi pendengaran responden. Penelitian analitik tentang hubungan antara remaja dengan gangguan pendengaran akibat piranti dengar dan ada/tidak perbedaan pengetahuan, sikap dan perilaku yang bermakna antara laki-laki dan perempuan ketika menggunakan piranti dengar.

DAFTAR PUSTAKA

- American Speech Language Hearing Association. 2006. *Survey of Teens and Adults About The Use of Personal Electronic Devices and Head Phones*. Retrieved January 28, 2014, from <http://www.nsslha.org/NR/rdonlyres/10B67FA1-002C-4C7BBAOB-1C0A3AF98A63/0/zogbysurvey2006.pdf>
- Becker, M. H. 1979. Psychosocial Aspects of Health Related Behaviour. Dalam H. E. Freeman & S. Levine (eds.). *Handbook of Medical Sociology*, 263-266. New Jersey: Prentice Hall, Englewood Cliffs.
- Bess, F. H., Dodd-Murphy, J., & Parker, R. A. 1998. Children with Minimal Sensorineural Hearing Loss: Prevalence, Educational Performance and Functional Status. *Ear and Hearing*, 19(5), 339–354.
- Bull M. 2007. *Sound Moves: iPod Culture and Urban Experience*. London: Routledge.
- Centers for Disease Control and Prevention. 2011. *Noise induced hearing loss*. Retrieved January 28, 2014, from www.cdc.gov/healthyyouth/noise

- Fligor, B. J. 2011, October 31, 2011. Recreational NIHL: A Summary of The Evidence. *Audiology Online Cyber Media*. Retrieved January 28, 2014, from <http://www.audiologyonline.com/articles/recreational-nihl-summary-evidence-800>
- Goldberg, L. R., & Richburg, C. M. 2004. Minimal Hearing Impairment: Major Myths with More Than Minimal Implications. *Communication Disorders Quarterly*, 25(3), 152–160.
- Green, L. W. 2000. *Health Promotion Planning an Education and Environmental Approach* (edisi ke 2). Menlo Park, CA: Mayfield Publishing Company.
- Harrison, R. V. 2008. Noise-Induced Hearing Loss in Children: A ‘Less than Silent’ Enviromental Danger. *Paediatrics and Child Health*, 13(5), 377-382.
- Henderson, D., Bielefeld, E. C., Harris, K. C., & Hu, B. H. 2006. The Role of Oxidative Stress in Noise-Induced Hearing Loss. *Ear and Hearing*, 27, 1–19.
- Hidayat. 2007. *Metode Penelitian Keperawatan dan Tehnik Analisa Data*. Jakarta: Salemba Medika.

- Hodgetts WE, Rieger JM, Szarko RA. 2007. The Effects of Listening Environment and Earphone Style on Preferred Listening Levels of Normal Hearing Adults Using An MP3 Player. *Ear Hear* 28, 290-297.
- Irmayanti, M. 2007. *Pengetahuan Dalam Kesehatan*. Jakarta: Lembaga Penerbitan FEUI.
- Isaacson, J & Vora, N. 2003. American Family Physician Review: Differential Diagnosis and Treatment of Hearing Loss. *Am Fam Phys*, 68(6), 1125-1134.
- Lass NJ, Woodford CM, Lundeen C, Lundeen DJ, Everly-Myers D. A. 1987. Survey of High School Students' Knowledge and Awareness of Hearing, Hearing Loss, and Hearing Health. *Hear J*, 15–19
- Le Prell, C. G., Yamashita, D., Minami, S. B., Yamasoba, A. T., & Miller, J. M. 2007. Mechanisms of Noise-Induced Hearing Loss Indicate Multiple Methods of Prevention. *Hearing Research*, 226(1–2), 22–43.
- Levey, S., Levey, T., & Fligor, B. J. 2012. The Effects of Noise-Induced Hearing Loss on Children and Young Adults. *Contemporary Issues in Communication Science and Disorders*, 39, 76-83.
- Lewis DA. 1989. A Hearing Conservation Program For High-School-Level Students. *Hear J*, 42, 24–29.

Mosby. 2013. *Mosby's Medical Dictionary* (edisi ke 9). Canada: Elsevier. Inc.

National Institute on Deafness and Other Communication Disorders. 2013. *Noise-Induced Hearing Loss*. Retrieved January 28, 2014, from <http://www.nidcd.nih.gov/health/hearing/pages/noise.aspx>

Neukom, M. 2007. *Critical Review: Efficacy of Otoprotective Drugs in Preventing Noise Induced Hearing Loss*. Retrieved January 28, 2014, from <http://www.uwo.ca/fhs/csd/ebp/reviews/2006-07/Neukom.pdf>

New York University. 2004. *Eye and Ear*. Retrieved June 4, 2014, from <http://education.med.nyu.edu/Histology/courseware/modules/eye-and-ear/eye-and-ear11.html>

Notoatmodjo, S. 2003. *Ilmu Kesehatan Masyarakat Prinsip-Prinsip Dasar*. Jakarta: Rineka Cipta.

Notoatmodjo, S. 2005. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.

Notoatmodjo, S. 2005. *Promosi Kesehatan Teori dan Aplikasi*. Jakarta: Rineka Cipta.

Portnuff, C. D. F., Fligor, B. J., & Arehart, K. H. 2011. Teenage Use of Portable Listening Devices: a Hazard to Hearing? *Journal of the American Academy of Audiology*, 22, 663–677.

- Rahayuningsih, Sri Utami. 2008. *Psikologi Umum*. Yogyakarta: Universitas Gajah Mada.
- Rajan Speech and Hearing Centre. 2012. Hearing Process. Retrieved June 4, 2014, from <http://www.rshc.in/rshc-hearingprocess>
- Riwidikdo, H. 2013. *Statistik untuk Penelitian Kesehatan dengan Aplikasi Program R dan SPSS* (edisi ke 3). Yogyakarta: Pustaka Rihama.
- Sarwono, S. 2012. *Sosiologi Kesehatan Beberapa Konsep dan Aplikasinya* (edisi ke 4). Yogyakarta: Gadjah Mada University Press.
- Sastroasmoro, S & Ismail, S. 2011. *Dasar-Dasar Metodologi Penelitian Klinis* (edisi ke 4). Jakarta: Sagung Seto.
- Thalman, R., Miyoshi, T., Kusakari, J., & Ise, I. 1975. Normal and Abnormal Energy Metabolism of The Inner Ear. *Otolaryngologic Clinics of North America*, 8, 313–333.
- Toha, Miftah. 2003. *Perilaku Organisasi*. Jakarta: PT. Raya Grafindo.
- USA. Better Hearing Institute. (n.d.) *Prevention of noise induced hearing loss*. Retrieved January 28, 2014, from http://www.betterhearing.org/hearing_loss_prevention/noise_induced_hearing_loss/index.cfm
- The Associated Press. 2006, June 8. Survey: iPods More Popular than Beer. *The Washington Post*. Retrieved October 22, 2014 from <http://www.washingtonpost.com>

Vogel I, Brug J, Van der Ploeg CP, Raat H. 2011. Adolescents Risky MP3-Player Listening and Its Psychosocial Correlates. *Health Educ Res*, 26, 254-264.

World Health Organization. 1997. Prevention of noise-induced hearing loss: Report of an informal consultation. Makalah disampaikan dalam *Seminar Report of an Informal Consultation*, WHO-PDH Geneva, Geneva, 28-30 Oktober.