

LAMPIRAN

LAMPIRAN 1

Angket Intensi Melakukan Hubungan Seks

DATA ISIAN SUBYEK

Nama *) :

Alamat *) :

Usia :

Pendidikan :

Pekerjaan :

Status kelahiran anak pertama :
a. Caesar (operasi)
b. Normal
c.

Jenis kelamin anak :
a. Laki-laki
b. Perempuan
c. Kembar

Usia anak saat ini :

Persalinan di Rumah sakit :

Keterangan :

*) Diisi menggunakan inisial huruf depan saja.

KUESIONER BAGIAN PERTAMA

Petunjuk Pengisian

Pada kuesioner bagian yang pertama dan kedua ini, ibu akan dihadapkan pada pertanyaan-pertanyaan yang diikuti dengan 4 pilihan jawaban. **Silanglah salah satu kriteria pilihan jawaban yang paling sesuai dengan pengalaman, kondisi, serta perasaan ibu saat ini.**

Adapun maksud dan kriteria pilihan jawaban tersebut, dalam kuesioner bagian yang pertama ini adalah sebagai berikut :

- SS = Sangat Sesuai
- S = Sesuai
- TS = Tidak Sesuai
- STS = Sangat Tidak Sesuai

KUESIONER BAGIAN PERTAMA

NO	PERNYATAAN	SS	S	TS	STS
1.	Saya merasa puas setiap kali melakukan hubungan seks dengan suami	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	Setiap kali melakukan hubungan seks dengan suami, saya dapat mencapai orgasme.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	Saya merasa kecewa setelah melakukan hubungan seks dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	Saya tidak pernah merasakan klimaks setelah berhubungan seks dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	Bila melakukan hubungan seks dengan suami, saya ingin agar segera berakhir.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	Saya dan suami dapat merasakan kenikmatan dalam melakukan hubungan seks.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NO	PERNYATAAN	SS	S	TS	STS
7.	Tidak ada kenikmatan lain selain melakukan hubungan seks dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	Setelah melahirkan saya tidak merasakan apa-apa ketika suami menyentuh tubuh saya.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.	Dengan melakukan hubungan seks, saya merasa semakin akrab dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.	Setelah melahirkan melakukan hubungan seks dengan suami hanya sebagai kewajiban	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.	Setelah melahirkan saya malas-malasan bila harus melakukan hubungan seks dengan suami	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.	Saya merasakan suatu kehangatan ketika melakukan hubungan seks dengan suami	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13.	Saya tidak mempunyai gairah untuk melakukan hubungan seks dengan suami setelah melahirkan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14.	Ada kebahagiaan tersendiri saat melakukan hubungan seks dengan suami meskipun baru melahirkan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15.	Berhubungan seks setelah melahirkan membuat saya takut akan rasa sakit pada organ kewanitaan saya nantinya.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16.	Saya khawatir vagina saya yang terasa kering mengganggu hubungan intim saya bersama suami	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17.	Berhubungan seks dengan suami setelah melahirkan membuat saya takut	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18.	Akhir-akhir ini saya merasa takut kenikmatan saat hubungan intim bersama suami akan terasa berbeda dengan kenikmatan sebelum melahirkan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19.	Rasa sakit pada vagina setelah melahirkan dapat mengganggu kesehatan saya.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20.	Gairah seksual saya yang menurun setelah melahirkan tidak mengganggu hubungan intim saya dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21.	Saya yakin masih dapat memuaskan kebutuhan seks suami setelah melahirkan anak.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22.	Rasa sakit pada vagina setelah melahirkan membuat saya cemas.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23.	Setelah melahirkan saya marah-marah dulu, bila suami mengajak melakukan hubungan seks.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24.	Saya jengkel kalau harus melakukan hubungan seks dengan suami setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25.	Saya benci melakukan hubungan seks dengan suami setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NO	PERNYATAAN	SS	S	TS	STS
26.	Meskipun baru melahirkan setiap kali suami mengajak berhubungan seks, saya layani dengan senang hati.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27.	Saya tipe orang yang dingin dalam masalah hubungan seks.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28.	Saya merasa takut bila harus melakukan hubungan seks dengan suami setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29.	Setelah melahirkan saya tidak pernah bersungguh-sungguh dalam melakukan hubungan seks dengan suami.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30.	Hubungan seks dengan suami, saya lakukan tanpa beban meskipun baru melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

LAMPIRAN 2
Angket Depresi *Postpartum*

NO	PERNYATAAN	SS	S	TS	STS
21.	Sejak melahirkan anak, pikiran untuk melakukan hubungan seks dengan suami jadi hilang.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22.	Saya selalu berpikiran negatif setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23.	Saya suka memikirkan hal-hal yang jelek setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24.	Saya malas merawat dan menjaga kesehatan setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25.	Saya selalu merawat dan menjaga tubuh setelah melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26.	Setelah melahirkan, saya sulit untuk dapat melakukan aktivitas lain.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27.	Saya tidak akan melakukan hal-hal yang ingin saya lakukan meskipun baru melahirkan anak.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28.	Saya dapat melakukan aktivitas lain meskipun baru melahirkan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29.	Saya tidak pernah tidur nyenyak sejak melahirkan anak.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30.	Saya sulit untuk bersantai sejak melahirkan anak.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

LAMPIRAN 3

Tabulasi Data Variabel Intensi Melakukan Hubungan Seks

	butir_19	butir_20	butir_21	butir_22	butir_23	butir_24	butir_25	butir_26	butir_27
1	1	2	1	4	4	4	4	4	4
2	3	3	1	2	3	4	4	4	3
3	1	1	2	3	3	3	3	3	4
4	3	4	2	2	4	3	3	3	4
5	3	3	2	2	3	3	4	3	3
6	2	3	2	2	4	4	4	4	3
7	4	3	1	1	4	4	3	4	4
8	3	3	2	2	3	3	4	3	4
9	2	3	1	1	3	4	4	4	3
10	1	2	2	2	3	4	3	3	4
11	2	3	2	3	3	3	3	3	3
12	3	3	1	1	3	4	4	4	3
13	2	2	1	3	2	2	3	3	2
14	3	4	1	2	4	4	4	3	3
15	3	3	1	3	2	2	3	3	3
16	2	2	2	2	3	3	4	4	4
17	3	3	2	1	3	3	3	4	4
18	2	3	2	2	3	3	4	4	4
19	3	3	1	2	4	4	3	3	3
20	2	2	1	3	2	3	4	3	2
21	4	3	4	1	4	4	3	4	4
22	3	4	1	1	4	4	4	4	3
23	3	3	4	1	3	4	4	3	4
24	3	3	2	2	3	4	4	4	3
25	3	3	3	2	3	3	4	3	3
26	4	3	3	1	3	3	4	4	4
27	4	3	3	1	4	4	3	4	3
28	2	3	4	2	4	4	4	4	4
29	4	4	3	1	3	4	3	3	3
30	4	4	4	3	4	4	3	3	3

	butir_28	butir_29	butir_30	total
1	4	4	4	98
2	3	4	4	94
3	4	3	3	88
4	4	4	4	102
5	3	3	3	99
6	3	4	4	91
7	4	3	3	103
8	3	3	4	94
9	3	3	3	99
10	4	4	4	94
11	3	3	3	86
12	3	3	4	98
13	3	2	2	60
14	3	3	4	101
15	3	3	3	73
16	4	4	3	91
17	3	4	3	97
18	4	3	3	99
19	3	3	4	98
20	2	2	3	73
21	3	3	4	107
22	3	4	4	100
23	4	3	4	103
24	3	4	4	101
25	3	4	3	94
26	3	4	4	108
27	3	4	3	99
28	4	3	4	104
29	3	4	4	96
30	4	3	3	100

	butir_2	butir_3	butir_4	butir_5	butir_6	butir_7	butir_8	butir_9	butir_10
1	4	4	4	4	3	3	4	4	4
2	4	4	4	2	1	4	2	3	2
3	3	3	3	3	3	3	4	4	4
4	3	3	4	3	3	4	3	3	3
5	4	4	3	4	4	3	4	4	4
6	4	4	4	1	2	3	2	2	2
7	4	4	3	4	4	4	3	3	4
8	4	4	3	4	4	3	2	2	2
9	4	4	3	4	4	3	4	4	4
10	4	4	4	4	4	3	3	4	4
11	3	3	3	3	3	4	3	3	3
12	3	3	3	4	4	3	4	4	4
13	1	3	3	1	1	2	2	1	1
14	4	4	4	4	3	4	3	3	4
15	3	3	3	3	3	2	2	2	1
16	4	3	4	2	2	3	2	2	2
17	3	3	3	3	3	3	4	3	3
18	4	3	3	3	3	3	4	4	4
19	3	4	4	3	3	4	3	4	3
20	3	3	2	2	3	3	2	2	1
21	4	4	4	4	4	4	4	3	4
22	3	3	3	4	4	3	4	4	4
23	4	3	4	3	3	4	3	4	4
24	4	4	3	3	3	4	4	3	3
25	3	3	3	3	3	3	3	2	3
26	3	4	4	4	4	4	4	4	4
27	3	3	3	4	4	3	3	4	4
28	3	4	3	4	3	3	3	3	4
29	3	4	3	3	3	3	3	3	3
30	4	3	3	3	3	3	3	3	3

Intensi Melakukan Hubungan Seks 2

	butir_11	butir_12	butir_13	butir_15	butir_16	butir_17	butir_18	butir_19	butir_20
1	4	3	4	2	1	1	1	1	2
2	3	4	2	4	4	3	3	3	3
3	4	4	3	2	2	2	1	1	1
4	4	4	4	4	3	3	4	3	4
5	3	3	3	3	3	4	3	3	3
6	3	3	2	4	3	3	3	2	3
7	3	4	4	3	3	4	4	4	3
8	3	4	1	4	2	4	3	3	3
9	3	3	3	3	4	4	3	2	3
10	4	4	2	2	2	2	1	1	2
11	3	4	3	1	2	2	2	2	3
12	3	3	3	3	4	4	3	3	3
13	1	2	3	2	2	1	2	2	2
14	3	3	4	3	3	3	3	3	4
15	1	2	3	2	2	1	2	3	3
16	3	4	1	4	3	4	3	2	2
17	4	4	3	4	4	4	4	3	3
18	3	3	4	3	4	4	3	2	3
19	4	4	3	4	4	3	3	3	3
20	3	3	3	2	3	1	2	2	2
21	4	4	4	3	4	3	3	4	3
22	3	3	3	3	3	4	3	3	4
23	3	4	4	4	3	4	3	3	3
24	3	4	4	3	3	3	3	3	3
25	3	3	3	4	3	4	4	3	3
26	4	4	3	4	4	4	4	4	3
27	3	4	3	3	3	3	4	4	3
28	4	3	4	4	4	3	3	2	3
29	3	3	3	4	3	3	4	4	4
30	3	3	4	3	3	3	3	4	4

Intensi Melakukan Hubungan Seks 2

	butir_21	butir_23	butir_24	butir_26	butir_27	butir_28	butir_29	butir_30	total
1	1	4	4	4	4	4	4	4	82
2	1	3	4	4	3	3	4	4	81
3	2	3	3	3	4	4	3	3	75
4	2	4	3	3	4	4	4	4	90
5	2	3	3	3	3	3	3	3	85
6	2	4	4	4	3	3	4	4	78
7	1	4	4	4	4	4	3	3	92
8	2	3	3	3	4	3	3	4	80
9	1	3	4	4	3	3	3	3	86
10	2	3	4	3	4	4	4	4	82
11	2	3	3	3	3	3	3	3	73
12	1	3	4	4	3	3	3	4	86
13	1	2	2	3	2	3	2	2	49
14	1	4	4	3	3	3	3	4	87
15	1	2	2	3	3	3	3	3	61
16	2	3	3	4	4	4	4	3	77
17	2	3	3	4	4	3	4	3	87
18	2	3	3	4	4	4	3	3	86
19	1	4	4	3	3	3	3	4	87
20	1	2	3	3	2	2	2	3	60
21	4	4	4	4	4	3	3	4	97
22	1	4	4	4	3	3	4	4	88
23	4	3	4	3	4	4	3	4	92
24	2	3	4	4	3	3	4	4	87
25	3	3	3	3	3	3	4	3	81
26	3	3	3	4	4	3	4	4	97
27	3	4	4	4	3	3	4	3	89
28	4	4	4	4	4	4	3	4	91
29	3	3	4	3	3	3	4	4	86
30	4	4	4	3	3	4	3	3	86

LAMPIRAN 5

Tabulasi Data Variabel Depresi *Postpartum*

	butir_1	butir_2	butir_3	butir_4	butir_5	butir_6	butir_7	butir_8	butir_9
1	2	1	3	1	3	1	1	1	1
2	2	2	2	2	2	2	1	1	2
3	3	3	3	2	3	2	2	2	2
4	3	3	3	2	3	1	2	1	2
5	2	2	2	2	2	2	1	1	2
6	2	2	2	2	1	2	1	1	1
7	2	2	2	3	1	2	2	1	2
8	2	3	3	1	3	2	1	1	2
9	2	2	2	2	2	2	2	1	2
10	3	3	3	3	3	1	2	2	2
11	2	2	2	2	2	2	2	1	1
12	2	2	2	2	2	2	2	1	2
13	2	3	2	2	2	2	2	1	2
14	3	3	3	3	3	4	2	2	2
15	3	2	2	2	2	2	2	1	2
16	2	2	3	3	3	1	2	1	2
17	4	4	4	3	4	3	2	2	2
18	4	4	4	4	3	4	3	3	4
19	4	4	4	3	4	3	2	2	2
20	3	3	2	2	3	3	2	3	2
21	4	3	3	3	4	4	3	3	4
22	2	2	3	3	2	1	2	1	2
23	4	3	3	3	4	3	2	3	3
24	2	2	2	2	2	2	1	1	2
25	4	2	2	4	4	3	3	3	3
26	2	2	3	2	2	2	2	1	2
27	3	3	3	3	3	4	2	2	2
28	3	3	3	2	2	1	2	1	2
29	3	3	3	2	3	1	2	1	2
30	3	3	3	2	3	1	2	2	2

	butir_10	butir_11	butir_12	butir_13	butir_14	butir_15	butir_16	butir_17	butir_18
1	4	3	4	4	4	4	3	2	4
2	3	2	2	3	2	3	4	1	3
3	3	4	2	3	3	3	4	2	4
4	2	4	4	4	4	4	4	1	3
5	3	4	3	3	4	4	3	2	4
6	3	3	4	4	3	4	4	3	3
7	3	3	2	3	3	4	4	1	3
8	4	3	3	4	4	3	3	2	3
9	4	3	3	3	3	3	3	2	4
10	3	4	3	4	3	4	3	1	4
11	3	4	3	3	3	3	2	3	3
12	4	3	3	4	4	4	3	2	3
13	1	1	2	1	2	2	3	3	3
14	4	3	3	4	4	4	4	4	3
15	2	1	2	2	1	1	2	4	4
16	3	2	4	4	3	3	3	1	4
17	3	3	3	3	3	3	3	3	4
18	4	4	4	4	4	4	4	3	3
19	3	3	3	4	3	3	4	4	4
20	4	3	3	3	3	4	4	3	1
21	4	4	3	3	4	4	4	3	3
22	4	4	4	4	3	4	3	2	4
23	3	4	3	3	4	3	3	4	3
24	3	3	3	3	3	4	3	2	3
25	4	3	4	4	3	3	3	3	4
26	2	4	4	3	3	4	4	1	4
27	3	3	3	3	3	3	3	4	3
28	3	4	3	4	3	4	4	2	4
29	2	3	4	3	4	3	3	1	4
30	4	3	3	4	4	3	2	3	3

	butir_19	butir_20	butir_21	butir_22	butir_23	butir_24	butir_25	butir_26	butir_27
1	2	1	4	1	1	1	1	1	1
2	2	3	2	2	1	2	3	3	4
3	3	4	4	2	2	1	1	3	2
4	4	4	1	1	1	2	2	4	1
5	2	3	2	2	2	1	1	3	1
6	4	2	3	2	2	2	2	2	2
7	4	4	4	2	1	2	2	3	1
8	1	2	3	2	1	1	1	1	1
9	3	3	2	2	2	1	1	3	2
10	4	4	2	2	2	1	1	3	2
11	3	2	3	2	2	2	2	2	2
12	3	3	2	2	2	1	1	3	2
13	2	4	2	2	3	3	3	4	2
14	4	3	1	4	4	1	1	4	1
15	3	3	2	2	4	4	4	3	1
16	3	4	2	2	1	1	3	3	3
17	3	3	2	3	3	2	2	3	2
18	3	3	2	4	4	1	2	4	2
19	4	3	1	4	4	2	1	4	1
20	2	2	2	3	3	3	3	3	3
21	3	3	1	4	4	2	1	4	1
22	3	3	2	2	2	2	2	3	1
23	4	3	1	3	3	2	1	3	2
24	3	3	4	2	2	1	1	3	2
25	4	4	2	3	3	1	2	3	2
26	3	3	2	1	1	1	1	3	2
27	3	3	1	3	3	2	2	4	1
28	2	4	4	2	2	2	1	4	2
29	1	3	2	1	1	2	2	3	2
30	1	4	4	2	2	2	2	4	1

	butir_28	butir_29	butir_30	total
1	1	1	1	62
2	2	3	3	69
3	3	4	4	83
4	4	4	3	81
5	4	4	4	75
6	2	1	1	70
7	4	3	4	77
8	1	1	1	63
9	3	4	3	74
10	4	4	4	84
11	2	2	2	69
12	3	3	3	75
13	3	4	3	71
14	4	1	3	89
15	4	4	3	74
16	3	4	4	79
17	3	3	4	89
18	4	3	4	103
19	3	4	3	93
20	2	3	2	82
21	3	4	3	96
22	4	3	3	80
23	4	3	4	91
24	3	4	4	75
25	3	3	4	93
26	4	3	4	75
27	3	4	3	85
28	3	3	3	82
29	4	3	3	74
30	4	4	3	83

LAMPIRAN 6

**Tabulasi Data Variabel Depresi
Postpartum Setelah Uji Validitas**

	butir_1	butir_2	butir_3	butir_4	butir_5	butir_6	butir_7	butir_8	butir_9
1	2	1	3	1	3	1	1	1	1
2	2	2	2	2	2	2	1	1	2
3	3	3	3	2	3	2	2	2	2
4	3	3	3	2	3	1	2	1	2
5	2	2	2	2	2	2	1	1	2
6	2	2	2	2	1	2	1	1	1
7	2	2	2	3	1	2	2	1	2
8	2	3	3	1	3	2	1	1	2
9	2	2	2	2	2	2	2	1	2
10	3	3	3	3	3	1	2	2	2
11	2	2	2	2	2	2	2	1	1
12	2	2	2	2	2	2	2	1	2
13	2	3	2	2	2	2	2	1	2
14	3	3	3	3	3	4	2	2	2
15	3	2	2	2	2	2	2	1	2
16	2	2	3	3	3	1	2	1	2
17	4	4	4	3	4	3	2	2	2
18	4	4	4	4	3	4	3	3	4
19	4	4	4	3	4	3	2	2	2
20	3	3	2	2	3	3	2	3	2
21	4	3	3	3	4	4	3	3	4
22	2	2	3	3	2	1	2	1	2
23	4	3	3	3	4	3	2	3	3
24	2	2	2	2	2	2	1	1	2
25	4	2	2	4	4	3	3	3	3
26	2	2	3	2	2	2	2	1	2
27	3	3	3	3	3	4	2	2	2
28	3	3	3	2	2	1	2	1	2
29	3	3	3	2	3	1	2	1	2
30	3	3	3	2	3	1	2	2	2

Depresi Postpartum 2

	butir_17	butir_19	butir_20	butir_22	butir_23	butir_26	butir_28	butir_29	butir_30
1	2	2	1	1	1	1	1	1	1
2	1	2	3	2	1	3	2	3	3
3	2	3	4	2	2	3	3	4	4
4	1	4	4	1	1	4	4	4	3
5	2	2	3	2	2	3	4	4	4
6	3	4	2	2	2	2	2	1	1
7	1	4	4	2	1	3	4	3	4
8	2	1	2	2	1	1	1	1	1
9	2	3	3	2	2	3	3	4	3
10	1	4	4	2	2	3	4	4	4
11	3	3	2	2	2	2	2	2	2
12	2	3	3	2	2	3	3	3	3
13	3	2	4	2	3	4	3	4	3
14	4	4	3	4	4	4	4	1	3
15	4	3	3	2	4	3	4	4	3
16	1	3	4	2	1	3	3	4	4
17	3	3	3	3	3	3	3	3	4
18	3	3	3	4	4	4	4	3	4
19	4	4	3	4	4	4	3	4	3
20	3	2	2	3	3	3	2	3	2
21	3	3	3	4	4	4	3	4	3
22	2	3	3	2	2	3	4	3	3
23	4	4	3	3	3	3	4	3	4
24	2	3	3	2	2	3	3	4	4
25	3	4	4	3	3	3	3	3	4
26	1	3	3	1	1	3	4	3	4
27	4	3	3	3	3	4	3	4	3
28	2	2	4	2	2	4	3	3	3
29	1	1	3	1	1	3	4	3	3
30	3	1	4	2	2	4	4	4	3

	total
1	25
2	36
3	49
4	46
5	42
6	33
7	43
8	30
9	42
10	50
11	36
12	41
13	46
14	56
15	48
16	44
17	56
18	65
19	61
20	46
21	62
22	43
23	59
24	42
25	58
26	41
27	55
28	44
29	40
30	48

LAMPIRAN 7

**Hasil Perhitungan Validitas dengan Statistical
Product And Service Solution For Windows
(S.P.S.S.) Versi 10.0 tahun 1999**

Correlations For Validity Tests of
Variable Items of
"Intensi Melakukan Hub. Seks"

Correlations

		Total
butir_1	Pearson Correlation	.323*
	Sig. (1-tailed)	.041
	N	30
butir_2	Pearson Correlation	.580**
	Sig. (1-tailed)	.000
	N	30
butir_3	Pearson Correlation	.404*
	Sig. (1-tailed)	.014
	N	30
butir_4	Pearson Correlation	.387*
	Sig. (1-tailed)	.017
	N	30
butir_5	Pearson Correlation	.649**
	Sig. (1-tailed)	.000
	N	30
butir_6	Pearson Correlation	.529**
	Sig. (1-tailed)	.001
	N	30
butir_7	Pearson Correlation	.624**
	Sig. (1-tailed)	.000
	N	30
butir_8	Pearson Correlation	.589**
	Sig. (1-tailed)	.000
	N	30
butir_9	Pearson Correlation	.642**
	Sig. (1-tailed)	.000
	N	30
butir_10	Pearson Correlation	.789**
	Sig. (1-tailed)	.000
	N	30
butir_11	Pearson Correlation	.687**
	Sig. (1-tailed)	.000
	N	30
butir_12	Pearson Correlation	.513**
	Sig. (1-tailed)	.002
	N	30
butir_13	Pearson Correlation	.329*
	Sig. (1-tailed)	.038
	N	30
butir_14	Pearson Correlation	.254
	Sig. (1-tailed)	.088
	N	30

Correlations

		Total
butir_15	Pearson Correlation	.515**
	Sig. (1-tailed)	.002
	N	30
butir_16	Pearson Correlation	.483**
	Sig. (1-tailed)	.003
	N	30
butir_17	Pearson Correlation	.685**
	Sig. (1-tailed)	.000
	N	30
butir_18	Pearson Correlation	.494**
	Sig. (1-tailed)	.003
	N	30
butir_19	Pearson Correlation	.401*
	Sig. (1-tailed)	.014
	N	30
butir_20	Pearson Correlation	.464**
	Sig. (1-tailed)	.005
	N	30
butir_21	Pearson Correlation	.426**
	Sig. (1-tailed)	.009
	N	30
butir_22	Pearson Correlation	-.576**
	Sig. (1-tailed)	.000
	N	30
butir_23	Pearson Correlation	.709**
	Sig. (1-tailed)	.000
	N	30
butir_24	Pearson Correlation	.673**
	Sig. (1-tailed)	.000
	N	30
butir_25	Pearson Correlation	.210
	Sig. (1-tailed)	.133
	N	30
butir_26	Pearson Correlation	.417*
	Sig. (1-tailed)	.011
	N	30
butir_27	Pearson Correlation	.592**
	Sig. (1-tailed)	.000
	N	30
butir_28	Pearson Correlation	.334*
	Sig. (1-tailed)	.036
	N	30
butir_29	Pearson Correlation	.468**
	Sig. (1-tailed)	.005
	N	30
butir_30	Pearson Correlation	.601**
	Sig. (1-tailed)	.000
	N	30

** . Correlation is significant at the 0.01 level (1-tailed).

* . Correlation is significant at the 0.05 level (1-tailed).

Correlations

Correlations

		Total
butir_1	Pearson Correlation Sig. (1-tailed) N	.268 .076 30
butir_2	Pearson Correlation Sig. (1-tailed) N	.540** .001 30
butir_3	Pearson Correlation Sig. (1-tailed) N	.386* .018 30
butir_4	Pearson Correlation Sig. (1-tailed) N	.388* .017 30
butir_5	Pearson Correlation Sig. (1-tailed) N	.635** .000 30
butir_6	Pearson Correlation Sig. (1-tailed) N	.534** .001 30
butir_7	Pearson Correlation Sig. (1-tailed) N	.634** .000 30
butir_8	Pearson Correlation Sig. (1-tailed) N	.580** .000 30
butir_9	Pearson Correlation Sig. (1-tailed) N	.639** .000 30
butir_10	Pearson Correlation Sig. (1-tailed) N	.779** .000 30
butir_11	Pearson Correlation Sig. (1-tailed) N	.676** .000 30
butir_12	Pearson Correlation Sig. (1-tailed) N	.534** .001 30
butir_13	Pearson Correlation Sig. (1-tailed) N	.327* .039 30
butir_15	Pearson Correlation Sig. (1-tailed) N	.535** .001 30
butir_16	Pearson Correlation Sig. (1-tailed) N	.521** .002 30

Correlations

		Total
butir_17	Pearson Correlation	.697**
	Sig. (1-tailed)	.000
	N	30
butir_18	Pearson Correlation	.542**
	Sig. (1-tailed)	.001
	N	30
butir_19	Pearson Correlation	.454**
	Sig. (1-tailed)	.006
	N	30
butir_20	Pearson Correlation	.488**
	Sig. (1-tailed)	.003
	N	30
butir_21	Pearson Correlation	.442**
	Sig. (1-tailed)	.007
	N	30
butir_23	Pearson Correlation	.699**
	Sig. (1-tailed)	.000
	N	30
butir_24	Pearson Correlation	.664**
	Sig. (1-tailed)	.000
	N	30
butir_26	Pearson Correlation	.417*
	Sig. (1-tailed)	.011
	N	30
butir_27	Pearson Correlation	.586**
	Sig. (1-tailed)	.000
	N	30
butir_28	Pearson Correlation	.307*
	Sig. (1-tailed)	.050
	N	30
butir_29	Pearson Correlation	.471**
	Sig. (1-tailed)	.004
	N	30
butir_30	Pearson Correlation	.590**
	Sig. (1-tailed)	.000
	N	30

** . Correlation is significant at the 0.01 level (1-tailed).

* . Correlation is significant at the 0.05 level (1-tailed).

Correlations

Correlations

		Total
butir_2	Pearson Correlation	.510**
	Sig. (1-tailed)	.002
	N	30

Correlations

		Total
butir_3	Pearson Correlation	.378*
	Sig. (1-tailed)	.020
	N	30
butir_4	Pearson Correlation	.381*
	Sig. (1-tailed)	.019
	N	30
butir_5	Pearson Correlation	.641**
	Sig. (1-tailed)	.000
	N	30
butir_6	Pearson Correlation	.543**
	Sig. (1-tailed)	.001
	N	30
butir_7	Pearson Correlation	.627**
	Sig. (1-tailed)	.000
	N	30
butir_8	Pearson Correlation	.586**
	Sig. (1-tailed)	.000
	N	30
butir_9	Pearson Correlation	.642**
	Sig. (1-tailed)	.000
	N	30
butir_10	Pearson Correlation	.786**
	Sig. (1-tailed)	.000
	N	30
butir_11	Pearson Correlation	.676**
	Sig. (1-tailed)	.000
	N	30
butir_12	Pearson Correlation	.532**
	Sig. (1-tailed)	.001
	N	30
butir_13	Pearson Correlation	.336*
	Sig. (1-tailed)	.035
	N	30
butir_15	Pearson Correlation	.536**
	Sig. (1-tailed)	.001
	N	30
butir_16	Pearson Correlation	.529**
	Sig. (1-tailed)	.001
	N	30
butir_17	Pearson Correlation	.695**
	Sig. (1-tailed)	.000
	N	30
butir_18	Pearson Correlation	.548**
	Sig. (1-tailed)	.001
	N	30
butir_19	Pearson Correlation	.466**
	Sig. (1-tailed)	.005
	N	30

Correlations

		Total
butir_20	Pearson Correlation	.481**
	Sig. (1-tailed)	.004
	N	30
butir_21	Pearson Correlation	.452**
	Sig. (1-tailed)	.006
	N	30
butir_23	Pearson Correlation	.694**
	Sig. (1-tailed)	.000
	N	30
butir_24	Pearson Correlation	.662**
	Sig. (1-tailed)	.000
	N	30
butir_26	Pearson Correlation	.416*
	Sig. (1-tailed)	.011
	N	30
butir_27	Pearson Correlation	.585**
	Sig. (1-tailed)	.000
	N	30
butir_28	Pearson Correlation	.308*
	Sig. (1-tailed)	.050
	N	30
butir_29	Pearson Correlation	.463**
	Sig. (1-tailed)	.005
	N	30
butir_30	Pearson Correlation	.586**
	Sig. (1-tailed)	.000
	N	30

** . Correlation is significant at the 0.01 level (1-tailed).

* . Correlation is significant at the 0.05 level (1-tailed).

Nonparametric Correlations

Correlations

			Intensi Melakukan Hubungan Seks	Depresi Postpartum
Kendall's tau_b	Intensi Melakukan Hubungan Seks	Correlation Coefficient	1.000	.191
		Sig. (2-tailed)	.	.151
		N	30	30
	Depresi Postpartum	Correlation Coefficient	.191	1.000
		Sig. (2-tailed)	.151	.
		N	30	30

LAMPIRAN 10

**Surat Ijin Pengambilan Data Dari Fakultas
Psikologi Universitas Katolik Widya Mandala
Surabaya**



YAYASAN WIDYA MANDALA SURABAYA
UNIVERSITAS KATOLIK WIDYA MANDALA SURABAYA
FAKULTAS PSIKOLOGI

Jl. Dinoyo 42 - 44, Telp. 5678478 (hunting) Ext. 161, Fax. 5610818 Surabaya - 60265

Nomor : 538 /WM08/T/2003
Hal : Ijin Pengambilan Data

23 Agustus 2003

Kepada : Yth. Dr. Robby Budilarto, SpOG
Jl. Kartini 80
Surabaya

Dengan hormat saya beritahukan bahwa mahasiswa yang tersebut dibawah ini :


Nama : Sandriana Dewi Heriyati
Fakultas : Psikologi
NRP : 7103098017

sedang menyusun skripsi dengan judul **"Hubungan Antara Depresi Postpartum dengan intensi melakukan hubungan seks"**.

Sehubungan dengan hal tersebut kami mohon sudi apakah kiranya Bapak/Ibu berkenan memberikan ijin bagi mahasiswa yang bersangkutan untuk melakukan penelitiannya di tempat Bapak/Ibu pimpin.

Atas terkabulnya permohonan ini kami mengucapkan terima kasih.

Salam hormat,
an Dekan
Pembantu Dekan I,



Yessyca Diana Gabrielle, S. Psi.
Yessyca Diana Gabrielle, S. Psi.

LAMPIRAN 11

**Surat Keterangan Telah Diadakannya
Penelitian di Tempat Praktek Dr. Robby
Budilarto Sp.OG**

Surabaya, 17 September 2003

Lampiran : -
Hal : Izin Penelitian
a.n. Sandriana Dewi. H.

Kepada :

Yth. Dekan Fak. Psikologi Unika Widya Mandala Surabaya
Jl. Dinoyo 42 – 44
Surabaya

Dengan hormat,

Menunjuk surat saudara No. 538 / WM 08 / T /2003 tanggal 23 Agustus 2003, perihal pada pokok surat kami telah memberikan izin mengadakan penelitian di tempat praktek, kepada :

Nama : SANDRIANA DEWI HERIYATI
NRP : 7103098017
Fakultas : Psikologi
Judul : *“Hubungan Antara Depresi Postpartum Dengan Intensi Melakukan Hubungan Seks”*

Atas perhatiannya kami ucapkan terima kasih.

Surabaya, 17 September 2003

Dr. ROBBY BUDILARTO
AHLI KEBIDANAN
Jl. Klaten No. 40 Surabaya
Telp. 5676519
(Dr. Robby Budilarto. Sp. OG)

PERPUSTAKAAN
Universitas Katolik Widya Mandala
SURABAYA

Correlations For Validity Tests of *Variable Items of "Depresi Postpartum"*

Correlations

	Total
butir_1	.860**
Sig. (1-tailed)	.000
N	30
butir_2	.660**
Sig. (1-tailed)	.000
N	30
butir_3	.545**
Sig. (1-tailed)	.001
N	30
butir_4	.843**
Sig. (1-tailed)	.000
N	30
butir_5	.622**
Sig. (1-tailed)	.000
N	30
butir_6	.612**
Sig. (1-tailed)	.000
N	30
butir_7	.763**
Sig. (1-tailed)	.000
N	30
butir_8	.819**
Sig. (1-tailed)	.000
N	30
butir_9	.760**
Sig. (1-tailed)	.000
N	30
butir_10	.246
Sig. (1-tailed)	.095
N	30
butir_11	.348*
Sig. (1-tailed)	.030
N	30
butir_12	.123
Sig. (1-tailed)	.259
N	30
butir_13	.210
Sig. (1-tailed)	.132
N	30
butir_14	.219
Sig. (1-tailed)	.122
N	30
butir_15	.140
Sig. (1-tailed)	.230
N	30

Correlations

	Total
butir_16	.301
Sig. (1-tailed)	.053
N	30
butir_17	.420*
Sig. (1-tailed)	.010
N	30
butir_18	-.028
Sig. (1-tailed)	.441
N	30
butir_19	.442**
Sig. (1-tailed)	.007
N	30
butir_20	.400*
Sig. (1-tailed)	.014
N	30
butir_21	-.445**
Sig. (1-tailed)	.007
N	30
butir_22	.775**
Sig. (1-tailed)	.000
N	30
butir_23	.685**
Sig. (1-tailed)	.000
N	30
butir_24	-.048
Sig. (1-tailed)	.400
N	30
butir_25	-.125
Sig. (1-tailed)	.255
N	30
butir_26	.684**
Sig. (1-tailed)	.000
N	30
butir_27	-.096
Sig. (1-tailed)	.306
N	30
butir_28	.500**
Sig. (1-tailed)	.002
N	30
butir_29	.341*
Sig. (1-tailed)	.033
N	30
butir_30	.552**
Sig. (1-tailed)	.001
N	30

** . Correlation is significant at the 0.01 level (1-tailed).

* . Correlation is significant at the 0.05 level (1-tailed).

Correlations

Correlations

		Total
butir_1	Pearson Correlation	.857**
	Sig. (1-tailed)	.000
	N	30
butir_2	Pearson Correlation	.683**
	Sig. (1-tailed)	.000
	N	30
butir_3	Pearson Correlation	.491**
	Sig. (1-tailed)	.003
	N	30
butir_4	Pearson Correlation	.812**
	Sig. (1-tailed)	.000
	N	30
butir_5	Pearson Correlation	.606**
	Sig. (1-tailed)	.000
	N	30
butir_6	Pearson Correlation	.645**
	Sig. (1-tailed)	.000
	N	30
butir_7	Pearson Correlation	.758**
	Sig. (1-tailed)	.000
	N	30
butir_8	Pearson Correlation	.795**
	Sig. (1-tailed)	.000
	N	30
butir_9	Pearson Correlation	.750**
	Sig. (1-tailed)	.000
	N	30
butir_11	Pearson Correlation	.260
	Sig. (1-tailed)	.083
	N	30
butir_17	Pearson Correlation	.499**
	Sig. (1-tailed)	.003
	N	30
butir_19	Pearson Correlation	.438**
	Sig. (1-tailed)	.008
	N	30
butir_20	Pearson Correlation	.454**
	Sig. (1-tailed)	.006
	N	30
butir_21	Pearson Correlation	-.447**
	Sig. (1-tailed)	.007
	N	30
butir_22	Pearson Correlation	.776**
	Sig. (1-tailed)	.000
	N	30
butir_23	Pearson Correlation	.751**
	Sig. (1-tailed)	.000
	N	30

Correlations

		Total
butir_26	Pearson Correlation	.719**
	Sig. (1-tailed)	.000
	N	30
butir_28	Pearson Correlation	.540**
	Sig. (1-tailed)	.001
	N	30
butir_29	Pearson Correlation	.434**
	Sig. (1-tailed)	.008
	N	30
butir_30	Pearson Correlation	.606**
	Sig. (1-tailed)	.000
	N	30

** . Correlation is significant at the 0.01 level (1-tailed).

Correlations

Correlations

		Total
butir_1	Pearson Correlation	.852**
	Sig. (1-tailed)	.000
	N	30
butir_2	Pearson Correlation	.681**
	Sig. (1-tailed)	.000
	N	30
butir_3	Pearson Correlation	.468**
	Sig. (1-tailed)	.005
	N	30
butir_4	Pearson Correlation	.816**
	Sig. (1-tailed)	.000
	N	30
butir_5	Pearson Correlation	.616**
	Sig. (1-tailed)	.000
	N	30
butir_6	Pearson Correlation	.671**
	Sig. (1-tailed)	.000
	N	30
butir_7	Pearson Correlation	.756**
	Sig. (1-tailed)	.000
	N	30
butir_8	Pearson Correlation	.782**
	Sig. (1-tailed)	.000
	N	30
butir_9	Pearson Correlation	.748**
	Sig. (1-tailed)	.000
	N	30

LAMPIRAN 8

**Hasil Perhitungan Reliabilitas dengan
Statistical Product And Service Solution For
Windows (S.P.S.S.) Versi 10.0 tahun 1999**

Reliability of "Intensi Melakukan Hubungan Seks"

***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 30.0 N of Items = 27

Alpha = .7443

Reliability of "Depresi Postpartum"

***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 30.0 N of Items = 19

Alpha = .7552

	df	t	r
1	1	3.07768	.95106
2	2	1.88562	.80000
3	3	1.63774	.68705
4	4	1.53321	.60840
5	5	1.47588	.55086
6	6	1.43976	.50673
7	7	1.41492	.47159
8	8	1.39682	.44280
9	9	1.38303	.41866
10	10	1.37218	.39806
11	11	1.36343	.38022
12	12	1.35622	.36456
13	13	1.35017	.35069
14	14	1.34503	.33828
15	15	1.34061	.32710
16	16	1.33676	.31696
17	17	1.33338	.30770
18	18	1.33039	.29921
19	19	1.32773	.29138
20	20	1.32534	.28414
21	21	1.32319	.27741
22	22	1.32124	.27114
23	23	1.31946	.26527
24	24	1.31784	.25977
25	25	1.31635	.25459
26	26	1.31497	.24972
27	27	1.31370	.24511
28	28	1.31253	.24075
29	29	1.31143	.23661
30	30	1.31042	.23268

LAMPIRAN 9
Hasil Uji Hipotesis

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Intensi Melakukan Hubungan Seks	Depresi Postpartum
N		30	30
Normal Parameters ^{a,b}	Mean	82.60	46.23
	Std. Deviation	10.58	9.64
Most Extreme Differences	Absolute	.193	.110
	Positive	.121	.110
	Negative	-.103	-.094
Kolmogorov-Smirnov Z		1.055	.601
Asymp. Sig. (2-tailed)		.216	.863

a. Test distribution is Normal.

b. Calculated from data.

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	101.332	1	101.332	1.095	.304 ^a
	Residual	2592.035	28	92.573		
	Total	2693.367	29			

a. Predictors: (Constant), Intensi Melakukan Hubungan Seks

b. Dependent Variable: Depresi Postpartum

Correlations

Correlations

		Intensi Melakukan Hubungan Seks	Depresi Postpartum
Intensi Melakukan Hubungan Seks	Pearson Correlation	1.000	.194
	Sig. (2-tailed)	.	.304
	N	30	30
Depresi Postpartum	Pearson Correlation	.194	1.000
	Sig. (2-tailed)	.304	.
	N	30	30

Correlations

		Total
butir_17	Pearson Correlation	.528**
	Sig. (1-tailed)	.001
	N	30
butir_19	Pearson Correlation	.443**
	Sig. (1-tailed)	.007
	N	30
butir_20	Pearson Correlation	.445**
	Sig. (1-tailed)	.007
	N	30
butir_22	Pearson Correlation	.791**
	Sig. (1-tailed)	.000
	N	30
butir_23	Pearson Correlation	.782**
	Sig. (1-tailed)	.000
	N	30
butir_26	Pearson Correlation	.737**
	Sig. (1-tailed)	.000
	N	30
butir_28	Pearson Correlation	.537**
	Sig. (1-tailed)	.001
	N	30
butir_29	Pearson Correlation	.447**
	Sig. (1-tailed)	.007
	N	30
butir_30	Pearson Correlation	.590**
	Sig. (1-tailed)	.000
	N	30

** . Correlation is significant at the 0.01 level (1-tailed).