

BAB 7

KESIMPULAN DAN SARAN

7.1 Kesimpulan

Berdasarkan hasil penelitian mengenai pengaruh pemberian injeksi asam hialuronat pada penderita osteoarthritis sendi lutut derajat 2 dan 3 di RS PHC Surabaya terhadap 41 responden dapat disimpulkan sebagai berikut :

1. Karakteristik demografi penderita osteoarthritis sendi lutut derajat 2 dan 3 di RS PHC Surabaya mayoritas adalah pasien dengan rentang usia 51-60 tahun.
2. Karakteristik demografi penderita osteoarthritis sendi lutut derajat 2 dan 3 di RS PHC Surabaya didominasi oleh wanita dan mayoritas yang menerima injeksi asam hialuronat adalah penderita dengan derajat 2.
3. Terdapat peningkatan interval kualitas hidup secara signifikan setelah menerima injeksi asam hialuronat dibandingkan sebelum menerima injeksi asam hialuronat.

7.2 Saran

7.2.1 Bagi Rumah Sakit PHC Surabaya

Sebaiknya perlu dilakukan penilaian tingkat disabilitas dan kualitas hidup pasien osteoarthritis sendi lutut sebelum menerima terapi sehingga data yang sifatnya retrospektif dapat diambil secara ideal untuk penelitian selanjutnya yang akan dilakukan.

7.2.2 Bagi Penelitian Selanjutnya

Untuk penelitian selanjutnya dapat diteliti pula faktor lain seperti lama menderita osteoarthritis untuk mendapatkan gambaran yang lebih baik.

DAFTAR PUSTAKA

1. Rasjad C. Pengantar ilmu bedah ortopedi : Kelainan degeneratif tulang dan sendi. Ed. III. Jakarta: PT. Yarsif Watampone P; 2012 hal. 196 – 204.
2. American College of Rheumatology. *Osteoarthritis*. <http://www.rheumatology.org/I-Am-A/Patient-Caregiver/Diseases-Conditions/Osteoarthritis> (diakses pada 25 Februari 2017).
3. Jones BQ, Covey CJ, Sineath MH, JR. *Nonsurgical Management of Knee Pain in Adults* 2015; 92(10): 875-883. <http://www.aafp.org/afp/2015/1115/p875.html> (diakses 17 April 2017).
4. Czyżewska A, Glinkowski WM, Walesiak K, Krawczak K, Cabaj D, Górecki A. *Effects of preoperative in hip osteoarthritis patients awaiting total hip replacement* 2012;: 986.
5. Hochberg MC, Altman RD, April KT, et al. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care Res*

(Hoboken). 2012;64(4):465–474.

<https://www.ncbi.nlm.nih.gov/pubmed/22563589> (diakses pada 2 April 2017).

6. Ayhan E, Kesmezacar H, Akgun I. *Intraarticular injections (corticosteroid, hyaluronic acid, platelet rich plasma) for the knee osteoarthritis* 2014; 5(3): 351-361.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4095029/pdf/WJO-5-351.pdf> (diakses pada 17 April 2017).
7. Far J II, Miller LE, Block JE. *Quality of Life in Patients with Knee Osteoarthritis: A Commentary on Nonsurgical and Surgical Treatments* 2013; 70: 619-623.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3841966/pdf/TOORTHJ-7-619.pdf> (diakses pada 17 April 2017)
8. Mahir L, Belhaj K, Zahi S, Azanmasso H, Lmidmani F, El Fatimi A. . *Impact of Knee Osteoarthritis on the Quality of Life* 2016; (): .
<https://www.ncbi.nlm.nih.gov/pubmed/27676835> (diakses pada 24 Februari 2017).
9. Solomon L, Nayagam S, Warwick D. *Apley's system of orthopaedics and fractures*, 9th ed. London: Hodder Arnold; 2010.

10. Cuesta-Vargas AI, González-Sánchez M, Casuso-Holgado MJ. *Effect on health-related quality of life of a multimodal physiotherapy program in patients with chronic musculoskeletal disorders*. 2013; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3577634/> (diakses pada 2 April 2017).
11. Litwic A, Edwards M, Dennison E, Cooper C. . *Epidemiology and Burden of Osteoarthritis* 2013; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3690438/> (diakses pada 31 Maret 2017).
12. AMANDA, Thiar Theria. Hubungan Derajat Nyeri Dengan Kualitas Hidup Pasien Osteoarthritis Di Poli Syaraf Rumah Sakit Umum Daerah Dr. Hardjono Ponorogo. 2015. <http://eprints.ums.ac.id/37962/> (Diakses pada 3 Maret 2017).
13. Pratiwi AI. *Diagnosis and treatment osteoarthritis*. Jurnal Kedokteran Universitas Lampung 2015; 4(4):10-17. <http://juke.kedokteran.unila.ac.id/index.php/majority/article/viewFile/572/576> (Diakses pada 19 Februari 2017).
14. Kumar V, Abbas AK, Aster JC. *Buku Ajar Patologi Robbins*, 9th ed. Singapore: Elsevier Inc.; 2015.

15. Sugondo S. Buku ajar ilmu penyakit dalam: Struktur sendi, otot, saraf, dan endotel vaskular. Ed. VI. Jilid 3. Editor: Setiati S, Alwi I, Sudoyo A W, Simadibrata M, Setiyohadi B, Syam A F. Jakarta: InternaPublishing; 2014. hal.3080-3092.
16. Johns Hopkins Arthritis Center. Osteoarthritis : Pathophysiology. Baltimore: Johns Hopkins Medicine; 2012. (Diakses pada 2 April 2017). diunduh dari <http://www.hopkinsarthritis.org/arthritis-info/osteoarthritis/oa-pathophysiology/>.
17. Alhambra DP, Nigel A, David JH. Osteoarthritis: the fact. 2nd ed. United Kingdom: Oxford University Press; 2014.
18. Imboden J, Hellman D, Stone J. Current Diagnosis & Treatment Rheumatology : Osteoarthritis. Ed. III. USA: McGraw-hill; 2013. Hal. 327-331.
19. Imboden J, Hellman D, Stone J. Current Diagnosis & Treatment Rheumatology : Osteoarthritis. Ed. III. USA: McGraw-hill; 2013. Hal. 327-331.
20. Marsland, D, Kapoor S. *Crash Course rheumatology and orthopaedics 2nd edition*. Philadelphia: Elsevier; 2008

21. Word Health Organization (WHO). *WHOQOL* : *Measuring Quality of Life.*
<http://www.who.int/healthinfo/survey/whoqol-qualityoflife/en/> (diakses pada 3 April 2017).
22. Collins NJ, Misra D, Felson DT, Crossley KM, Roos EM. . *Measures of Knee Function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOS-PS), Knee Outcome Survey Activities of Daily Living Scale (KOS-ADL), Lysholm Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS)* 2011; 63(0 11): 1-43.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4336550/pdf/nihms640218.pdf> (diakses pada 3 Juni 2017).
23. Center for Disease Control and Prevention. *Health-Related Quality of Life (HRQOL).*
<https://www.cdc.gov/hrqol/concept.htm> (diakses pada 3 April 2017).

24. *The 2012 User's Guide to: Knee injury and Osteoarthritis Outcome Score KOOS.* <http://www.koos.nu> (diakses pada 3 Juni 2017).
25. Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Jakarta: Sagung Seto; 2014.
26. Salavati M, Akhbari B, Mohammadi F, Mazaheri, M, Khorrami M . *Knee injury and Osteoarthritis Outcome Score (KOOS); reliability and validity in competitive athletes after anterior cruciate ligament reconstruction* 2011; 19(4): 406-410.
[http://www.oarsijournal.com/article/S1063-4584\(11\)00023-9/fulltext](http://www.oarsijournal.com/article/S1063-4584(11)00023-9/fulltext) (diakses pada 3 Juni 2017).
27. WHO. *Disease Burden* 2000-2015.
http://who.int/healthinfo/global_burden_disease/estimates/en/index2.html (diakses pada 20 Maret 2017).
28. Maheu E, Rannou F, Reginster JY. *Efficacy and safety of hyaluronic acid in the management of osteoarthritis: Evidence from real-life setting trials and surveys* 2016; 45(4): 28-33 .
29. Abate M, Salini V. 2012. Hyaluronic Acid in the Treatment of Osteoarthritis: What is New, Osteoarthritis -

- Diagnosis, Treatment and Surgery, Prof. Qian Chen (Ed.), InTech, DOI: 10.5772/26818. Available from: <https://www.intechopen.com/books/osteoarthritis-diagnosis-treatment-and-surgery/hyaluronic-acid-in-the-treatment-of-osteoarthritis-what-is-new> (diakses pada 15 April 2017)
30. Reid M. Viscosupplementation for Osteoarthritis: a Primer for Primary Care Physicians. *Advances in Therapy*. 2013 (diakses pada 15 April 2017);30(11):967-986. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4351751/pdf/nihms667973.pdf>
31. American College of Rheumatology. *Joint Injections (Joint Aspirations)*. <http://www.rheumatology.org/I-Am-A/Patient-Caregiver/Treatments/Joint-Injection-Aspiration> (diakses pada 15 April 2017).
32. Trigkilidas D, Anand A. *The effectiveness of hyaluronic acid intra-articular injections in managing osteoarthritic knee pain* 2013; 95(8): 545-551. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4311527/> (diakses pada 15 April 2017).

33. Monticone M, Frizziero A, Rovere G, Vittadini F, Uliano D, La Bruna S et al. . *Hyaluronic acid intra-articular injection and exercise therapy: effects on pain and disability in subjects affected by lower limb joints osteoarthritis. A systematic review by the Italian Society of Physical and Rehabilitation Medicine (SIMFER)* 2016; 52(3): 389-399.
<https://www.ncbi.nlm.nih.gov/pubmed/26365146> (diakses pada 16 April 2017).
34. Starkey C.. *Therapeutic Modalities*, 4 ed. Philadelphia : F. A. Davis; 2013.
35. Progressiveptinc. Physical Therapist's Guide to Osteoarthritis of the Knee. Florida. 2013. (Diakses pada 3 April 2016). Diunduh dari <http://www.progressiveptinc.com/physical-therapists-guide-to-osteoarthritis-of-the-knee/> .
36. Firestein GS, Budd RC, Gabriel SE, McInnes IB, O'Dell JR. *Kelley's textbook of rheumatology 9th edition volume II*. Canada: Saunders Elsevier; 2012

37. Introducing the WHOQOL Instrument; Dari:
http://depts.washington.edu/seaqol/docs/WHOQOL_Information.pdf
38. Hame SL., Alexander RA.. Knee osteoarthritis in women. *CurrRevMusculoskeletal Med.* 2013; 6(2).
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3702776/># (Diakses pada 23 Juli 2017).
39. Afaq A, Albert SM, Alexander NB, Israel SA, Anderson DL, Angus DC, et al . *Hazzard's geriatric medicine and gerontology*. In: Loeser R.F.Jr., Delbono O., editors. Aging of the muscle and joints. 6th ed. United states of America: McGraw-Hill Companies; 2009. p.1355-1361.
40. Felson DT. Harrison's Principles of Internal Medicine. 17th ed. New York: McGraw-Hill Companies; 2008. P.2158-2165.
41. French HP, Galvin R, Horgan NF, Kenny RA. . *Prevalence and burden of osteoarthritis amongst older people in Ireland: findings from The Irish Longitudinal Study on Ageing (TILDA)* 2010; 26(1): 192-198.
https://oup.silverchair-cdn.com/oup/backfile/Content_public/Journal/eurpub/26/1/

10.1093_eurpub_ckv109/2/ckv109.pdf?Expires=15096413
72&Signature=hAK7rTy7dAhbfO5840kJ~0S66RmZ7ASo
ZezIQx3VrSqNX~U1qNsdNBoZ35QzO~gruPRNd2~FDn
VeYBfm93mE-HzTqwMt-
50trITv~yP396DRBQEwrvcB2PTc5WAUxxxhgdyNUSi4
HVSqjusjyC-
M3NHczuHuxPQZHELOyxR9vKKK36ekdHi~txLZdX~1
yG7CTLUP8QJBXbgjzKbsLeavRzAgiSQ4X2kPyWUKV
KMzz285WA8zDJlM2llJ26bys5a8E1WnQ9Shwu2qIQ-
iSmi5SuMylAHB4Obd~xNCwnQ0Axwm~YJ34FUb60dd
9X-hFyg8BV3DsUJ3zT1mwKsW5vY-8w__&Key-Pair-
Id=APKAIUCZBIA4LVPAVW3Q (diakses pada 1
November 2017).

42. Alves JC, Bassitt DP. . *Quality of life and functional capacity of elderly women with knee osteoarthritis* 2013; 11(2): 209-215.
43. Collins NJ, Misra D, Felson DT, Crossley KM, Roos EM. Measures of knee function : International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome

Score Physical Function Short Form (KOSS-PS), Knee Outcome Survey Activities of Daily Living Scale (KOS-ADL), Lyshom Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS). Arthritis care & research 2011; 63 Suppl 11: S208-28.