

BAB V

KESIMPULAN DAN SARAN

5.1. Kesimpulan

1. Peningkatan konsentrasi ekstrak kulit buah nanas (*Ananas comosus*) berpengaruh terhadap uji mutu fisik (pH, viskositas, daya sebar, daya tercuci air), efektivitas, dan akseptabilitas sediaan pembersih wajah (*cleansing*) dalam bentuk gel.
2. Formula terbaik sediaan pembersih wajah (*cleansing*) ekstrak total kulit buah nanas (*Ananas comosus*) dalam bentuk gel yang memenuhi persyaratan uji mutu fisik, uji efektivitas, uji keamanan, dan uji aseptabilitas adalah formula ketiga (konsentrasi 30%).

5.2. Saran

Pada penelitian selanjutnya disarankan untuk melakukan penggantian bentuk ekstrak kental kulit buah nanas menjadi ekstrak kering karena mampu meningkatkan stabilitas dari ekstrak dan menambahkan pH *stabilizing* seperti dapar sehingga diharapkan mampu meningkatkan stabilitas dari sediaan yang dihasilkan, serta mengganti jenis basis atau *gelling agent* yang kompatibel dengan kondisi ekstrak kulit buah nanas yang digunakan.

DAFTAR PUSTAKA

- Aashok, O.K., and Upadhyaya, K. 2012, Tannins are astringent. *Journal of Pharmacognosy and Phytochemistry*, **1(3)**: 45-50.
- Agoes, G. 2009, *Seri Farmasi Industri 2: Teknologi Bahan Alam*, Penerbit ITB, Bandung.
- Allen, L.V. and Ansel, H.C. 2014, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems Tenth Edition*, Lippincott Williams and Wilkins, Philadelphia.
- Backer, C.A. and Brick, R.C.B.Van de. 1963, *Flora of Java*, volume I, Gronigen.
- Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). 2012, *Pedoman Teknologi Formulasi Sediaan Berbasis Ekstrak*, BPOM RI, Jakarta.
- Barbulova, A., Colucci, G., and Apone, F. 2015. New Trends in Cosmetics: By-Products of Plant Origin and Their Potential Use as Cosmetic Active Ingredients. *Cosmetics*, **2(2)**: 82-92.
- Barry, B. W. 1983, *Dermatological Formulation*, Marcell Dekker Inc, New York.
- Bolton, S. and Charles, B. 2004, *Pharmaceutical Statistic: Pharmaceutical and Clinical Applications*, CRC Press, Boca Raton, 506-512.
- Chebil, L., Humeau, C., Anthoni, H. Dehez, F., Engasser, J., and Ghoul, M. 2007, Solubility of Flavonoids in Organic Solvents. *Journal of Chemical and Engineering Data*, **52(5)**: 1552-1556.
- Chen, C.C., and Paull, R.E. 2000, Sugar Metabolism and Pineapple Flesh Translucency, *Journal of the American Society for Horticultural Science*, **125 (5)**: 558-562.
- D'Eeckenbrugge, G.C., Saneswski, G.M., Smith, M.K., Duval, and M.F, Leal, F. 2011, Ananas in Kole, C., *Wild Crop Relatives: Genomic and Breeding Resources Tropical and Subtropical Fruits*. Springer, Berlin, 21-41.

- Daneshfar, A., Ghaziaskar, H.S., and Homayoun, N. 2008, Solubility of Fallic Acid in Methanol, Ethanol, Water, and Ethyl Acetate. *Journal of chemical and engineering data*, **53(3)**: 776-778.
- Departemen Kesehatan Republik Indonesia (Depkes RI). 1977, *Materia Medika Indonesia, Cetakan I*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. 1985. *Cara Pembuatan Simplisia*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. 1989. *Materia Medika Indonesia*. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan RI.
- Departemen Kesehatan Republik Indonesia. 1995, *Farmakope Indonesia, Edisi IV*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Department of Health and Ageing Office of the Gene Technology Regulator. 2008, *The Biology of Ananas comosus var. comosus (Pineapple) Version 2*. Queen: Australian Government.
- Ding, P., and Syazwani, S. 2016, Physicochemical quality, antioxidant compounds and activity of MD-2 Pineapple fruit at five ripening stages. *International Food Research and Journal*, **23(2)**: 549-555.
- Direktorat Jenderal Pengawasan Obat dan Makanan Republik Indonesia (Ditjen POM RI). 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Djajadisastra, J. 2004, *Cosmetic Stability*, Depaftmen Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Depok: Seminar Setengah Hari HIKI.
- Effick, J. 2017, Pineapple Project. Diakses pada 1 Agustus 2017, http://www.uq.edu.au/School_Science_Lessons/PineProj.html#Lesson2.
- Fernandes, F.H.A., and Salgado, R.N. 2016, Galic Acid: Review of the Method of Determination and Quantification. *Critical Reviews in Analytical Chemistry*, **46(3)**: 257-265.

- Food and Drug Administration (FDA). 1993, *FDA's Cosmetics Handbook*. U.S. Government Printing Office, Washington DC.
- Gandjar, I. G. dan Rohman, A. 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Garg, A., Aggarwal, D., Garg, S. and Sigla, A.K. 2002, Spreading of semisolid formulation: an update. *Pharmaceutical Technology*, **26**: 84–105.
- Guclu-Ustundag, O., and Mazza, G. 2007, Saponins: Properties, Application, and Processing. *Food Science and Nutrition* **47**: 231-258.
- Gurning, H.E.T., Wullur, A.C., and Lolo, W.A. 2016, Formulasi Sediaan Losio dari Ekstrak Kulit Buah Nanas (*Ananas comosus* L. Merr)) sebagai Tabir Surya. *Pharmacoin*, **5(3)**: 110-115.
- Gutowski, I. 2008, *The Effect of pH and Concentration on The Rheology of Carbopol Gels*. Simon Fraser University, Canada.
- Handa, S.S., Khanuja, S.P.S., Longo, G., and Rakesh, D.D. (eds). 2005. *Extraction Technologies, for Medicinal and Aromatic Plants*, International Centre for Science and High Technology, Trieste.
- Hosain, M.F., Akhtar, S., and Anwar, M. 2015. Nutritional Value and Medicinal Benefits of Pineapple, *International Journal of Nutrition and Food Sciences*, **4(1)**: 84-88.
- Hostettmann, K., and Marston, A. 1995. *Saponins*. Cambridge University Press, Cambridge.
- Hussain, J., Bassal M., Sarhan, H., and Aga, M.I.H. 2017, Qualitative and quantitative comparison of rutin, quercetin and gallic acid concentrations in Syrian *Capparis spinosa*. L Leaves. *Journal of Pharmacognosy and Phytochemcestry*, **6(4)**: 407-415.
- International Tropical Fruits Network. 2016, Pineapple common varieties. Diakses pada 1 Agustus 2017, <http://www.itfnet.org/v1/2016/05/pineapple-common-varieties>.

- Jellinek, S.J. 1970, *Formulation and function of cosmetics*. Intercenci, New York.
- Jones, D. S. 2010, *Statistik Farmasi*, Diterjemahkan oleh Ramadaniati, H.U., Penerbit Buku Kedokteran EGC, Jakarta.
- Kalaiselvi, M., Gomathi, D., and Uma, C. 2012. Occurrence of Bioactive compounds in *Ananas comosus* (L.): A quality Standardization by HPTLC, *Asian Pacific Journal of Tropical Biomedicine*, **2012**: 1341-1346.
- Kamkaen, N., Phuntuwate, W., Samee, W., Boonrod, A., and Treesak, C. 2007. The investigation of the rabbit and human skin irritation of herbal anti-wrinkle cream. *Thai Pharmaceutical and Health Science Journal*, **2(1)**: 20-25.
- Kaur, L.O., and Guleri, T.K. 2013, Topical Gel: A Recent Approach for Novel Drug Delivery. *Asian Journal of Biomedical and Pharmaceutical Sciences*, **3(17)**: 1-5.
- Kementrian Pertanian. 2015, *Statistik Produksi Hortikultura Tahun 2014*. Jakarta: Direktorat Jendral Hortikultura.
- Kurniawan, D. W. dan Sulaiman, T. N. S. 2009, *Teknologi Sediaan Farmasi*, Graha Ilmu, Yogyakarta.
- Laaksonen, O. 2011, *Astringent food compound and their interactions with taste properties*, Department of Biochemistry and Food Chemistry, Turku.
- Lachman, L., and Lieberman H.A. 1989, *Pharmaceutical Dosage Forms*,. *2nd Edition vol I*, Marcel Dekker, Ink., New York.
- Li, T., Shen, P., Liu, W., Liu, C., Liang, R., Yan, N., and Chen, J.. 2014. Major Polyphenolics in Pineapple Peels and Their Antioxidant Interactions. *International Journal of Food Properties*, **17(8)**: 1805-1817.
- Lipsy, P. 2010, *Thin Layer Chromatography Characterization of the Active Ingredients in Excedrin and Anacin*, Stevens Institute of Technology, Hoboken.

- Lobo, M.G., and Yahia, E. 2017, 'Biology and postharvest physiology of pineapple' in Lobo, G.L. and Paull, E.P., *Handbook of Pineapple Technology: Production, Postharvest Science, Processing and Nutrition*. Wiley-Blackwell, Hoboken, 39-60.
- Lourenco, C.B., Ataide, J.A., Cefali, L.C., Novaes, LC.D.L., Moriel, P., Silveira, E., Tambourgi, E.B., and Mazzola, P.G. 2016, Evaluation of the enzymatic activity and stability of commercial bromelain incorporated in topical formulations. *International Journal of Cosmetic Science*, **38(5)**: 535-540.
- Lubrizol. 2010, *Carbopol 940 NF Polymer*, Lubrizol Advanced Material, Inc., Cleveland.
- Lubrizol. 2011, *Thickening Properties*, Lubrizol Advanced Material, Inc., Cleveland.
- Lubrizol. 2013, *Formulating Hydroalcoholic Gel with Carbopol Polymer*, Lubrizol Advanced Materials, Inc., Cleveland.
- Minarsih, L. 2005, 'Penentuan Stabilitas, Aseptabilitas, dan Efektivitas Krim Pelembab Aloe vera Linn. dengan Penambahan PEG dalam Basis Vanishing Cream', *Skripsi*, Sarjana Fakultas Farmasi, Universitas Negeri Airlangga, Surabaya.
- Mitsui, T. 1997, *New Cosmetic Science*. Elsevier Science, Netherland.
- Mulyono, N., Rosmeilia, E., Moi, J.G.P., and Valentine, B.O. 2013. Quantity and Quality of Bromelain in Some Indonesian Pineapple Fruits, *International Journal of Applied Biology and Pharmaceutical Technology*, **4 (2)**: 235-240.
- Nayeem, N., SMB, A., Salem, H., and AHEI-Alfgy, S. 2016, Gallic Acid: Promising Lead Molecule for Drug Development. *Journal of Applied Pharmacy*, **8(2)**: 1-4 (213).
- Pranoto, S. 2001, 'Pengaruh penambahan coconut dietanolamida dan cocamidopropil betain terhadap stabilitas busa sediaan sabun mandi susu', *Skripsi*, Sarjana Farmasi, Universitas Katolik Widya Mandala, Surabaya.

- Poucher, W. A. 1974, *Modern Cosmetics: Perfumes, Cosmetics and Soaps, 7th ed.*, Chapman and Hall, London.
- Pustaka Arsip Kampar. 2014, Sediaan Gel. Diakses pada 22 Desember 2017, <http://pustaka-arsip.kamparkab.go.id/berita-sediaan-gel.html>.
- Py, C., Lacoeuilhe, and J.J., Teisson, C. 1987, *Pineapple, Cultivation and Uses*. Paperback, Paris.
- Reiger, M. M. 2000, *Harry's Cosmeticology, 8th edition*. Chemical Publishing Co, Boston.
- Remington, J.P. 1995. *The Sciences and Practice of Pharmacy 19th Edition Volume I*. Marck Publishing Company, Easton Pennsylvania.
- Rini, A.R.S., Supartono, and Wijayanti, N. 2017. Hand Sanitizer Ekstrak Kulit Nanas sebagai Antibakteri *Staphylococcus aureus* dan *Escherichia coli*. *Indonesia Journal Chemical Science*, **6(1)**: 61-66.
- Robinson, V. C., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., and Andersen, F. A. 2010. Final report of the amended safety assessment of sodium laureth sulfate and related salts of sulfated ethoxylated alcohols', *International Journal of Toxicology*, **29(3)**:151S-161S.
- Romelle, F.D., P.A.R., and Manohar,- R.S.2016. Chemical Composition of Some Selected Fruit Peels, *European Journal of Food Science and Technology*, **4 (4)**: 12-21.
- Rowe, C., Sheskey, P.J., and Quinn, M.E. 2009. *Handbook of Pharmaceutical Excipients Sixth edition*. Pharmaceutical Press, Washington.
- Salinas, M.L., Ogura, T., and Soffchi, L. 2001. Irritant contact dermatitis caused by needle-like calcium oxalate crystals, raphides, in *Agave tequilana* among workers in tequila distilleries and Agave plantations. *Contact Dermatis*, **44 (2)** : 94-96.
- Sanghi, D.K., and Tiwle, R. 2016, Formulation and Characterization of Herbal Face Wash/Scrubber. *European Journal of Pharmaceutical and Medical Research*, **3(11)**: 274-278.

- Saraswaty, V., Risdian, C., Primadona, I., Andriyani, R., Andayani, D.G.S, and Mozel, T. 2017. Pineapple peel wastes as a potential source of antioxidant compounds. *Earth and Environmental Science*, **60**: 1-5.
- Sayuti K., dan Yenrina R. 2015. *Antioksidan, Alami dan Sintetik*. Andalas University Press, Padang.
- Sharma, O.P., Bhat, T.K., and Singh, B. 1998, Thin-layer chromatography of galic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid. *Journal of Chromatography A*, **822**: 167-171.
- Singh, J. 2008. 'Maceration, percolation and infusion techniques for the extraction of medicinal and aromatic plants' in Handa, S. S., Khanuja, S. P. S., Longo, G., Rakesh D. D. (eds.) *Extraction Technologies for Medicinal and Aromatic Plants*, International Centre for Science and High Technology, Trieste, 67-82.
- Singh, H.P., Samnhotra, N., Gullaiya, S., and Kaur, I. 2015. Anti-Acne Synergistic Herbal Face Gel: Formulation, Evaluation, and Stability Studies, *World Journal of Pharmaceutical Research*, **4(09)**: 1262-1273.
- Soewarna, T. S. 1985, *Penilaian Organoleptis*, Bharatara Karya Aksara, Jakarta.
- Sowmya, K.V., Darsika, C.X., Grace, X.F., Shanmuganathan, 2015. Formulation and Evaluation of Polyherbal Face Wash Gel. *World Journal of Pharmacy and Pharmaceutical Sciences*, **4(06)**: 585-588.
- Stone, H. and Sidel, J.L. 2004, *Sensory Evaluation Practices*. Academic Press, San Diego.
- Tochi, B.N., Wang, Z., Xu, S.Y., and Zhang, W. 2008 Therapeutic application of pineapple protease (bromelain). *Pakistan Journal of Nutrition* **7**: 513–520.
- Ukanwoko, A.I., and Nwachukwu, J. 2017, Nutrient and Anti-Nutritional Composition of Crop Residues and Kitchen Wastes Fed to Small

- Ruminants in Choba, Port Harcourt. *Greener Journal of Agricultural Sciences*, **7(2)**: 054-059.
- Voigt, R. 1995, *Buku Pelajaran Teknologi Farmasi, edisi V*, Diterjemahkan oleh Soewandhi, N. S., Gadjah Mada University Press, Yogyakarta.
- Walter, R.M., Mao, G., Gunn, E.T., and Hornby, S. 2012. Cleansing Formulations That Respect Skin Barrier Integrity. *Dermatology Research and Practice*, **2012**: 1-9.
- World Health Organization. 2008, *Patient Safety: Protocol for Evaluation and Comparison of Tolerability and Acceptability of Different Alcohol-based Handrubs: Method 2*, Geneve: World Health Organization.
- Wulandari, L. 2016, *Kromatografi Lapis Tipis*, Taman Kampus Presindo Pedulian Pelayanan Pendidikan, Jember.
- Yokoi, A., Endo, K., Ozawa, T., Miyaki, M., Matsuo, K., Nozawa, K., Manabe, M., and Takagi, Y., 2014. A cleanser based on sodium lauryl carboxylate and alkyl carboxylates washes facial sebum well but does not induce dry skin. *Journal Cosmetic Dermatology*, **13**: 245-252.
- Yuris, A. 2014, A Comparative Study of the Antioxidant Properties of Three Pineapple (*Ananas comosus* L.) Varieties. *Journal of Food Studies*, **3(1)**: 40-56.