

LAMPIRAN A
PERHITUNGAN METODE DIPS

1. Interaksi antara Captopril dengan KCl

	Pertanyaan no-...										Total	Keterangan
	1	2	3	4	5	6	7	8	9	10		
Nilai	+1	+1	+1	+1	0	0	0	0	0	0	4	Possible

2. Interaksi antara Captopril dengan Antasida

	Pertanyaan no-...										Total	Keterangan
	1	2	3	4	5	6	7	8	9	10		
Nilai	+1	+1	+1	0	0	0	0	0	0	0	3	Possible

3. Interaksi antara Captopril dengan NSAIDs

	Pertanyaan no-...										Total	Keterangan
	1	2	3	4	5	6	7	8	9	10		
Nilai	+1	+1	+1	0	+1	+2	0	0	0	+1	7	Probable

4. Interaksi antara Amlodipin KCl

	Pertanyaan no-...										Total	Keterangan
	1	2	3	4	5	6	7	8	9	10		
Nilai	+1	+1	+1	0	0	0	0	0	0	+1	4	Possible

5. Interaksi antara Nifedipin dengan $MgSO_4$

	Pertanyaan no-...										Total	Keterangan
	1	2	3	4	5	6	7	8	9	10		
Nilai	+1	+1	+1	0	+1	+2	0	0	0	+1	7	Probable



LAMPIRAN B

TABEL INDUK

No.	Inisial Pasien/ Umur /MRS/KRS	Diagnosis/Keluhan utama/Riwayat Penyakit	Data Klinik	Data Laboratorium	Terapi Obat		Terapi Obat Lain
					Obat	Penggunaan	
1	Ny. DH (09.49.04) Umur : 32 th MRS : 12/06/2009 KRS : 15/06/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 22 minggu Keluhan utama : pusing, Mual. Riwayat penyakit : HT	TD : $150/90$ mmHg N : 80 /menit T : 37^0 C RR : 20	Kreatinin : 0,7 mg/dl SGOT : 24 u/L SGPT : 14 u/L Protein urin : ++	R/Captopril 3x25 mg Amlodipin 1x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : batuk, konstipasi, pusing Hari 3 : Tx : tetap Keluhan : batuk, konstipasi, pusing Hari 4 : Tx : tetap Keluhan : batuk, konstipasi, pusing	R/ Infus RL 20 tts/ml Infus RD ₅ Infus KCl Infus SM singledose Antasida 3x1 Aspirin 1x80 mg Roboransia 1x1 Lesichol 2x1 tab
2	Ny. SR (29.59.04) Umur : 20 th MRS : 17/02/2009 KRS : 20/02/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 25 minggu Keluhan utama : pusing, mual, kencang- kencang. Riwayat penyakit : -	TD : $140/90$ mmHg N : 80 /menit T : $37,5^0$ C RR : 28	Kreatinin: 0,75 mg/dl SGOT : 20 u/L SGPT: 8 u/L Protein urin : ++	R/Nifedipin 3x5 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₅ Aspirin 1x80 mg Roboransia 1x1 Kalk 3x500 mg Alinamin-F 3x1 Lesichol 2x1 tab

3	Ny. KT (15.86.00) Umur : 36 th MRS : 06/10/2009 KRS : 08/10/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $160/110$ mmHg N : 80 /menit T : 37^0 C RR : 25	Kreatinin: 0,8 mg/dl SGOT : 14 u/L SGPT: 8 u/L Protein urin : ++++	R/Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus KCl Infus SM singledose Inj. Ceftriaxone 2x1 ampul Antasida 3x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Kalk 3x500 mg Roboransia 1x1 Alinamin-F 3x1
4	Ny. KN (15.04.93) Umur : 20 th MRS : 19/12/2009 KRS : 28/12/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 20 minggu Keluhan utama : pusing Riwayat penyakit : HT	TD : $170/110$ mmHg N : 87 /menit T : $37,5^0$ C RR : 20	Kreatinin: 0,7 mg/dl SGOT : 15 u/L SGPT: 9 u/L Protein urin : ++++	R/Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap Hari 9 : Tx : tetap Hari 10 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RDs Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Lesichol 2x1 tab

5	<p>Ny. IS (14.59.08) Umur : 18 th MRS : 26/03/2009 KRS : 30/03/2009 (Sembuh)</p>	<p>Diagnosis : PEB Usia kehamilan : 34 minggu Keluhan utama : pusing, mual Riwayat penyakit : -</p>	<p>TD : $160/110$ mmHg N : 98 /menit T : 37^0 C RR : 28</p>	<p>Kreatinin: 0,71 mg/dl SGOT : 24 u/L SGPT: 15 u/L Protein urin : ++++</p>	<p>R/Nifedipin 3x5 mg Metildopa 3x250 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : pusing, kesadaran menurun</p> <p>Hari 3 : Tx : tetap Keluhan : pusing, kesadaran menurun</p> <p>Hari 4 : Tx : tetap</p> <p>Keluhan : pusing, kesadaran menurun</p> <p>Hari 5 : Tx : tetap</p>	<p>R/ Infus RD₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Roboransia 1x1 Alinamin-F 3x1</p>
6	<p>Ny. NM (00.46.13) Umur : 38 th MRS : 07/05/2009 KRS : 10/05/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 32 minggu Keluhan utama : pusing, mual, badan lemas. Riwayat penyakit : -</p>	<p>TD : $170/110$ mmHg N : 80 /menit T : $37,5^0$ C RR : 28</p>	<p>Kreatinin: 0,68 mg/dl SGOT : 18 u/L SGPT: 7 u/L Protein urin : ++++</p>	<p>R/Nifedipin 3x5 mg Metildopa 3x250 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p>	<p>R/ Infus RD₅ Inj. Dexamethason 2x16 mg Roboransia 1x1 Alinamin-F 3x1 Lesichol 2x1 tab</p>

7	Ny. WD (02.39.11) Umur : 34 th MRS : 05/06/2009 KRS : 06/06/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 23 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $150/90$ mmHg N : 88 /menit T : 37^0 C RR : 28	Kreatinin: 0,5 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++	R/Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap	R/ Infus RL 20 tts/ml Infus RD ₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Kalk 3x500 mg Alinamin-F 3x1 CaCO ₃ 3x2
8	Ny. AS (02.56.18) Umur : 37 th MRS : 06/08/2009 KRS : 09/08/2009 (Pulang paksa)	Diagnosis : PEB Usia kehamilan : 22 minggu Keluhan utama : pusing, mual Riwayat penyakit : HT	TD : $160/110$ mmHg N : 88 /menit T : 37^0 C RR : 28	Kreatinin: 0,73 mg/dl SGOT : 15 u/L SGPT: 9 u/L Protein urin : ++++	R/Nifedipin 3x10 mg Captopril 3x25 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus RD ₅ Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Lesichol 2x1 tab
9	Ny. N (25.40.29) Umur : 31 th MRS : 14/01/2009 KRS : 16/01/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $150/90$ mmHg N : 80 /menit T : $37,5^0$ C RR : 28	Kreatinin: 0,7 mg/dl SGOT : 17 u/L SGPT: 9 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing, konstipasi Hari 3 : Tx : tetap Keluhan : pusing, konstipasi	R/ Infus RD ₅ Inj. Dexamethason 2x16 mg Infus SM singledose Inj. Ketorolac 3x1 ampul Roboransia 1x1 Lesichol 2x1 tab

10	Ny. SR (25.69.10) Umur : 36 th MRS : 02/04/2009 KRS : 08/04/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 34 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 80 /menit T : 37,5 ⁰ C RR : 26	Kreatinin: 0,75 mg/dl SGOT : 26 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Alinamin-F 3x1
11	Ny. DK (20.93.32) Umur : 19 th MRS : 29/08/2009 KRS : 31/08/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $\frac{180}{110}$ mmHg N : 95 /menit T : 37 ⁰ C RR : 28	Kreatinin: 0,73 mg/dl SGOT : 20 u/L SGPT: 9 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap	R/ Infus RL 20 tts/ml Infus RD _s Inj. Dexamethason 2x16 mg Infus SM singledose Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Alinamin-F 3x1

12	Ny. DM (13.52.49) Umur : 40 th MRS : 09/01/2009 KRS : 14/01/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 23 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $170/110$ mmHg N : 90 /menit T : 37^0 C RR : 28	Kreatinin: 0,67 mg/dl SGOT : 23 u/L SGPT: 14 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap	R/ Infus KCl Infus NS Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1
13	Ny. RH (19.44.67) Umur : 34 th MRS : 17/09/2009 KRS : 21/09/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $140/90$ mmHg N : 80 /menit T : $36,5^0$ C RR : 25	Kreatinin: 0,78 mg/dl SGOT : 20 u/L SGPT: 12 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Keluhan : pusing Hari 4 : Tx : tetap Keluhan : pusing Hari 5 : Tx : tetap	R/ Infus RD ₅ Infus NS Infus SM singledose Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Alinamin-F 3x1 Lesichol 2x1 tab

14	Ny. NW (07.78.81) Umur : 20 th MRS : 23/10/2009 KRS : 27/10/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 20 minggu Keluhan utama : pusing Riwayat penyakit :-	TD : $170/110$ mmHg N : 88 /menit T : 37^0 C RR : 28	Kreatinin: 0,69 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++++	Nifedipin 3x10 mg	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap</p>	R/ Infus RD ₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Kalk 3x500 mg Roboransia 1x1 Alinamin-F 3x1
15	Ny. DT (02.16.77) Umur : 33 th MRS : 04/05/2009 KRS : 14/5/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit :-	TD : $170/110$ mmHg N : 80 /menit T : 37^0 C RR : 28	Kreatinin: 0,71 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : kesadaran menurun, pusing</p> <p>Hari 3 : Tx : tetap Keluhan : kesadaran menurun, pusing</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap Keluhan : kesadaran menurun, pusing</p> <p>Hari 6 : Tx : tetap Keluhan : kesadaran menurun, pusing</p>	R/ Infus RD ₅ Infus NS Infus SM singledose Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Lesichol 2x1 tab

						<p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap Keluhan : kesadaran menurun, pusing</p> <p>Hari 9 : Tx : tetap</p> <p>Hari 10 : Tx : tetap</p>	
16	<p>Ny. MN (24.42.84) Umur : 19 th MRS : 19/04/2009 KRS : 25/04/2009 (Sembuh)</p>	<p>Diagnosis : PEB Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -</p>	<p>TD : $170/110$ mmHg N : 80 /menit T : $36,5^{\circ}$ C RR : 25</p>	<p>Kreatinin: 0,75 mg/dl SGOT : 20 u/L SGPT: 11 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap Keluhan : konstipasi, pusing</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p>	<p>R/ Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Infus SM singledose Inj. Ketorolac 3x1 ampul Roboransia 1x1 Alinamin-F 3x1</p>

17	Ny. KS (29.73.87) Umur : 36 th MRS : 05/03/2009 KRS : 07/03/2009 (Pulang paksa)	Diagnosis : Eklamsia Usia kehamilan : 34 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $210/110$ mmHg N : 95 /menit T : $37,5^0$ C RR : 25	Kreatinin: 0,65 mg/dl SGOT : 21 u/L SGPT: 8 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg MgSO ₄ 50% 10g im	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₅ Antasida 3x1 Kalk 3x500 mg Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Alinamin-F 3x1
18	Ny. RD (26.90.85) Umur : 38 th MRS : 09/05/2009 KRS : 13/05/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 32 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $170/110$ mmHg N : 80 /menit T : 36^0 C RR : 28	Kreatinin: 0,71 mg/dl SGOT : 29 u/L SGPT: 18 u/L Protein urin : ++++	Nifedipin 3x10 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Roboransia 1x1 Alinamin-F 3x1 Lesichol 2x1 tab
19	Ny. EV (31.56.24) Umur : 19 th MRS : 02/04/2009 KRS : 08/04/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 22 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $150/100$ mmHg N : 88 /menit T : $37,5^0$ C RR : 28	Kreatinin: 0,73 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 4 :	R/ Infus RL 20 tts/ml Infus RD ₅ Inj. Dexamethason 2x16 mg Roboransia 1x1 Kalk 3x500 mg Lesichol 2x1 tab

						Tx : tetap Hari 5 : Tx : tetap	
20	Ny. EA (31.40.35) Umur : 40 th MRS : 10/10/2009 KRS : 14/10/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $^{200}/_{110}$ mmHg N : 80 /menit T : 36,5 ⁰ C RR : 25	Kreatinin: 0,7 mg/dl SGOT : 23 u/L SGPT: 15 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RL 20 tts/ml Infus RDs Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Kalk 3x500 mg CaCO ₃ 3x2
21	Ny. SN (29.26.80) Umur : 37 th MRS : 21/04/2009 KRS : 27/04/2009 (Sembuh)	Diagnosis : PER Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $^{140}/_{90}$ mmHg N : 90 /menit T : 37 ⁰ C RR : 28	Kreatinin: 0,64 mg/dl SGOT : 22 u/L SGPT: 16 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus RDs Infus NS Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1

22	Ny. YN (29.72.20) Umur : 20 th MRS : 20/04/2009 KRS : 23/04/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $150/90$ mmHg N : 80 /menit T : $36,5^0$ C RR : 28	Kreatinin: 0,75 mg/dl SGOT : 21 u/L SGPT: 11 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Keluhan : pusing Hari 4 : Tx : tetap	R/ Infus RD ₅ Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1 Kalk 3x500 mg Alinamin-F 3x1 Lesichol 2x1 tab
23	Ny. MJ (01.12.99) Umur : 37 th MRS : 23/09/2009 KRS : 27/09/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 31 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $190/110$ mmHg N : 88 /menit T : $36,5^0$ C RR : 27	Kreatinin: 0,77 mg/dl SGOT : 22 u/L SGPT: 13 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Antasida 3x1 Aspirin 1x80 mg Kalk 3x500 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Alinamin-F 3x1
24	Ny. MK (32.46.61) Umur : 37 th MRS : 11/03/2009 KRS : 20/03/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $200/110$ mmHg N : 90 /menit T : 37^0 C RR : 28	Kreatinin: 0,76 mg/dl SGOT : 25 u/L SGPT: 14 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Keluhan : pusing	R/ Infus NS Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Alinamin-F 3x1

						Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap Hari 9 : Tx : tetap Hari 10 : Tx : tetap	
25	Ny. SC (32.05.88) Umur : 35 th MRS : 06/05/2009 KRS : 10/05/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $140/90$ mmHg N : 80 /menit T : $36,5^0$ C RR : 28	Kreatinin: 0,77 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD _s Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Inj. Vit. E 1x200
26	Ny. NI (21.79.00) Umur : 36 th MRS : 28/10/2009 KRS :	Diagnosis : Eklamsia Usia kehamilan : 35 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $200/110$ mmHg N : 100 /menit T : $37,5^0$ C RR : 28	Kreatinin: 0,72 mg/dl SGOT : 29 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap	R/ Infus RL 20 tts/ml Infus RD _s Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul

	01/11/2009 (Sembuh)					Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	Roboransia 1x1 Kalk 3x500 mg Alinamin-F 3x1 Lesichol 2x1 tab
27	Ny. WY (30.65.51) Umur : 32 th MRS : 23/09/2009 KRS : 26/09/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $150/100$ mmHg N : 80 /menit T : $36,5^{\circ}$ C RR : 28	Kreatinin: 0,7 mg/dl SGOT : 20 u/L SGPT: 9 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Keluhan : pusing Hari 4 : Tx : tetap	R/ Infus RD ₅ Inj. Ceftriaxone 2x1 ampul Inj. Dexamethason 2x16 mg Infus SM singledose Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1 Alinamin-F 3x1
28	Ny. AP (02.90.58) Umur : 38 th MRS : 19/07/2009 KRS : 22/07/2009 (Sembuh)	Diagnosis : PER Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $150/90$ mmHg N : 88 /menit T : 36° C RR : 20	Kreatinin: 0,72 mg/dl SGOT : 22 u/L SGPT: 10 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Keluhan : pusing Hari 4 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₅ Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1

29	Ny. TA (09.29.97) Umur : 37 th MRS : 17/02/2009 KRS : 20/02/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 90 /menit T : 36,5 ⁰ C RR : 28	Kreatinin: 0,71 mg/dl SGOT : 23 u/L SGPT: 12 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus RD ₅ Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Vit. C 3x1 Kalk 3x500 mg Alinamin-F 3x1 Lesichol 2x1 tab
30	Ny. MY (30.48.91) Umur : 36 th MRS : 07/12/2009 KRS : 10/12/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 35 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 100 /menit T : 36,5 ⁰ C RR : 28	Kreatinin: 0,68 mg/dl SGOT : 25 u/L SGPT: 16 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus RD ₅ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1 Alinamin-F 3x1
31	Ny. SR (30.30.96) Umur : 34 th MRS : 10/05/2009 KRS : 12/05/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{150}{100}$ mmHg N : 80 /menit T : 36 ⁰ C RR : 28	Kreatinin: 0,74 mg/dl SGOT : 23 u/L SGPT: 14 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap	R/ Infus RD ₅ Inj. Ketorolac 3x1 Infus SM singledose ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Kalk 3x500 mg Vitaneuron 1x1 tab Inj. Vit. E 1x200 CaCO ₃ 3x2

32	Ny. PH (30.23.43) Umur : 19 th MRS : 16/06/2009 KRS : 19/06/2009 (Sembuh)	Diagnosis : PER Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $150/90$ mmHg N : 88 /menit T : $36,5^0$ C RR : 25	Kreatinin: 0,7 mg/dl SGOT : 20 u/L SGPT: 11 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Keluhan : pusing Hari 4 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RDs Inj. Dexamethason 2x16 mg Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Alinamin-F 3x1
33	Ny. FH (31.70.22) Umur : 33 th MRS : 22/07/2009 KRS : 25/07/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 34 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $140/90$ mmHg N : 80 /menit T : $36,5^0$ C RR : 28	Kreatinin: 0,66 mg/dl SGOT : 21 u/L SGPT: 10 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus NS Infus SM singledose Inj. Ampicilin 4x1g Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1
34	Ny. EU (30.41.39) Umur : 26 th MRS : 22/05/2009 KRS : 27/05/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 28 minggu Keluhan utama : pusing, mual Riwayat penyakit : HT, DM	TD : $150/100$ mmHg N : 80 /menit T : $36,5^0$ C RR : 28	Kreatinin: 0,79 mg/dl SGOT : 23 u/L SGPT: 15 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing Hari 3 : Tx : tetap Hari 4 : Tx : tetap Keluhan : pusing	R/ Infus RDs Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Infus SM singledose Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
35	Ny. KA (29.73.87) Umur : 39 th MRS : 05/03/2009 KRS : 07/03/2009 (Pulang paksa)	Diagnosis : Eklamsia Usia kehamilan : 38 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 106 /menit T : 37,5 ⁰ C RR : 28	Kreatinin: 0,73 mg/dl SGOT : 21 u/L SGPT: 12 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₅ Inj. Dexamethason 2x16 mg Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200 Lesichol 2x1 tab
36	Ny. RD (26.90.85) Umur : 37 th MRS : 09/05/2009 KRS : 13/05/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 108 /menit T : 36,5 ⁰ C RR : 28	Kreatinin: 0,69 mg/dl SGOT : 29 u/L SGPT: 16 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200

37	Ny. MJ (01.12.99) Umur : 40 th MRS : 23/09/2009 KRS : 27/09/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : ¹⁹⁰ / ₁₁₀ mmHg N : 80 /menit T : 36,5 ⁰ C RR : 28	Kreatinin: 0,71 mg/dl SGOT : 20 u/L SGPT: 13 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : pusing, konstipasi Hari 3 : Tx : tetap Keluhan : pusing, konstipasi Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₃ Antasida 3x1 Kalk 3x500 mg Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1
38	Ny. MH (32.46.61) Umur : 36 th MRS : 11/03/2009 KRS : 20/03/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : ²⁰⁰ / ₁₁₀ mmHg N : 90 /menit T : 37,5 ⁰ C RR : 20	Kreatinin: 0,72 mg/dl SGOT : 22 u/L SGPT: 16 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₃ Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200

						Hari 9 : Tx : tetap Hari 10 : Tx : tetap	
39	Ny. ES (02.85.37) Umur : 38 th MRS : 23/10/2009 KRS : 28/10/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 38 minggu Keluhan utama : pusing, mual Riwayat penyakit : HT	TD : $\frac{200}{110}$ mmHg N : 90 /menit T : 38 ^o C RR : 20	Kreatinin: 0,7 mg/dl SGOT : 27 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap	R/ Infus KCl Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab
40	Ny. FU (00.09.29) Umur : 40 th MRS : 20/01/2009 KRS : 22/01/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 28 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $\frac{150}{100}$ mmHg N : 80 /menit T : 37 ^o C RR : 20	Kreatinin: 0,69 mg/dl SGOT : 29 u/L SGPT: 18 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus RD ₅ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Roboransia 1x1 Vit. C 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200

41	Ny. AO (30.53.91) Umur : 40 th MRS : 07/06/2009 KRS : 15/06/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 35 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $^{200}/_{110}$ mmHg N : 100 /menit T : 37,5 ⁰ C RR : 20	Kreatinin: 0,72 mg/dl SGOT : 22 u/L SGPT: 10 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap Hari 9 : Tx : tetap	R/ Infus RD ₃ Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab CaCO ₃ 3x2
42	Ny. SM (31.04.45) Umur : 18 th MRS : 13/11/2009 KRS : 21/11/2009 (Membaik)	Diagnosis : PER Usia kehamilan : 21 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $^{150}/_{100}$ mmHg N : 80 /menit T : 36 ⁰ C RR : 28	Kreatinin: 0,7 mg/dl SGOT : 26 u/L SGPT: 17 u/L Protein urin : ++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 :	R/ Infus KCl Infus SM singledose Inj. Ampicilin 4x1g Inj. Dexamethason 2x16 mg Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200

						<p>Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p> <p>Hari 9 : Tx : tetap</p>	
43	<p>Ny. KU (07.17.19) Umur : 38 th MRS : 29/08/2009 KRS : 31/08/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 28 minggu Keluhan utama : pusing Riwayat penyakit : -</p>	<p>TD : $\frac{160}{110}$ mmHg N : 84 /menit T : 36^o C RR : 28</p>	<p>Kreatinin: 0,77 mg/dl SGOT : 27 u/L SGPT: 16 u/L Protein urin : ++++</p>	<p>Nifedipin 3x5 mg Metildopa 3x250 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : kesadaran menurun</p> <p>Hari 3 : Tx : tetap</p>	<p>R/ Infus RD₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200 CaCO₃ 3x2</p>
44	<p>Ny. SL (01.44.02) Umur : 38 th MRS : 10/05/2009 KRS : 17/05/2009 (Sembuh)</p>	<p>Diagnosis : Eklamsia Usia kehamilan : 42 minggu Keluhan utama : pusing, mial Riwayat penyakit : HT</p>	<p>TD : $\frac{200}{110}$ mmHg N : 106 /menit T : 38^o C RR : 28</p>	<p>Kreatinin: 0,75 mg/dl SGOT : 20 u/L SGPT: 11 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg MgSO₄ 50% 10 g i.m.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 :</p>	<p>R/ Infus RD₅ Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Kalk 3x500 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1</p>

						<p>Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p>	
45	<p>Ny. NM (00.46.13) Umur : 36 th MRS : 23/07/2009 KRS : 29/07/2009 (Membaik)</p>	<p>Diagnosis : Eklamsia Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -</p>	<p>TD : ²⁰⁰/₁₁₀ mmHg N : 105 /menit T : 36⁰ C RR : 28</p>	<p>Kreatinin: 0,63 mg/dl SGOT : 28 u/L SGPT: 18 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg MgSO₄ 50% 10 g i.m.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p>	<p>R/ Inj. Ceftriaxone 2x1 ampul Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200</p>
46	<p>Ny. LN (24.11.59) Umur : 36 th MRS : 06/09/2009 KRS : 11/09/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -</p>	<p>TD : ¹⁹⁰/₁₁₀ mmHg N : 88 /menit T : 36⁰ C RR : 18</p>	<p>Kreatinin: 0,77 mg/dl SGOT : 25 u/L SGPT: 18 u/L Protein urin : ++++</p>	<p>Nifedipin 3x5 mg MgSO₄ 50% 10 g i.m.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap Keluhan : pusing</p>	<p>R/ Infus RD₅ Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab</p>

						Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
47	Ny. IN (12.02.44) Umur : 34 th MRS : 01/06/2009 KRS : 03/06/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 108 /menit T : 37 ⁰ C RR : 20	Kreatinin: 0,73 mg/dl SGOT : 22 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Inj. Ceftriaxone 2x1 ampul Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Kalk 3x500 mg Vitaneuron 1x1 tab Inj. Vit. E 1x200
48	Ny. ID (14.80.45) Umur : 38 th MRS : 09/06/2009 KRS : 13/06/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{190}{110}$ mmHg N : 88 /menit T : 36 ⁰ C RR : 18	Kreatinin: 0,74 mg/dl SGOT : 23 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₃ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200 CaCO ₃ 3x2

49	Ny. LS (10.45.32) Umur : 18 th MRS : 16/05/2009 KRS : 23/05/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 28 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $^{160}/_{110}$ mmHg N : 92 /menit T : 37 ⁰ C RR : 20	Kreatinin: 0,73 mg/dl SGOT : 20 u/L SGPT: 12 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Inj. Ampicilin 4x1g Infus SM singledose Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1 Vitaneuron 1x1 tab Lesichol 2x1 tab
50	Ny. YW (25.52.09) Umur : 37 th MRS : 02/02/2009 KRS : 12/02/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $^{200}/_{110}$ mmHg N : 106 /menit T : 37,5 ⁰ C RR : 20	Kreatinin: 0,79 mg/dl SGOT : 26 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200

						<p>Hari 8 : Tx : tetap</p> <p>Hari 9 : Tx : tetap</p> <p>Hari 10 : Tx : tetap</p> <p>Hari 11 : Tx : tetap</p>	
51	<p>Ny. IL (07.63.05) Umur : 20 th MRS : 04/10/2009 KRS : 11/10/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 27 minggu Keluhan utama : pusing, mual Riwayat penyakit : -</p>	<p>TD : $160/100$ mmHg N : 92 /menit T : 37⁰ C RR : 20</p>	<p>Kreatinin: 0,67 mg/dl SGOT : 29 u/L SGPT: 18 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p>	<p>R/ Inj. Ampicilin 4x1g Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200</p>

52	Ny. PL (01.42.03) Umur : 38 th MRS : 09/04/2009 : KRS : 16/04/2009 : (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 28 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 108 /menit T : 37 ⁰ C RR : 20	Kreatinin: 0,78 mg/dl SGOT : 25 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RDs Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200
53	Ny. SA (12.68.04) Umur : 26 th MRS : 28/02/2009 : KRS : 05/03/2009 : (Membaik)	Diagnosis : PEB Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{180}{110}$ mmHg N : 80 /menit T : 36 ⁰ C RR : 18	Kreatinin: 0,76 mg/dl SGOT : 27 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Keluhan : kesadaran menurun, pusing Hari 4 : Tx : tetap Keluhan : kesadaran menurun, pusing	R/ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 Kalk 3x500 mg ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Inj. Vit. E 1x200

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
54	Ny. NY (30.27.71) Umur : 32 th MRS : 04/07/2009 KRS : 14/07/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 32 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 84 /menit T : 38 ⁰ C RR : 18	Kreatinin: 0,8 mg/dl SGOT : 28 u/L SGPT: 20 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap Hari 9 : Tx : tetap Hari 10 : Tx : tetap Hari 11 : Tx : tetap	R/ Infus RD ₃ Inj. Dexamethason 2x16 mg Infus SM singledose Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Vitaneuron 1x1 tab Vitaneuron 1x1 tab

55	Ny. ST (15.65.77) Umur : 32 th MRS : 30/05/2009 KRS : 04/06/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $160/100$ mmHg N : 80 /menit T : 36° C RR : 18	Kreatinin: 0,77 mg/dl SGOT : 23 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200
56	Ny. SW (15.76.67) Umur : 18 th MRS : 14/08/2009 KRS : 16/08/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 30 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $160/110$ mmHg N : 84 /menit T : 36° C RR : 18	Kreatinin: 0,73 mg/dl SGOT : 27 u/L SGPT: 18 u/L Protein urin : ++++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1
57	Ny. NN (29.24.62) Umur : 21 th MRS : 01/04/2009 KRS : 14/04/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 24 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $180/100$ mmHg N : 84 /menit T : 36° C RR : 18	Kreatinin: 0,78 mg/dl SGOT : 26 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x5 mg MgSO ₄ 20% 4 g i.v.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 :	R/ Infus RD ₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Vit. C 3x1 Alinamin-F 3x1 Vitaneuron 1x1 tab Vitaneuron 1x1 tab Inj. Vit. E 1x200

						<p>Tx : tetap</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p> <p>Hari 9 : Tx : tetap</p> <p>Hari 10 : Tx : tetap</p> <p>Hari 11 : Tx : tetap</p> <p>Hari 12 : Tx : tetap</p> <p>Hari 13 : Tx : tetap</p> <p>Hari 14 : Tx : tetap</p>	
58	<p>Ny. FT (05.39.92) Umur : 19 th MRS : 05/09/2009 KRS : 18/09/2009 (Membaik)</p>	<p>Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : HT</p>	<p>TD : ²⁰⁰/₁₁₀ mmHg N : 100 /menit T : 37^o C RR : 24</p>	<p>Kreatinin: 0,79 mg/dl SGOT : 26 u/L SGPT: 19 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg MgSO₄ 50% 10 g i.m.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p>	<p>R/ Infus RL 20 tts/ml Infus SM singledose Infus RD_s Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab</p>

						<p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p> <p>Hari 9 : Tx : tetap</p> <p>Hari 10 : Tx : tetap</p> <p>Hari 11 : Tx : tetap</p> <p>Hari 12 : Tx : tetap</p> <p>Hari 13 : Tx : tetap</p> <p>Hari 14 : Tx : tetap</p>	
59	<p>Ny. FS (29.68.89) Umar : 40 th MRS : 28/02/2009 KRS : 13/03/2009 (Membaik)</p>	<p>Diagnosis : Eklamsia Usia kehamilan : 32 minggu Keluhan utama : pusing, mual Riwayat penyakit : -</p>	<p>TD : ²⁰⁰/₁₁₀ mmHg N : 84 /menit T : 36⁰ C RR : 18</p>	<p>Kreatinin: 0,75 mg/dl SGOT : 29 u/L SGPT: 17 u/L Protein urin : +++++</p>	<p>Nifedipin 3x10 mg MgSO₄ 50% 10 g i.m.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap</p> <p>Hari 3 : Tx : tetap</p> <p>Hari 4 : Tx : tetap</p>	<p>R/ Infus RD₃ Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Inj. Vit. E 1x200</p>

						<p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap</p> <p>Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p> <p>Hari 9 : Tx : tetap</p> <p>Hari 10 : Tx : tetap</p> <p>Hari 11 : Tx : tetap</p> <p>Hari 12 : Tx : tetap</p> <p>Hari 13 : Tx : tetap</p> <p>Hari 14 : Tx : tetap</p>	
60	<p>Ny. WM (27.76.93) Umur : 20 th MRS : 07/07/2009 KRS : 14/07/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -</p>	<p>TD : $^{160}/_{110}$ mmHg N : 100 /menit T : 37^o C RR : 24</p>	<p>Kreatinin: 0,69 mg/dl SGOT : 26 u/L SGPT: 15 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : pusing, konstipasi</p> <p>Hari 3 : Tx : tetap</p>	<p>R/ Infus RD₃ Infus SM singledose Inj. Ampicilin 4x1g Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Vit. C 3x1</p>

						<p>Hari 4 : Tx : tetap Keluhan : pusing, konstipasi</p> <p>Hari 5 : Tx : tetap</p> <p>Hari 6 : Tx : tetap Hari 7 : Tx : tetap</p> <p>Hari 8 : Tx : tetap</p>	
61	<p>Ny. WW (30.16.09) Umur : 24 th MRS : 18/06/2009 KRS : 20/06/2009 (Sembuh)</p>	<p>Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -</p>	<p>TD : $\frac{180}{100}$ mmHg N : 88 /menit T : 37⁰ C RR : 20</p>	<p>Kreatinin: 0,78 mg/dl SGOT : 23 u/L SGPT: 19 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg MgSO₄ 20% 4 g i.v.</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : pusing</p> <p>Hari 3 : Tx : tetap</p>	<p>R/ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200</p>
62	<p>Ny. NY (30.66.28) Umur : 28 th MRS : 17/09/2009 KRS : 23/09/2009 (Membaik)</p>	<p>Diagnosis : PEB Usia kehamilan : 27 minggu Keluhan utama : pusing Riwayat penyakit : HT</p>	<p>TD : $\frac{170}{110}$ mmHg N : 84 /menit T : 37⁰ C RR : 23</p>	<p>Kreatinin: 0,65 mg/dl SGOT : 23 u/L SGPT: 19 u/L Protein urin : ++++</p>	<p>Nifedipin 3x10 mg Captopril 3x25 mg</p>	<p>Hari 1 : Tx : Diet TKTP, Tx obat</p> <p>Hari 2 : Tx : tetap Keluhan : batuk</p> <p>Hari 3 : Tx : tetap Keluhan : batuk</p> <p>Hari 4 : Tx : tetap</p>	<p>R/ Infus RD₅ Infus KCl Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab</p>

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	
63	Ny. DD (30.01.28) Umur : 18 th MRS : 20/03/2009 KRS : 27/03/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 29 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 88 /menit T : 37 ⁰ C RR : 20	Kreatinin: 0,77 mg/dl SGOT : 22 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₃ Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab
64	Ny. US (30.31.75) Umur : 31 th MRS : 14/07/2009 KRS : 16/07/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{180}{110}$ mmHg N : 84 /menit T : 37 ⁰ C RR : 23	Kreatinin: 0,7 mg/dl SGOT : 25 u/L SGPT: 14 u/L Protein urin : ++++	Nifedipin 3x10 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun	R/ Infus RL 20 tts/ml Infus SM singledose Infus RD ₃ Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Kalk 3x500 mg

						Hari 3 : Tx : tetap	Vitaneuron 1x1 tab Inj. Vit. E 1x200
65	Ny. MU (25.35.37) Umur : 37 th MRS : 09/06/2009 KRS : 17/06/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : ²⁰⁰ / ₁₁₀ mmHg N : 116 /menit T : 37,2 ⁰ C RR : 26	Kreatinin: 0,76 mg/dl SGOT : 28 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap Hari 8 : Tx : tetap Hari 9 : Tx : tetap	R/ Infus RD ₅ Inj. Ampicilin 4x1g Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vitaneuron 1x1 tab
66	Ny. RY (30.89.25) Umur : 19 th MRS : 24/07/2009 KRS : 29/07/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : ¹⁶⁰ / ₁₁₀ mmHg N : 84 /menit T : 37 ⁰ C RR : 23	Kreatinin: 0,71 mg/dl SGOT : 25 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Kalk 3x500 mg Vitaneuron 1x1 tab Inj. Vit. E 1x200

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
67	Ny. YN (30.49.63) Umur : 20 th MRS : 03/06/2009 KRS : 05/06/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : ²⁰⁰ / ₁₁₀ mmHg N : 80 /menit T : 37 ⁰ C RR : 28	Kreatinin: 0,76 mg/dl SGOT : 25 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap	R/ Infus RD _s Infus KCl Infus SM singledose Inj. Ceftriaxone 2x1 ampul Inj. Ketorolac 3x1 ampul Roboransia 1x1 Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200
68	Ny. RO (16.70.18) Umur : 39 th MRS : 21/05/2009 KRS : 29/05/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 28 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : ²⁰⁰ / ₁₁₀ mmHg N : 80 /menit T : 37,5 ⁰ C RR : 28	Kreatinin: 0,72 mg/dl SGOT : 22 u/L SGPT: 16 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus KCl Infus SM singledose Inj. Ampicilin 4x1g Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Kalk 3x500 mg Vitaneuron 1x1 tab

						Hari 8 : Tx : tetap Hari 9 : Tx : tetap	
69	Ny. NW (25.98.82) Umur : 30 th MRS : 11/08/2009 KRS : 17/08/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 23 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $160/110$ mmHg N : 70 /menit T : 36^0 C RR : 28	Kreatinin: 0,79 mg/dl SGOT : 25 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus RD _s Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Roboransia 1x1 Vit. C 3x1 Kalk 3x500 mg Vitaneuron 1x1 tab Inj. Vit. E 1x200
70	Ny. SN (24.90.28) Umur : 20 th MRS : 06/02/2009 KRS : 11/02/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $170/110$ mmHg N : 80 /menit T : 37^0 C RR : 28	Kreatinin: 0,67 mg/dl SGOT : 25 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap Keluhan : kesadaran menurun Hari 4 : Tx : tetap	R/ Infus RL 20 tts/ml Infus SM singledose Inj. Ceftriaxone 2x1 ampul Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Inj. Vit. E 1x200

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
71	Ny. SR (29.59.04) Umur : 20 th MRS : 17/02/2009 KRS : 23/02/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 80/menit T : 38 ⁰ C RR : 28	Kreatinin: 0,74 mg/dl SGOT : 27 u/L SGPT: 19 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap Hari 6 : Tx : tetap Hari 7 : Tx : tetap	R/ Infus RD ₅ Inj. Ampicilin 4x1g Infus SM singledose Aspirin 1x80 mg Inj. Dexamethason 2x16 mg Kalk 3x500 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1
72	Ny. FS (29.68.89) Umur : 19 th MRS : 28/02/2009 KRS : 05/03/2009 (Sembuh)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{160}{110}$ mmHg N : 80/menit T : 37,5 ⁰ C RR : 28	Kreatinin: 0,69 mg/dl SGOT : 22 u/L SGPT: 17 u/L Protein urin : ++++	Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap Hari 4 : Tx : tetap Keluhan : kesadaran menurun	R/ Infus RD ₅ Ranitidin 2x1 Infus SM singledose Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
73	Ny. YY (32.35.41) Umur : 19 th MRS : 25/06/2009 KRS : 29/06/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $180/110$ mmHg N : 80 /menit T : $37,5^0$ C RR : 25	Kreatinin: 0,7 mg/dl SGOT : 23 u/L SGPT: 18 u/L Protein urin : ++++	Nifedipin 3x5 mg Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap Hari 4 : Tx : tetap Keluhan : kesadaran menurun Hari 5 : Tx : tetap	R/ Inj. Ceftriaxone 2x1 Infus SM singledose Inj. Dexamethason 2x16 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vitaneuron 1x1 tab Inj. Vit. E 1x200
74	Ny. RN (33.53.49) Umur : 34 th MRS : 02/07/2009 KRS : 07/07/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 27 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $160/110$ mmHg N : 80 /menit T : 37^0 C RR : 27	Kreatinin: 0,76 mg/dl SGOT : 27 u/L SGPT: 17 u/L Protein urin : ++++	Metildopa 3x250 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Keluhan : kesadaran menurun Hari 3 : Tx : tetap Keluhan : kesadaran menurun Hari 4 : Tx : tetap Keluhan : kesadaran menurun	R/ Infus RD ₅ Inj. Ceftriaxone 2x1 ampul Roboransia 1x1 Infus SM singledose Kalk 3x500 mg Vit. C 3x1 Vitaneuron 1x1 tab

						Hari 5 : Tx : tetap Hari 6 : Tx : tetap	
75	Ny. NU (01.38.27) Umur : 19 th MRS : 26/07/2009 KRS : 30/07/2009 (Sembuh)	Diagnosis : Eklamsia Usia kehamilan : 42 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{200}{110}$ mmHg N : 80/menit T : 37,5 ⁰ C RR : 28	Kreatinin: 0,79 mg/dl SGOT : 29 u/L SGPT: 18 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Inj. Ampicilin 4x1g Infus SM singledose Ranitidin 2x1 Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Inj. Vit. E 1x200
76	Ny. SM (34.46.20) Umur : 20 th MRS : 09/11/2009 KRS : 13/11/2009 (Membaik)	Diagnosis : PEB Usia kehamilan : 38 minggu Keluhan utama : pusing Riwayat penyakit : -	TD : $\frac{160}{110}$ mmHg N : 85/menit T : 37,5 ⁰ C RR : 20	Kreatinin: 0,7 mg/dl SGOT : 20 u/L SGPT: 17 u/L Protein urin : ++++	Nifedipin 3x10 mg	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Inj. Ceftriaxone 2x1 ampul Ranitidin 2x1 Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1 Inj. Vit. E 1x200

77	Ny. SE (33.41.00) Umur : 38 th MRS : 25/11/2009 KRS : 29/11/2009 (Membaik)	Diagnosis : Eklamsia Usia kehamilan : 36 minggu Keluhan utama : pusing, mual Riwayat penyakit : -	TD : $200/110$ mmHg N : 80 /menit T : 38^0 C RR : 28	Kreatinin: 0,77 mg/dl SGOT : 23 u/L SGPT: 16 u/L Protein urin : ++++	Nifedipin 3x10 mg MgSO ₄ 50% 10 g i.m.	Hari 1 : Tx : Diet TKTP, Tx obat Hari 2 : Tx : tetap Hari 3 : Tx : tetap Hari 4 : Tx : tetap Hari 5 : Tx : tetap	R/ Infus RD ₅ Infus SM singledose Inj. Ampicilin 4x1g Aspirin 1x80 mg Inj. Ketorolac 3x1 ampul Roboransia 1x1 Vit. C 3x1
----	---	--	---	---	--	---	---