

BAB V

KESIMPULAN

Menipisnya ketersediaan bahan bakar tidak terbarukan dan dampak buruk dari penggunaannya menjadi alasan pengembangan bahan bakar terbarukan semakin menjanjikan. Bioetanol dapat menjadi salah satu alternatif dari penggunaan bahan bakar tidak terbarukan dengan kelebihanannya yang ramah lingkungan dan bahan baku pembuatannya yang tersedia. Disamping itu, proses pembuatan bioetanol juga tidak memerlukan proses yang rumit dan biaya yang besar, Sehingga desain proses pembuatan bioetanol dapat menjadi jawaban dari isu lingkungan dan keberlanjutan sumber energi.

DAFTAR PUSTAKA

1. Sukaryo, S. and S. Purwaningrum, *PEMBUATAN BIOETANOL DARI ECENG GONDOK (Eichhornia crassipes) DENGAN PROSES FERMENTASI*. Neo Teknika, 2016. **2**.
2. Suharyati, S.H.P., Jamaludin Lastiko Wibowo, Nurina Indah Pratiwi, *Indonesia Energy Outlook 2019*, S.J.D.E. Nasional, Editor. 2019. p. 36.
3. Musa, I.A., *The effects of alcohol to oil molar ratios and the type of alcohol on biodiesel production using transesterification process*. Egyptian Journal of Petroleum, 2016. **25**(1): p. 21-31.
4. Mohanty, S.K., S. Behera, M.R. Swain, and R.C. Ray, *Bioethanol production from mahula (Madhuca latifolia L.) flowers by solid-state fermentation*. Applied Energy, 2009. **86**(5): p. 640-644.
5. Bote, M.A., V.R. Naik, and K.B. Jagadeeshgouda, *Review on water hyacinth weed as a potential bio fuel crop to meet collective energy needs*. Materials Science for Energy Technologies, 2020. **3**: p. 397-406.
6. Ansar, Sukmawaty, S.H. Abdullah, Nazaruddin, and E. Safitri, *Physical and Chemical Properties of a Mixture Fuel between Palm Sap (Arenga pinnata Merr) Bioethanol and Premium Fuel*. ACS Omega, 2020. **5**(22): p. 12745-12750.
7. Zhang, Q., C. Weng, H. Huang, V. Achal, and D. Wang, *Optimization of Bioethanol Production Using Whole Plant of Water Hyacinth as Substrate in Simultaneous Saccharification and Fermentation Process*. Frontiers in Microbiology, 2016. **6**.
8. Yan, J., Z. Wei, Q. Wang, M. He, S. Li, and C. Irbis, *Bioethanol production from sodium hydroxide/hydrogen peroxide-pretreated water hyacinth via simultaneous saccharification and fermentation with a newly isolated thermotolerant Kluyveromyces marxianu strain*. Bioresource Technology, 2015. **193**: p. 103-109.
9. Ismail, M., S.G. Compton, and M. Brooks, *Interaction between temperature and water nutrient levels on the fitness of Eccritotarsus catarinensis (Hemiptera: Miridae), a biological control agent of water hyacinth*. Biological Control, 2017. **106**: p. 83-88.
10. Vásquez, M.P., J.N. da Silva, M.B. de Souza, Jr., and N. Pereira, Jr., *Enzymatic hydrolysis optimization to ethanol production by simultaneous saccharification and fermentation*. Appl Biochem Biotechnol, 2007. **137-140**(1-12): p. 141-53.
11. Appusamy, M.v. and N. R T, *Bioethanol Production From Aquatic Weed Water Hyacinth (Eichhornia crassipes) by Yeast Fermentation*. Waste and Biomass Valorization, 2015. **6**.
12. Ewanick, S. and R. Bura, *1 - Hydrothermal pretreatment of lignocellulosic biomass*, in *Bioalcohol Production*, K. Waldron, Editor. 2010, Woodhead Publishing. p. 3-23.
13. Lei, H., I. Cybulska, and J.J.J.o.S.B.S. Julson, *Hydrothermal Pretreatment of Lignocellulosic Biomass and Kinetics*. 2013. **03**: p. 250-259.
14. Tesfaw, A. and F. Assefa, *Current Trends in Bioethanol Production by <i>Saccharomyces cerevisiae</i>: Substrate, Inhibitor Reduction, Growth Variables, Coculture, and Immobilization*. International Scholarly Research Notices, 2014. **2014**: p. 532852.
15. Balat, M., *Production of bioethanol from lignocellulosic materials via the biochemical pathway: A review*. Energy Conversion and Management, 2011. **52**(2): p. 858-875.
16. Demirbas, A., *Biofuels sources, biofuel policy, biofuel economy and global biofuel projections*. Energy Conversion and Management, 2008. **49**(8): p. 2106-2116.
17. Chen, L., K. Gao, C. Zhang, and W. Lang, *Chapter 2 - Alternative fuels for IC engines and jet engines and comparison of their gaseous and particulate matter emissions*, in *Advanced Biofuels*, A.K. Azad and M. Rasul, Editors. 2019, Woodhead Publishing. p. 17-64.
18. Balat, M., *Bioethanol as a Vehicular Fuel: A Critical Review*. Energy Sources Part A-recovery Utilization and Environmental Effects, 2009. **31**: p. 1242-1255.

19. Pasadakis, N., V. Gaganis, and C. Foteinopoulos, *Octane number prediction for gasoline blends*. Fuel Processing Technology, 2006. **87**(6): p. 505-509.
20. Balat, M. and H. Balat, *Recent trends in global production and utilization of bio-ethanol fuel*. Applied Energy, 2009. **86**(11): p. 2273-2282.
21. Pejin, D., L.J. Mojović, V. Vučurović, J. Pejin, S. Denčić, and M. Rakin, *Fermentation of wheat and triticale hydrolysates: A comparative study*. Fuel, 2009. **88**(9): p. 1625-1628.
22. John, R.P., G.S. Anisha, K.M. Nampoothiri, and A. Pandey, *Micro and macroalgal biomass: A renewable source for bioethanol*. Bioresource Technology, 2011. **102**(1): p. 186-193.
23. Demirbaş, A., *Producing and Using Bioethanol as an Automotive Fuel*. Energy Sources, Part B: Economics, Planning, and Policy, 2007. **2**: p. 391-401.
24. Celik, M.B., *Experimental determination of suitable ethanol-gasoline blend rate at high compression ratio for gasoline engine*. Applied Thermal Engineering, 2008. **28**(5): p. 396-404.
25. Kang, Q., L. Appels, T. Tan, and R. Dewil, *Bioethanol from Lignocellulosic Biomass: Current Findings Determine Research Priorities*. The Scientific World Journal, 2014. **2014**: p. 298153.
26. Demirbas, M., M. Balat, and H. Balat, *Potential Contribution of Biomass to the Sustainable Energy Development*. Energy Conversion and Management, 2009. **50**: p. 1746-1760.
27. Brodeur, G., E. Yau, K. Badal, J. Collier, K.B. Ramachandran, and S. Ramakrishnan, *Chemical and Physicochemical Pretreatment of Lignocellulosic Biomass: A Review*. Enzyme Research, 2011. **2011**: p. 787532.
28. Mishima, D., M. Kuniki, K. Sei, S. Soda, M. Ike, and M. Fujita, *Ethanol production from candidate energy crops: water hyacinth (*Eichhornia crassipes*) and water lettuce (*Pistia stratiotes* L.)*. Bioresour Technol, 2008. **99**(7): p. 2495-500.
29. Gnansounou, E., D. Bedniaguine, and A. Dauriat, *Promoting Bioethanol Production through Clean Development Mechanism: Findings and lessons learnt from ASIATIC project*. 2005.
30. Mojović, L., D. Pejin, O. Grujić, M. Sinisa, J. Pejin, M. Rakin, M. Vukasinovic, S. Nikolić Poligenis, and D. Savic, *Progress in the production of bioethanol on starch-based feedstock*. Chemical Industry and Chemical Engineering Quarterly, 2009. **15**: p. 211-226.
31. Sindhu, R., P. Binod, A. Pandey, A. Madhavan, J.A. Alphonsa, N. Vivek, E. Gnansounou, E. Castro, and V. Faraco, *Water hyacinth a potential source for value addition: An overview*. Bioresource Technology, 2017. **230**: p. 152-162.
32. Elsamadony, M. and A. Tawfik, *Maximization of hydrogen fermentative process from delignified water hyacinth using sodium chlorite*. Energy Conversion and Management, 2018. **157**: p. 257-265.
33. Ruan, Z., X. Wang, Y. Liu, and W. Liao, *Chapter 3 - Corn*, in *Integrated Processing Technologies for Food and Agricultural By-Products*, Z. Pan, R. Zhang, and S. Zicari, Editors. 2019, Academic Press. p. 59-72.
34. Sidi-Yacoub, B., F. Oudghiri, M. Belkadi, and R. Rodríguez-Barroso, *Characterization of lignocellulosic components in exhausted sugar beet pulp waste by TG/FTIR analysis*. Journal of Thermal Analysis and Calorimetry, 2019. **138**(2): p. 1801-1809.
35. Carvalheiro, F., T. Silva-Fernandes, L.C. Duarte, and F.M. Gírio, *Wheat Straw Autohydrolysis: Process Optimization and Products Characterization*. Applied Biochemistry and Biotechnology, 2009. **153**(1): p. 84-93.
36. Guragain, Y.N., J. De Coninck, F. Husson, A. Durand, and S.K. Rakshit, *Comparison of some new pretreatment methods for second generation bioethanol production from wheat straw and water hyacinth*. Bioresource Technology, 2011. **102**(6): p. 4416-4424.
37. Palonen, H., F. Tjerneld, G. Zacchi, and M. Tenkanen, *Adsorption of Trichoderma reesei CBH I and EG II and their catalytic domains on steam pretreated softwood and isolated lignin*. J Biotechnol, 2004. **107**(1): p. 65-72.
38. Li, C., B. Knierim, C. Manisseri, R. Arora, H.V. Scheller, M. Auer, K.P. Vogel, B.A. Simmons, and S. Singh, *Comparison of dilute acid and ionic liquid pretreatment of switchgrass: Biomass*

- recalcitrance, delignification and enzymatic saccharification*. Bioresource Technology, 2010. **101**(13): p. 4900-4906.
39. Cybulska, I., H. Lei, and J. Julson, *Hydrothermal Pretreatment and Enzymatic Hydrolysis of Prairie Cord Grass*. Energy & Fuels, 2010. **24**(1): p. 718-727.
 40. Ximenes, E., C. Farinas, Y. Kim, and M. Ladisch, *Hydrothermal Pretreatment of Lignocellulosic Biomass for Bioethanol Production*. 2017. p. 181-205.
 41. Mosier, N., R. Hendrickson, N. Ho, M. Sedlak, and M.R. Ladisch, *Optimization of pH controlled liquid hot water pretreatment of corn stover*. Bioresour Technol, 2005. **96**(18): p. 1986-93.
 42. Ganguly, A., P.K. Chatterjee, and A. Dey, *Studies on ethanol production from water hyacinth—A review*. Renewable and Sustainable Energy Reviews, 2012. **16**(1): p. 966-972.
 43. Fiedurek, J., M. Skowronek, and A. Gromada, *Selection and adaptation of Saccharomyces cerevisiae to increased ethanol tolerance and production*. Pol J Microbiol, 2011. **60**(1): p. 51-8.
 44. Madian, H.R., N.M. Sidkey, M.M. Abo Elsoud, H.I. Hamouda, and A.M. Elazzazy, *Bioethanol Production from Water Hyacinth Hydrolysate by Candida tropicalis Y-26*. Arabian Journal for Science and Engineering, 2019. **44**(1): p. 33-41.
 45. Mohd Azhar, S.H., R. Abdulla, S.A. Jambo, H. Marbawi, J.A. Gansau, A.A. Mohd Faik, and K.F. Rodrigues, *Yeasts in sustainable bioethanol production: A review*. Biochemistry and Biophysics Reports, 2017. **10**: p. 52-61.
 46. Kumar, A., L.K. Singh, and S. Ghosh, *Bioconversion of lignocellulosic fraction of water-hyacinth (Eichhornia crassipes) hemicellulose acid hydrolysate to ethanol by Pichia stipitis*. Bioresource Technology, 2009. **100**(13): p. 3293-3297.
 47. Lin, Y., W. Zhang, C. Li, K. Sakakibara, S. Tanaka, and H. Kong, *Factors affecting ethanol fermentation using Saccharomyces cerevisiae BY4742*. Biomass and Bioenergy, 2012. **47**: p. 395-401.
 48. Prasertwasu, S., D. Khumsupan, T. Komolwanich, T. Chaisuwan, A. Luengnaruemitchai, and S. Wongkasemjit, *Efficient process for ethanol production from Thai Mission grass (Pennisetum polystachion)*. Bioresour Technol, 2014. **163**: p. 152-9.
 49. Ko, J.K., Y. Kim, E. Ximenes, and M.R. Ladisch, *Effect of liquid hot water pretreatment severity on properties of hardwood lignin and enzymatic hydrolysis of cellulose*. 2015. **112**(2): p. 252-262.
 50. Lloyd E. Brownell, E.H.Y., *Process Equipment Design*. 1959, New York: John Wiley & Sons, Inc.
 51. Geankopolis, C.J., *Transport Processes and Separation Process Principles*, ed. t. edition. New Jersey: Pearson Education, Inc.
 52. Verduyn, C., E. Postma, W.A. Scheffers, and J.P. van Dijken, *Physiology of Saccharomyces Cerevisiae in Anaerobic Glucose-Limited Chemostat Cultures*. 1990. **136**(3): p. 395-403.