

LAMPIRAN

**SESUAI DENGAN ASLINYA
(HARD COVER) HAL. 67-74
TIDAK ADA.**

Coding Data Penyesuaian Sosial di Sekolah

LAMPIRAN C

No	Pernyataan																																RS
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
Subjek	F	F	UF	F	UF	F	UF	F	UF	UF	F	UF	F	UF	UF	UF	F	F	UF	F	F	F	F	UF	UF	F	F	UF	UF	UF	F	UF	
1	2	4	4	3	3	2	2	2	2	3	3	3	3	4	2	4	3	4	2	2	3	3	4	3	4	3	3	3	4	3	3	3	96
2	1	4	3	3	1	4	1	1	4	1	3	2	4	2	1	2	3	3	2	3	2	2	2	2	3	1	2	4	2	2	4	2	76
3	3	1	3	2	2	3	4	3	3	3	1	1	3	1	4	2	3	3	3	3	2	1	3	1	3	3	1	2	2	2	3	2	76
4	3	2	3	3	1	2	2	3	2	3	4	1	3	3	4	3	3	3	3	3	2	3	3	3	3	4	3	1	3	3	3	3	88
5	3	2	2	2	3	2	2	3	3	3	3	1	4	2	2	2	3	3	3	3	3	3	3	3	3	3	3	2	3	3	3	3	86
6	1	1	2	1	2	2	2	2	1	1	1	2	3	2	3	2	1	3	2	3	2	2	2	2	3	3	3	3	3	2	3	2	67
7	2	2	3	3	2	3	3	2	3	1	4	1	3	3	1	1	3	3	1	3	2	3	3	1	4	2	3	4	4	2	3	3	81
8	3	3	3	3	3	4	3	3	4	4	3	4	4	3	4	3	4	4	3	3	3	3	3	3	3	4	3	4	3	2	3	3	105
9	3	1	1	3	3	1	1	2	2	2	3	3	1	2	3	2	3	3	4	2	3	4	3	4	2	3	1	4	2	2	1	2	76
10	3	1	3	3	4	1	1	4	1	3	3	4	1	2	4	3	1	3	2	4	4	3	2	3	1	3	3	4	3	3	2	2	84
11	3	2	4	4	3	3	4	3	4	3	4	3	4	3	1	2	1	4	2	3	4	3	3	4	3	3	3	4	3	2	4	3	99
12	3	3	3	4	2	2	2	3	2	2	2	3	3	3	3	3	2	3	2	2	2	3	2	3	3	3	4	4	4	2	3	1	86
13	2	2	4	3	3	2	4	2	4	2	3	4	3	4	4	3	4	4	3	3	3	3	2	3	3	3	4	2	4	4	4	3	101
14	3	4	4	3	4	4	4	3	3	2	3	3	4	4	4	3	2	4	3	3	3	3	4	3	3	3	3	2	3	3	3	3	103
15	2	4	3	4	3	2	1	2	1	1	2	3	2	3	3	3	2	4	3	2	2	2	4	3	2	3	3	3	2	3	2	3	82
16	2	3	3	4	3	4	3	2	3	3	3	3	3	1	2	3	3	4	3	3	3	4	4	3	3	4	3	3	3	3	3	3	97
17	2	2	3	2	3	2	3	2	2	2	3	3	2	3	2	2	3	3	3	3	2	2	3	3	3	3	3	2	2	3	2	3	81
18	2	3	3	3	2	2	3	2	3	2	3	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	2	2	2	2	2	3	85

Aitem Skala Penyesuaian Sosial di Sekolah (Valid)

No	Pernyataan																								RS	
	1	2	3	4	5	6	7	9	10	11	12	13	14	16	18	21	22	23	24	26	27	29	30	31		32
Subjek	F	F	UF	F	UF	F	UF	UF	UF	F	UF	F	UF	UF	F	F	F	F	UF	F	F	UF	UF	F	UF	
1	2	4	4	3	3	2	2	2	3	3	3	3	4	4	4	3	3	4	3	3	3	4	3	3	3	78
2	1	4	3	3	1	4	1	4	1	3	2	4	2	2	3	2	2	2	2	1	2	2	2	4	2	59
3	3	1	3	2	2	3	4	3	3	1	1	3	1	2	3	2	1	3	1	3	1	2	2	3	2	55
4	3	2	3	3	1	2	2	2	3	4	1	3	3	3	3	2	3	3	3	4	3	3	3	3	3	68
5	3	2	2	2	3	2	2	3	3	3	1	4	2	2	3	3	3	3	3	3	3	3	3	3	3	67
6	1	1	2	1	2	2	2	1	1	1	2	3	2	2	3	2	2	2	2	3	3	3	2	3	2	50
7	2	2	3	3	2	3	3	3	1	4	1	3	3	1	3	2	3	3	1	2	3	4	2	3	3	63
8	3	3	3	3	3	4	3	4	4	3	4	4	3	3	4	3	3	3	3	4	3	3	2	3	3	81
9	3	1	1	3	3	1	1	2	2	3	3	1	2	2	3	3	4	3	4	3	1	2	2	1	2	56
10	3	1	3	3	4	1	1	1	3	3	4	1	2	3	3	4	3	2	3	3	3	3	3	2	2	64
11	3	2	4	4	3	3	4	4	3	4	3	4	3	2	4	4	3	3	4	3	3	3	2	4	3	82
12	3	3	3	4	2	2	2	2	2	2	3	3	3	3	3	2	3	2	3	3	4	4	2	3	1	67
13	2	2	4	3	3	2	4	4	2	3	4	3	4	3	4	3	3	2	3	3	4	4	4	4	3	80
14	3	4	4	3	4	4	4	3	2	3	3	4	4	3	4	3	3	4	3	3	3	3	3	3	3	83
15	2	4	3	4	3	2	1	1	1	2	3	2	3	3	4	2	2	4	3	3	3	2	3	2	3	65
16	2	3	3	4	3	4	3	3	3	3	3	3	1	3	4	3	4	4	3	4	3	3	3	3	3	78
17	2	2	3	2	3	2	3	2	2	3	3	2	3	2	3	2	2	3	3	3	3	2	3	2	3	63
18	2	3	3	3	2	2	3	3	2	3	3	3	3	3	3	2	3	3	3	3	2	2	2	2	3	66

Coding Data Pola Reaksi Orangtua

Aitem Pola Reaksi *Accepting*

No	PERNYATAAN											RS
	1	5	9	11	13	14	19	21	23	28		
Subjek	F	UF	F	UF	F	UF	F	UF	F	UF		
1	3	1	4	4	4	4	4	4	4	3		35
2	3	2	2	2	3	3	3	3	3	2		26
3	4	4	3	3	3	3	3	3	4	3		33
4	3	3	3	3	2	4	3	4	3	4		32
5	3	2	2	2	3	3	3	3	3	2		26
6	4	4	4	3	4	4	3	3	4	3		36
7	2	3	2	2	1	2	2	2	2	2		20
8	3	4	2	2	3	4	4	4	4	2		32
9	4	4	2	2	3	2	4	4	3	2		30
10	4	3	4	4	4	3	4	4	4	4		38
11	3	4	3	4	3	4	3	3	3	2		32
12	4	3	3	3	3	4	3	4	3	1		31
13	4	3	4	4	3	4	4	4	4	3		37
14	3	3	3	2	2	3	3	4	3	2		28
15	3	2	4	4	4	4	3	4	4	3		35
16	3	2	3	2	3	4	3	4	4	3		31
17	4	3	3	3	3	3	4	4	4	4		35
18	2	1	2	2	2	4	2	2	2	2		21

Aitem Pola Reaksi *Accepting Valid*

No	PERNYATAAN											RS
	1	9	11	13	19	21	23	28				
Subjek	F	F	UF	F	F	UF	F	UF				
1	3	4	4	4	4	4	4	4	3			30
2	3	2	2	3	3	3	3	3	2			21
3	4	3	3	3	3	3	3	4	3			26
4	3	3	3	?	3	4	3	4				25
5	3	2	2	3	3	3	3	2				21
6	4	4	3	4	3	3	4	3				28
7	2	2	2	1	2	2	2	2				15
8	3	2	2	3	4	4	4	2				24
9	4	2	2	3	4	4	3	2				24
10	4	4	4	4	4	4	4	4				32
11	3	3	4	3	3	3	3	2				24
12	4	3	3	3	3	4	3	1				24
13	4	4	4	3	4	4	4	3				30
14	3	3	2	2	3	4	3	2				22
15	3	4	4	4	3	4	4	3				29
16	3	3	2	3	3	4	4	3				25
17	4	3	3	3	4	4	4	4				29
18	2	2	2	2	2	2	2	2				16

LAMPIRAN D

Aitem Pola Reaksi *Disguising*

No	PERNYATAAN										RS
	2	4	7	10	15	17	22	24	27	30	
Subjek	UF	F	UF	F	F	UF	F	UF	F	UF	
1	1	1	1	1	1	3	1	2	4	2	17
2	2	2	2	2	2	2	2	2	2	2	20
3	2	2	1	2	2	2	1	2	3	2	19
4	2	1	2	1	2	2	2	4	2	1	19
5	2	2	2	2	2	2	2	2	2	2	20
6	2	3	1	2	4	2	2	4	3	3	26
7	2	1	2	3	3	3	3	2	2	2	23
8	2	2	1	2	4	4	4	3	4	4	30
9	2	3	2	2	3	4	3	4	3	3	29
10	2	2	2	2	4	1	1	3	4	3	24
11	5	1	1	3	2	1	1	3	2	1	18
12	1	1	1	1	2	3	1	3	3	2	18
13	2	1	2	2	2	4	1	3	3	2	22
14	3	1	2	2	2	2	3	2	2	2	21
15	1	1	1	1	2	4	2	4	2	1	19
16	1	2	1	2	1	3	2	4	2	1	19
17	2	2	2	2	4	2	2	4	4	4	28
18	2	2	1	2	3	3	4	3	4	3	27

Aitem Pola Reaksi *Disguising* Valid

No	PERNYATAAN					RS
	4	15	22	27	30	
Subjek	F	F	F	F	UF	
1	1	1	1	4	2	9
2	2	2	2	2	2	10
3	2	2	1	3	2	10
4	1	2	2	2	1	8
5	2	2	2	2	2	10
6	3	4	2	3	3	15
7	1	3	3	2	2	11
8	2	4	4	4	4	18
9	3	3	3	3	3	15
10	2	4	1	4	3	14
11	1	2	1	2	1	7
12	1	2	1	3	2	9
13	1	2	1	3	2	9
14	1	2	3	2	2	10
15	1	2	2	2	1	8
16	2	1	2	2	1	8
17	2	4	2	4	4	16
18	2	3	4	4	3	16

Aitem Pola Reaksi *Denying*

No	PERNYATAAN										RS
	3	6	8	12	16	18	20	25	26	29	
Subjek	F	UF	F	F	UF	UF	F	UF	F	UF	
1	4	2	3	3	3	2	2	3	3	2	27
2	3	2	2	2	2	3	2	2	3	2	23
3	3	2	2	2	2	2	3	2	3	2	23
4	3	2	2	2	3	3	2	2	2	1	22
5	3	2	2	2	2	3	3	3	3	2	25
6	3	3	4	3	2	3	3	3	4	2	30
7	4	3	4	3	4	3	1	2	3	1	28
8	2	1	2	2	2	2	4	3	4	2	24
9	3	4	3	4	3	3	4	3	4	2	33
10	4	4	3	3	1	3	4	4	3	2	31
11	4	3	3	3	2	4	3	2	3	2	29
12	4	2	2	3	2	4	2	4	4	1	28
13	3	1	1	2	1	3	2	3	3	1	20
14	2	2	2	1	2	2	4	2	2	1	20
15	3	2	2	2	3	3	1	4	3	1	24
16	4	2	2	2	3	3	1	4	3	1	25
17	3	3	4	4	2	4	4	4	4	2	34
18	2	2	2	2	2	2	1	2	3	2	20

Aitem Pola Reaksi *Denying* Valid

No	PERNYATAAN						RS
	3	6	8	12	18	26	
Subjek	F	UF	F	F	UF	F	
1	4	2	3	3	2	3	17
2	3	2	2	2	3	3	15
3	3	2	2	2	2	3	14
4	3	2	2	2	3	2	14
5	3	2	2	2	3	3	15
6	3	3	4	3	3	4	20
7	4	3	4	3	3	3	20
8	2	1	2	2	2	4	13
9	3	4	3	4	3	4	21
10	4	4	3	3	3	3	20
11	4	3	3	3	4	3	20
12	4	2	2	3	4	4	19
13	3	1	1	2	3	3	13
14	2	2	2	1	2	2	11
15	3	2	2	2	3	3	15
16	4	2	2	2	3	3	16
17	3	3	4	4	4	4	22
18	2	2	2	2	2	3	13

Reliability Penyesuaian Sosial

PUTARAN I

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100,0
	Excluded ^a	0	,0
	Total	18	100,0

- a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,834	32

Item Statistics

	Mean	Std. Deviation	N
Aitem1	2,39	,698	18
Aitem2	2,44	1,097	18
Aitem3	3,00	,767	18
Aitem4	2,94	,802	18
Aitem5	2,44	,856	18
Aitem6	2,50	,985	18
Aitem7	2,50	1,098	18
Aitem8	2,44	,705	18
Aitem9	2,61	1,037	18
Aitem10	2,28	,895	18
Aitem11	2,83	,857	18
Aitem12	2,61	1,037	18
Aitem13	2,94	,938	18
Aitem14	2,67	,907	18
Aitem15	2,78	1,114	18
Aitem16	2,56	,705	18
Aitem17	2,61	,916	18
Aitem18	3,39	,502	18
Aitem19	2,61	,698	18
Aitem20	2,83	,514	18
Aitem21	2,61	,698	18
Aitem22	2,78	,732	18
Aitem23	2,94	,725	18
Aitem24	2,78	,808	18
Aitem25	2,89	,676	18
Aitem26	2,89	,758	18
Aitem27	2,78	,808	18
Aitem28	2,94	,998	18
Aitem29	2,89	,758	18
Aitem30	2,56	,616	18
Aitem31	2,83	,786	18
Aitem32	2,61	,608	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem1	84,50	109,912	,326	,830
Aitem2	84,44	105,908	,357	,829
Aitem3	83,89	104,575	,637	,821
Aitem4	83,94	107,232	,439	,826
Aitem5	84,44	108,732	,319	,830
Aitem6	84,39	107,075	,349	,829
Aitem7	84,39	104,016	,444	,826
Aitem8	84,44	111,085	,241	,832
Aitem9	84,28	104,801	,437	,826
Aitem10	84,61	104,958	,513	,823
Aitem11	84,06	107,232	,405	,827
Aitem12	84,28	105,389	,409	,827
Aitem13	83,94	107,114	,369	,828
Aitem14	84,22	105,830	,456	,825
Aitem15	84,11	112,340	,067	,841
Aitem16	84,33	107,412	,497	,825
Aitem17	84,28	110,801	,183	,835
Aitem18	83,50	106,971	,765	,822
Aitem19	84,28	113,977	,047	,837
Aitem20	84,06	114,526	,034	,836
Aitem21	84,28	107,624	,487	,826
Aitem22	84,11	108,575	,397	,828
Aitem23	83,94	109,703	,325	,830
Aitem24	84,11	108,458	,359	,829
Aitem25	84,00	112,588	,148	,834
Aitem26	84,00	108,471	,387	,828
Aitem27	84,11	107,281	,432	,827
Aitem28	83,94	118,056	-,179	,848
Aitem29	84,00	108,471	,387	,828
Aitem30	84,33	110,000	,370	,829
Aitem31	84,06	109,350	,316	,830
Aitem32	84,28	108,565	,492	,826

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
86,89	115,163	10,731	32

Reliability

PUTARAN II

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100,0
	Excluded ^a	0	,0
	Total	18	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,863	25

Item Statistics

	Mean	Std. Deviation	N
Aitem1	2,39	,698	18
Aitem2	2,44	1,097	18
Aitem3	3,00	,767	18
Aitem4	2,94	,802	18
Aitem5	2,44	,856	18
Aitem6	2,50	,985	18
Aitem7	2,50	1,098	18
Aitem9	2,61	1,037	18
Aitem10	2,28	,895	18
Aitem11	2,83	,857	18
Aitem12	2,61	1,037	18
Aitem13	2,94	,938	18
Aitem14	2,67	,907	18
Aitem16	2,56	,705	18
Aitem18	3,39	,502	18
Aitem21	2,61	,698	18
Aitem22	2,78	,732	18
Aitem23	2,94	,725	18
Aitem24	2,78	,808	18
Aitem26	2,89	,758	18
Aitem27	2,78	,808	18
Aitem29	2,89	,758	18
Aitem30	2,56	,616	18
Aitem31	2,83	,786	18
Aitem32	2,61	,608	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem1	65,39	97,075	,242	,862
Aitem2	65,33	90,941	,418	,858
Aitem3	64,78	90,301	,686	,850
Aitem4	64,83	92,853	,478	,856
Aitem5	65,33	95,059	,306	,861
Aitem6	65,28	93,271	,349	,860
Aitem7	65,28	90,918	,419	,858
Aitem9	65,17	91,676	,410	,858
Aitem10	65,50	92,735	,427	,857
Aitem11	64,94	92,997	,433	,857
Aitem12	65,17	92,147	,385	,859
Aitem13	64,83	92,971	,389	,859
Aitem14	65,11	91,634	,485	,855
Aitem16	65,22	93,830	,481	,856
Aitem18	64,39	92,958	,794	,852
Aitem21	65,17	93,912	,480	,856
Aitem22	65,00	94,824	,388	,859
Aitem23	64,83	95,324	,356	,859
Aitem24	65,00	94,353	,375	,859
Aitem26	64,89	95,516	,324	,860
Aitem27	65,00	92,824	,476	,856
Aitem29	64,89	94,458	,397	,858
Aitem30	65,22	95,948	,378	,859
Aitem31	64,94	94,879	,352	,860
Aitem32	65,17	94,382	,520	,856

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
67,78	100,889	10,044	25

Reliability

PUTARAN III

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100,0
	Excluded ^a	0	,0
	Total	18	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,862	24

Item Statistics

	Mean	Std. Deviation	N
Aitem2	2,44	1,097	18
Aitem3	3,00	,767	18
Aitem4	2,94	,802	18
Aitem5	2,44	,856	18
Aitem6	2,50	,985	18
Aitem7	2,50	1,098	18
Aitem9	2,61	1,037	18
Aitem10	2,28	,895	18
Aitem11	2,83	,857	18
Aitem12	2,61	1,037	18
Aitem13	2,94	,938	18
Aitem14	2,67	,907	18
Aitem16	2,56	,705	18
Aitem18	3,39	,502	18
Aitem21	2,61	,698	18
Aitem22	2,78	,732	18
Aitem23	2,94	,725	18
Aitem24	2,78	,808	18
Aitem26	2,89	,758	18
Aitem27	2,78	,808	18
Aitem29	2,89	,758	18
Aitem30	2,56	,616	18
Aitem31	2,83	,786	18
Aitem32	2,61	,608	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem2	62,94	86,761	,446	,857
Aitem3	62,39	86,487	,701	,849
Aitem4	62,44	89,320	,469	,856
Aitem5	62,94	91,585	,291	,861
Aitem6	62,89	89,281	,367	,859
Aitem7	62,89	87,399	,413	,858
Aitem9	62,78	87,948	,414	,858
Aitem10	63,11	89,752	,385	,858
Aitem11	62,56	89,438	,426	,857
Aitem12	62,78	88,418	,389	,859
Aitem13	62,44	89,085	,402	,858
Aitem14	62,72	87,859	,493	,855
Aitem16	62,83	90,147	,481	,856
Aitem18	62,00	89,176	,807	,851
Aitem21	62,78	90,536	,456	,856
Aitem22	62,61	91,310	,374	,859
Aitem23	62,44	91,673	,351	,859
Aitem24	62,61	90,958	,354	,859
Aitem26	62,50	92,147	,299	,861
Aitem27	62,61	88,958	,489	,855
Aitem29	62,50	90,735	,399	,858
Aitem30	62,83	92,147	,385	,859
Aitem31	62,56	90,850	,374	,859
Aitem32	62,78	90,536	,534	,855

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
65,39	97,075	9,853	24

RELIABILITAS ACCEPTING**Reliability****PUTARAN I****Warnings**

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100,0
	Excluded ^a	0	,0
	Total	18	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,854	10

Item Statistics

	Mean	Std. Deviation	N
Aitem1	3,28	,669	18
Aitem5	2,83	,985	18
Aitem9	2,94	,802	18
Aitem11	2,83	,857	18
Aitem13	2,94	,802	18
Aitem14	3,44	,705	18
Aitem19	3,22	,647	18
Aitem21	3,50	,707	18
Aitem23	3,39	,698	18
Aitem28	2,61	,850	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem1	27,72	21,507	,690	,831
Aitem5	28,17	24,147	,115	,888
Aitem9	28,06	20,173	,752	,823
Aitem11	28,17	20,382	,661	,831
Aitem13	28,06	20,526	,697	,828
Aitem14	27,56	23,908	,266	,863
Aitem19	27,78	21,712	,681	,832
Aitem21	27,50	21,559	,636	,835
Aitem23	27,61	20,369	,854	,817
Aitem28	28,39	21,663	,487	,848

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
31,00	26,235	5,122	10

Reliability

PUTARAN II

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100,0
	Excluded ^a	0	,0
	Total	18	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,899	8

Item Statistics

	Mean	Std. Deviation	N
Aitem1	3,28	,669	18
Aitem9	2,94	,802	18
Aitem11	2,83	,857	18
Aitem13	2,94	,802	18
Aitem19	3,22	,647	18
Aitem21	3,50	,707	18
Aitem23	3,39	,698	18
Aitem28	2,61	,850	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem1	21,44	17,438	,648	,889
Aitem9	21,78	15,948	,767	,877
Aitem11	21,89	16,222	,659	,889
Aitem13	21,78	16,183	,725	,882
Aitem19	21,50	17,324	,699	,885
Aitem21	21,22	17,242	,641	,889
Aitem23	21,33	16,235	,851	,871
Aitem28	22,11	17,046	,533	,901

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
24,72	21,507	4,638	8

RELIABILITAS *DISGUIISING*

Reliability

PUTARAN I

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100.0
	Excluded ^a	0	.0
	Total	18	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.686	10

Item Statistics

	Mean	Std. Deviation	N
Aitem2	1.89	.583	18
Aitem4	1.67	.686	18
Aitem7	1.50	.514	18
Aitem10	1.89	.583	18
Aitem15	2.50	.985	18
Aitem17	2.61	.979	18
Aitem22	2.06	.998	18
Aitem24	3.00	.840	18
Aitem27	2.83	.857	18
Aitem30	2.22	.943	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem2	20.28	16.565	.113	.695
Aitem4	20.50	14.265	.522	.636
Aitem7	20.67	16.941	.056	.700
Aitem10	20.28	16.330	.164	.689
Aitem15	19.67	11.412	.760	.563
Aitem17	19.56	16.261	.028	.730
Aitem22	20.11	12.928	.490	.631
Aitem24	19.17	15.794	.141	.700
Aitem27	19.33	14.235	.382	.656
Aitem30	19.94	11.467	.796	.558

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
22.17	17.441	4.176	10

Reliability

PUTARAN II

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100.0
	Excluded ^a	0	.0
	Total	18	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.813	5

Item Statistics

	Mean	Std. Deviation	N
Aitem4	1.67	.686	18
Aitem15	2.50	.985	18
Aitem22	2.06	.998	18
Aitem27	2.83	.857	18
Aitem30	2.22	.943	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem4	9.61	8.958	.535	.799
Aitem15	8.78	6.771	.757	.725
Aitem22	9.22	8.536	.359	.855
Aitem27	8.44	8.261	.533	.796
Aitem30	9.06	6.408	.906	.673

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
11.28	11.624	3.409	5

RELIABILITAS *DENYING*

Reliability

PUTARAN I

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100.0
	Excluded ^a	0	.0
	Total	18	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.748	10

Item Statistics

	Mean	Std. Deviation	N
Aitem3	3.17	.707	18
Aitem6	2.33	.840	18
Aitem8	2.50	.857	18
Aitem12	2.50	.786	18
Aitem16	2.28	.752	18
Aitem18	2.89	.676	18
Aitem20	2.56	1.149	18
Aitem25	2.89	.832	18
Aitem26	3.17	.618	18
Aitem29	1.61	.502	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem3	22.72	16.448	.366	.733
Aitem6	23.56	13.908	.707	.678
Aitem8	23.39	13.781	.711	.677
Aitem12	23.39	13.310	.892	.651
Aitem16	23.61	18.840	-.055	.787
Aitem18	23.00	16.118	.455	.722
Aitem20	23.33	16.235	.161	.785
Aitem25	23.00	16.353	.297	.744
Aitem26	22.72	15.977	.543	.713
Aitem29	24.28	17.624	.278	.743

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
25.89	19.046	4.364	10

Reliability

PUTARAN I I

Warnings

The space saver method is used. That is, the covariance matrix is not calculated or used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	18	100.0
	Excluded ^a	0	.0
	Total	18	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.840	6

Item Statistics

	Mean	Std. Deviation	N
Aitem3	3.17	.707	18
Aitem6	2.33	.840	18
Aitem8	2.50	.857	18
Aitem12	2.50	.786	18
Aitem18	2.89	.676	18
Aitem26	3.17	.618	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Aitem3	13.39	8.840	.471	.840
Aitem6	14.22	7.477	.683	.800
Aitem8	14.06	7.350	.696	.797
Aitem12	14.06	6.997	.891	.753
Aitem18	13.67	8.706	.540	.828
Aitem26	13.39	9.310	.431	.845

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
16.56	11.320	3.365	6

NILAI Z SCORE**Descriptives**

Z Score

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Nilai	54	7	32	17.52	6.740
Nilai1	18	15	32	24.72	4.638
Nilai2	18	7	18	11.28	3.409
Nilai3	18	11	22	16.56	3.365
Valid N (listwise)	18				

Accepting Hasil z score

No	PERNYATAAN								RS
	1	9	11	13	19	21	23	28	
Subjek	F	F	UF	F	F	UF	F	UF	
7	2	2	2	1	2	2	2	2	15
8	3	2	2	3	4	4	4	2	24
11	3	3	4	3	3	3	3	2	24
12	4	3	3	3	3	4	3	1	24
13	4	4	4	3	4	4	4	3	30
15	3	4	4	4	3	4	4	3	29
18	2	2	2	2	2	2	2	2	16

Disguising Hasil z score

No	PERNYATAAN						RS
	4	15	22	27	30		
Subjek	F	F	F	F	UF		
7	1	3	3	2	2		11
8	2	4	4	4	4		18
11	1	2	1	2	1		7
12	1	2	1	3	2		9
13	1	2	1	3	2		9
15	1	2	2	2	1		8
18	2	3	4	4	3		16

Denying Hasil z score

No	PERNYATAAN						RS
	3	6	8	12	18	26	
Subjek	F	UF	F	F	UF	F	
7	4	3	4	3	3	3	20
8	2	1	2	2	2	4	13
11	4	3	3	3	4	3	20
12	4	2	2	3	4	4	19
13	3	1	1	2	3	3	13
15	3	2	2	2	3	3	15
18	2	2	2	2	2	3	13

NORMALITAS PENYESUAIAN SOSIAL DI SEKOLAH

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Peny.Sosial	7	100,0%	0	,0%	7	100,0%

Descriptives

			Statistic	Std. Error
Peny.Sosial	Mean		72,00	3,222
	95% Confidence Interval for Mean	Lower Bound	64,12	
		Upper Bound	79,88	
	5% Trimmed Mean		71,94	
	Median		67,00	
	Variance		72,667	
	Std. Deviation		8,524	
	Minimum		63	
	Maximum		82	
	Range		19	
	Interquartile Range		16	
	Skewness		,312	,794
	Kurtosis		-2,613	1,587

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Peny.Sosial	,293	7	,071	,799	7	,040

a. Lilliefors Significance Correction

HOMOGENITAS DAN HIPOTESA

Oneway

Descriptives

Penyesuaian sosial

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
accepting	2	72,50	10,607	7,500	-22,80	167,80	65	80
disguising	2	73,50	10,607	7,500	-21,80	168,80	66	81
denying	3	70,67	10,017	5,783	45,78	95,55	63	82
Total	7	72,00	8,524	3,222	64,12	79,88	63	82

Test of Homogeneity of Variances

Penyesuaian sosial

Levene Statistic	df1	df2	Sig.
,000	2	4	1,000

ANOVA

Penyesuaian sosial


	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	10,333	2	5,167	,049	,953
Within Groups	425,667	4	106,417		
Total	436,000	6			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Penyesuaian sosial

	(I) P.reaksi	(J) P.reaksi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	accepting	disguising	-1,000	10,316	,927	-29,64	27,64
		denying	1,833	9,417	,855	-24,31	27,98
	disguising	accepting	1,000	10,316	,927	-27,64	29,64
		denying	2,833	9,417	,779	-23,31	28,98
	denying	accepting	-1,833	9,417	,855	-27,98	24,31
		disguising	-2,833	9,417	,779	-28,98	23,31
Tamhane	accepting	disguising	-1,000	10,607	1,000	-81,42	79,42
		denying	1,833	9,471	,997	-62,78	66,45
	disguising	accepting	1,000	10,607	1,000	-79,42	81,42
		denying	2,833	9,471	,991	-61,78	67,45
	denying	accepting	-1,833	9,471	,997	-66,45	62,78
		disguising	-2,833	9,471	,991	-67,45	61,78

Means Plots

LAMPIRAN J

Crosstabs

Penyesuaian sosial dan pola reaksi

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
P.reaksi * Penyesuaian sosial	7	100,0%	0	,0%	7	100,0%

P.reaksi * Penyesuaian sosial Crosstabulation

Count

		Penyesuaian sosial		Total
		tinggi	sedang	
P.reaksi	accepting	1	1	2
	disguising	1	1	2
	denying	1	2	3
Total		3	4	7

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,194 ^a	2	,907
Likelihood Ratio	,196	2	,906
Linear-by-Linear Association	,132	1	,716
N of Valid Cases	7		

a. 6 cells (100,0%) have expected count less than 5. The minimum expected count is ,86.