

## BAB 5


### SIMPULAN

#### 5.1. Simpulan

Etil selulosa sebagai matriks dapat menghambat keluarnya bahan obat, semakin besar konsentrasi etil selulosa yang digunakan maka pelepasannya semakin terhambat.

#### 5.2. Alur Penelitian Selanjutnya

Dapat dilakukan penelitian tentang parameter farmakokinetik sediaan lepas lambat Propanolol HCl dan dicari korelasi *in vivo-in vitro* dan dapat juga dilakukan penelitian menggunakan bahan aktif lain yang memenuhi persyaratan untuk dijadikan sediaan lepas lambat dengan menggunakan matriks etil selulosa, selain itu penelitian ini dapat juga direkomendasikan untuk pabrik pembuat sesuai dengan dosis dan rentang terapeutiknya.



## DAFTAR PUSTAKA

- Ansel, H.C., 1989. **Pengantar Bentuk Sediaan Farmasi**. (Ibrahim, F., penerjemah), 4<sup>th</sup> ed., UI Press. Jakarta, pp. 118-120, 144, 148, 247-299.
- Arini, S. & Sulistia, G., 1995. Obat Otonom. In: Sulistia, G. (Ed), **Farmakologi dan Terapi**, Gaya Baru, Jakarta, pp. 80-87.
- Ashton, P., Hadgraft, J., Brain, K.R., Miller, T.A., Walter, K.A., 1988, Surfactant Effect in Topical Drug Availability. *Int. J. Phar.*, **41**, 189-195.
- Aulton, M.E., 2002. **Pharmaceutics The Science of Dosage Form**, 2<sup>nd</sup> edition. Churchill Livingstone, Edinburgh, pp. 296-305.
- Banakar, U.V., 1992. **Pharmaceutical Dissolution Testing**, Marcel Dekker, Inc., New York, pp. 19-26, 322-330.
- Banker, G.S. and Anderson, N.R., 1986. Tablet. In: Lachman, L., Lieberman, H.A., Kanig, J.L. (Eds.), **The Theory and Practice of Industrial Pharmacy**, 3<sup>rd</sup> ed., Lea and Febiger, Philadelphia, pp. 293-317.
- Collett, J. and Moreton, C., 2002. Modified-release Peroral Dosage Form. In: Aulton, M.E.(Ed.), **Pharmaceutics: The Science of Dosage Form Design**, 2<sup>nd</sup> ed., Churchill Livingstone, Edinburgh, pp. 289-302.
- Farmakope Indonesia III**, 1979. Departemen Kesehatan Republik Indonesia, Jakarta, pp. 6-8, 128, 338, 354, 591.
- Farmakope Indonesia IV**, 1995. Departemen Kesehatan Republik Indonesia, Jakarta, pp. 4, 783, 784, 999-1000.
- Gordon, R.E., Rosanske, T.W., Fonner, D.E., Anderson, N.R., Banker, G.S., 1990. Granulation Technology and Tablet Characterization. In: Lieberman, H.A., Lachman, L., Schwartz, J.B. (Eds.), **Pharmaceutical Dosage Form: Tablet**, volume 2, 2<sup>nd</sup> ed., Marcel Dekker, Inc., New York, pp. 283-300, 321-336.
- Hanson, W.A., 1991. **Handbook of Dissolution Testing**. Pharmaceutical Technology Publications, New York, pp. 13-17.

Higuchi, W.I., 1963. Mechanism of Sustained Action Medication: Theoretical Analysis of Rate of Release of Solid Drugs Disperse in solid matrices, **J. Pharm. Sci.**, 52, 1145-1149.

Khan, K.A., 1975. The concept of dissolution efficiency, **J. Pharmacology**, 27, 48-49.

Lieberman, H.A., Lachman, L., Schwatz, J.B., 1989. **Tablet Formulation and Design, Pharmaceutical Dosage Forms: Tablet**. Vol. 7, 2<sup>nd</sup> edition. Marcell Dekker, New York, hal. 258-326.

Martin, A. and Swarbrick, J., Cammarata, A., 1993. **Farmasi Fisik: Dasar-Dasar Kimia Fisik dalam Ilmu Farmasetik**. (Yoshita, penerjemah). Universitas Indonesia Press, Jakarta, hal. 845-847.

Parrott, E.L., 1971, **Pharmaceutical Technology: Fundamental Pharmaceutics**, Burgess Publishing Company, Minneapolis, pp. 17-30, 80-86.

Rosita, H., 2007. **Pengaruh Perbedaan Kadar Bahan Pengikat Metil Selulosa 400 terhadap Pelepasan Tablet Lepas Lambat Natrium Diklofenak**. Skripsi Sarjana Farmasi. Universitas Airlangga, Surabaya.

Rowe, R.C., Sheskey, J.P., Weller, J.P., 2003. **Handbook of pharmaceutical Excipients 4<sup>th</sup> Edition**, Pharmaceutical Press, London, pp. 324-324, 354-355, 508-509, 641.

Saifullah, T.N., Syukri, Y., Utami, R., 2007. Profil pelepasan Propanolol HCl dari tablet lepas lambat dengan system *floating* menggunakan matriks methocel K15M. **Majalah Farmasi Indonesia**, 48.

Shargel, L. and Yu, B.C., 1999. **Applied Biopharmaceutics and Pharmacokinetics**, 4<sup>th</sup> ed., McGraw-Hill, London, pp. 169-201.

Siregar, C.J.P., 1992. Proses Validasi Manufaktur Sediaan Tablet. Jurusan Farmasi FMIPA, Institut Teknologi Bandung, Bandung, pp. 26-43.

Swarbrick, 1992. **Encyclopedia of Pharmaceutical Technology**. Vol. 5. Marcell Dekker, Inc., New York, p.189.

Tabandeh, H., Mortasavi, S.A., Guinali, T.B., 2003. Preparation of Sustained-Release Matrix Tablet of Aspirin with Ethylcellulose, Eudragit RS100 and Eudragit S100 and studying the Release Profiles and Their Sensitivity to Tablet Hardness. **Iranian Journal of Pharmaceutical**, 201-206.

Wade, A. and Weller, P.J., 2003. **Handbook of Pharmaceutical Excipients**, 2<sup>nd</sup> ed., The Pharmaceutical Press and American Pharmaceutical Association, London, pp. 280, 392, 519.

Wagner, J.G., 1971. **Biopharmaceutics and Relevant Pharmacokinetic**, Drug Intelligence Publications, Illinois, pp. 64-110.

Velasco, M.V.R., Santoro, M.I.R.M., Gai, M.N., 1999. Dissolution Kinetics Evaluation of Controlled-release Tablets Containing Propranolol Hydrochloride. **Drug Development and Industrial Pharmacy**, 25, 535-541.

Voigt, R., 1995. Buku **Pelajaran Teknologi Farmasi**. (Soewandhi, S.M., penerjemah), 5<sup>th</sup> ed., Gajah Mada University Press, Yogyakarta, pp. 165-173.

